





E. PRODUCT GUIDE

3959517S	FORD D90Z6A666A PCV  Mexico only	3959751S	DAVCO 102691 Fuel Heater Kit for use with Fuel Housings	AA2905	Kit Containing (1) AF1605M and (1) AF1604 
3959518S	GMC 6487778 PCV  Mexico only	3959752S	DAVCO 102693 Fuel Heater Kit for use with Fuel Housings	AA2906	Kit Containing (1) AF879 and (1) AF857
3959519S	NISSAN 1181060U00 PCV  Mexico only	3959753S	DAVCO 102694 Fuel Heater Kit for use with Fuel Housings	AA2907	Kit Containing (1) AF899 and (1) AF880 
3959520S	FORD E1DZ6A666A PCV  Mexico only	3960200S	Replacement Lid & Wingnut for AP0200.	AA2907M	Kit Containing (1) AF899M and (1) AF880 
3959521S	CHRYSLER 5214088 PCV  Mexico only	3960300S	Replacement Lid & Wingnut for AP0300.	AA2908	Kit Containing (1) AF421 and (1) AF821M
3959522S	HONDA E63Z6A666A PCV  Mexico only	3960450S	Replacement Lid & Wingnut for AP0450.	AA2909	Ford (Outer Element) Ford (Inner Element) Elements Not Available Separately
3959524S	NISSAN 1181057Y00 PCV  Mexico only	3960500S	Replacement Lid & Wingnut for AP0500.	AA2910	Kit Containing (1) AF911 and (1) AF910  Overall Height: 24.00 (609) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)
3959525S	CHRYSLER 53041134 PCV  Mexico only	Dual Pack Air Kits		AA2912	Kit containing (1) AF1768M and (1) AF1767 
3959527S	CHRYSLER 53030564 PCV  Mexico only	AA2900	Kit Containing (1) AF851 and (1) AF883 	AA2920	Kit containing (1) AF4504M and (1) AF1791 
3959745S	DAVCO 102551 Metric Check Valve Fitting for Industrial Pro Series	AA2901	Kit Containing (1) AF873M and (1) AF4516 	AA2921	Kit containing (1) AF434KM and (1) AF804M
3959747S	NISSAN 11810F0500 PCV  Mexico only	AA2902	Kit Containing (1) AF424 and (1) AF820M 	Air Filters	
3959748S	DAVCO 102688 Fuel Heater kit for use with Fuel Housings	AA2903	Kit Containing (1) AF4605M and (1) AF4603 	AF250	CUMMINS 255963 Uses service part: 154272S, 156779S, 250024S Breather For Naturally Aspirated Engines Only  Overall Height: 2.73 (69) Overall OD: 2.99 (76) End 1 ID: 1.35 (34)
3959749S	DAVCO 102689 Fuel Heater Kit for use with Fuel Housings	AA2904	Kit Containing (1) AF875M and (1) AF4514 		
3959750S	DAVCO 102690 Fuel Heater Kit for use with Fuel Housings				

E. PRODUCT GUIDE

AF251  CUMMINS 155065, CUMMINS 256837 Filter used with 147669S Uses service part: 257014S Air Compressor Breather Overall Height: 1.28 (33) Overall OD: 4.92 (125) End 1 ID: 3.00 (76)	AF259  CUMMINS 106836, CUMMINS 299259 Fram FA-210PL Series Overall Height: 7.95 (202) Overall OD: 6.68 (170) End 1 ID: 4.19 (106) End 2 ID: 0.30 (8)	AF269  CHRYSLER 2120933 Overall Height: 6.00 (152) Overall OD: 10.21 (259) End 1 ID: 5.54 (141)
AF252  CUMMINS 299252 Pre-Cleaner Blanket is AF1844 Overall Height: 10.06 (256) End 1 OD: 9.23 (234) End 2 OD: 9.21 (234) End 1 ID: 0.44 (11) End 2 ID: 6.61 (168)	AF260  FORD B8Q9601A Overall Height: 7.16 (182) End 1 OD: 9.46 (240) End 2 OD: 9.16 (233) End 1 ID: 6.75 (171)	AF276  CUMMINS 253477 Overall Height: 3.85 (98) Overall OD: 6.06 (154) End 1 ID: 4.56 (116)
AF253  CUMMINS 299253 Uses service part: 3835841S, 3835842S Optional Gaskets For Fram Housing Overall Height: 12.06 (306) Overall OD: 10.40 (264) End 1 ID: 7.80 (198) End 2 ID: 0.44 (11)	AF262  CUMMINS 299262 Overall Height: 15.03 (382) Overall OD: 11.94 (303) End 1 ID: 7.32 (186)	AF277  CASE 156073C91 Overall Height: 8.56 (217) Overall OD: 6.06 (154) End 1 ID: 4.56 (116)
AF254  AIR REFINER ARP9 Overall Height: 3.91 (99) End 1 OD: 9.39 (239) End 2 OD: 9.19 (233) End 1 ID: 6.60 (168)	AF263  ALLIS-CHALMERS 4052520 Overall Height: 16.39 (416) Overall OD: 12.08 (307) End 1 ID: 7.94 (202)	AF278  CUMMINS 299278, CASE 301659R91 Overall Height: 18.50 (470) Overall OD: 8.08 (205) End 1 ID: 5.69 (145)
AF255  CHRYSLER 1929429 Overall Height: 3.67 (93) End 1 OD: 3.30 (84) End 1 ID: 1.97 (50)	AF264  CUMMINS 299264 Safety Element used with AF936 Overall Height: 12.04 (306) Overall OD: 10.21 (259) End 1 ID: 5.54 (141)	AF281  GMC 2308840 Overall Height: 2.50 (64) Overall OD: 3.00 (76) End 1 ID: 1.62 (41)
AF256  CLARK 880046 Fram F-4 Series Overall Height: 2.06 (52) Overall OD: 3.27 (83) End 1 ID: 1.97 (50)	AF265  CUMMINS 124721, CUMMINS 299265 Overall Height: 10.06 (255) Overall OD: 8.99 (228) End 1 ID: 4.33 (110)	AF284  CLARK 880044 Overall Height: 7.00 (178) Overall OD: 4.38 (111) End 1 ID: 3.00 (76)
AF257  FORD B7A9601C Overall Height: 3.62 (92) End 1 OD: 9.43 (240) End 2 OD: 9.14 (232) End 1 ID: 6.88 (175)	AF267  FORD C1KE9601A Overall Height: 2.26 (57) Overall OD: 9.76 (248) End 1 ID: 7.94 (202)	AF285  CUMMINS 133739, CUMMINS 299285 250806 Bolt Seal Included Overall Height: 9.04 (230) End 1 OD: 8.41 (214) End 2 OD: 8.40 (213) End 1 ID: 5.79 (147) End 2 ID: 0.54 (14)
AF258  CASE 150868R91 Overall Height: 7.62 (194) Overall OD: 8.09 (205) End 1 ID: 0.44 (11) End 2 ID: 5.75 (146)	AF268  FORD B8QH9601A Overall Height: 5.13 (130) Overall OD: 12.13 (308) End 1 ID: 9.50 (241)	AF289  CUMMINS 299289, CATERPILLAR 2M7941, CATERPILLAR 2S5648 For Magnum Version, Use AF289M Overall Height: 11.54 (293) End 1 OD: 12.83 (326) End 2 OD: 12.77 (324) End 1 ID: 5.94 (151) End 2 ID: 8.36 (212)



E. PRODUCT GUIDE

AF289M  DONALDSON P119417 Extended Life Version of AF289 Overall Height: 11.54 (293) End 1 OD: 12.83 (326) End 2 OD: 12.77 (324) End 1 ID: 5.94 (151) End 2 ID: 8.36 (212)	AF306  GMC 6422680 Overall Height: 3.06 (78) Overall OD: 11.44 (291) End 1 ID: 8.61 (219)	AF332  CATERPILLAR 4L9852 Overall Height: 12.31 (313) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)
AF290  TOWMOTOR 333660 Overall Height: 3.01 (76) End 1 OD: 6.69 (170) End 2 OD: 6.41 (163) End 1 ID: 5.00 (127)	AF308  CHRYSLER 1739548 Overall Height: 3.02 (77) End 1 OD: 8.31 (211) End 2 OD: 8.00 (203) End 1 ID: 6.50 (165)	AF333  CATERPILLAR 4L4718 Overall Height: 12.21 (310) Overall OD: 13.83 (351) End 1 ID: 9.49 (241)
AF291  AMERICAN MOTORS 8991012 Overall Height: 3.00 (76) End 1 OD: 6.68 (170) End 2 OD: 6.37 (162) End 1 ID: 4.12 (105)	AF311  CHRYSLER 1739547 Overall Height: 2.75 (70) Overall OD: 10.00 (254) End 1 ID: 7.54 (192) End 2 ID: 7.54 (192)	AF335M  CATERPILLAR 4M9334 Primary Air Filter used with AF338, AF959 Overall Height: 13.48 (342) End 1 OD: 11.08 (281) End 2 OD: 11.08 (281) End 1 ID: 6.73 (171)
AF297  PUROLATOR AF2 Overall Height: 4.00 (102) Overall OD: 8.08 (205) End 1 ID: 5.77 (147) End 2 ID: 0.25 (6)	AF321  CATERPILLAR 7M7227 Overall Height: 4.75 (121) Overall OD: 4.25 (108) End 1 ID: 1.56 (40)	AF336M  CATERPILLAR 7M9045, CAMECO INDUSTRIES 60010832 Primary Air Filter used with AF340, AF4769 For Inner Air use AF340 or AF4769 depending on the application Overall Height: 16.48 (418) End 1 OD: 11.08 (281) End 1 ID: 6.73 (171)
AF303  CUMMINS 299303, CATERPILLAR 2M2626 for Magnum Version use AF303M Overall Height: 10.50 (267) End 1 OD: 10.46 (266) End 2 OD: 10.40 (264) End 1 ID: 5.25 (133) End 2 ID: 7.80 (198)	AF322  FORD C3AZ9601B Overall Height: 2.58 (66) Overall OD: 9.69 (246) End 1 ID: 7.44 (189)	AF337  CATERPILLAR 4M9378 Primary Air Filter used with AF341 Overall Height: 10.49 (266) Overall OD: 8.39 (213) End 1 ID: 4.00 (102)
AF303M  DONALDSON P119596 Extended Life Version of AF303 Overall Height: 10.50 (267) End 1 OD: 10.46 (266) End 2 OD: 10.40 (264) End 1 ID: 5.25 (133) End 2 ID: 7.80 (198)	AF324  FORD C2OZ9601A Overall Height: 3.26 (83) Overall OD: 8.40 (213) End 1 ID: 6.59 (167)	AF338  CATERPILLAR 2S1286, CATERPILLAR 4M9335, CATERPILLAR 4M9339 Safety Element used with AF335M Fleetguard Airkit Option AF4513 + AK2 Overall Height: 13.09 (333) Flange Diameter: 9.06 (230) End 2 OD: 6.28 (160) End 1 ID: 4.63 (117)
AF304M  CUMMINS 150449, CUMMINS 299304, CATERPILLAR 1M3424, CATERPILLAR 1S6079 Overall Height: 10.50 (267) End 1 OD: 11.64 (296) End 2 OD: 11.58 (294) End 1 ID: 6.18 (157) End 2 ID: 8.98 (228)	AF326  CHRYSLER 2402677 Overall Height: 3.50 (89) Overall OD: 12.75 (324) End 1 ID: 11.00 (279)	AF340  CATERPILLAR 2S1287 Safety Element used with AF336M Fleetguard Airkit Option AF4526 + AK00004 Overall Height: 16.15 (410) End 1 OD: 9.06 (230) End 2 OD: 6.28 (160) End 2 ID: 4.62 (117)
AF305  GMC 6422866, GMC 5649797 Overall Height: 2.04 (52) Overall OD: 9.68 (246) End 2 ID: 8.12 (206)	AF329  GMC 5647033 Primary Air; Two Elements Required Overall Height: 3.16 (80) Overall OD: 5.28 (134) End 1 ID: 3.88 (99)	AF341  CATERPILLAR 2S1284, CATERPILLAR 4M9379 Safety Element used with AF337 Overall Height: 11.41 (290) Flange Diameter: 6.72 (171) End 2 OD: 3.75 (95) End 1 ID: 2.63 (67)

E. PRODUCT GUIDE

AF343  CATERPILLAR 2S1285, CATERPILLAR 4M8048 Safety Element used with AF344M Fleetguard Airkit Option AF4512 + AK00001 Overall Height: 13.22 (336) Flange Diameter: 7.31 (186) End 2 OD: 4.75 (121) End 1 ID: 3.66 (93)	AF348M  DONALDSON P117811, DONALDSON P119241, DONALDSON XLP182032 Extended Life Version of AF348 250806 Bolt Seal Included Overall Height: 10.06 (256) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.54 (14)	AF352M  CUMMINS 151807, CUMMINS 299352 Overall Height: 9.02 (229) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 4.23 (107)
AF344M  CATERPILLAR 4M8047 Primary Air Filter used with AF343, AF4639 Overall Height: 12.40 (315) End 1 OD: 9.22 (234) End 2 OD: 9.21 (234) End 1 ID: 4.86 (123)	AF349  CUMMINS 150778, CUMMINS 299349 For Magnum Version use AF349M 250806 Bolt Seal Included Overall Height: 11.05 (281) End 1 OD: 8.41 (214) End 2 OD: 8.40 (213) End 1 ID: 5.79 (147) End 2 ID: 0.54 (14)	AF353K  CUMMINS 158877, CUMMINS 299353 For Magnum Version use AF353KM 250806 Bolt Seal Included Overall Height: 10.56 (268) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.54 (14)
AF345  CATERPILLAR 7M8183 Overall Height: 3.86 (98) Overall OD: 2.99 (76) End 1 ID: 1.52 (39) End 2 ID: 1.52 (39)	AF349M  DONALDSON P118340, DONALDSON XLP182071 Extended Life Version of AF349 250806 Bolt Seal Included Overall Height: 11.06 (281) End 1 OD: 8.41 (214) End 2 OD: 8.40 (213) End 1 ID: 5.79 (147) End 2 ID: 0.54 (14)	AF353KM  DONALDSON P117431, DONALDSON P119234, DONALDSON XLP182035 Extended Life Version of AF353K 250806 Bolt Seal Included Overall Height: 10.56 (268) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.54 (14)
AF346K  CUMMINS 158879, CUMMINS 299346 For Magnum Version use AF346KM 250806 Bolt Seal Included Overall Height: 14.51 (369) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.54 (14)	AF350K  CUMMINS 158876, CUMMINS 299350 For Magnum Version use AF350K 250806 Bolt Seal Included Overall Height: 10.56 (268) Fin Diameter: 10.08 (256) End 2 OD: 7.93 (201) End 1 ID: 3.60 (91) End 2 ID: 0.54 (14)	AF354  CUMMINS 150749, CUMMINS 299354 Same as AF4529 w/o gasket For Magnum Version use AF354M 250806 Bolt Seal Included Overall Height: 9.06 (230) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.54 (14)
AF346KM  DONALDSON P117332, DONALDSON P117639, DONALDSON XLP182001 Extended life version of AF346K 250806 Bolt Seal Included Overall Height: 14.51 (369) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.54 (14)	AF350KM  DONALDSON P118159, DONALDSON P119247, DONALDSON XLP182045 Extended Life Version Of AF350K 250806 Bolt Seal Included Overall Height: 10.56 (268) Fin Diameter: 10.08 (256) End 2 OD: 7.93 (201) End 1 ID: 3.60 (91) End 2 ID: 0.54 (14)	AF354M  DONALDSON P118158, DONALDSON P119245, DONALDSON XLP184033 Extended Life Version of AF354 250806 Bolt Seal Included Overall Height: 9.06 (230) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.54 (14)
AF347M  FIAT-ALLIS 74055092, CUMMINS 150785, CUMMINS 299347 250806 Bolt Seal Included Overall Height: 13.06 (332) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.54 (14)	AF351K  CUMMINS 158878, CUMMINS 299351 For Magnum Version use AF351KM 250806 Bolt Seal Included Overall Height: 12.44 (316) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 6.73 (171) End 2 ID: 0.54 (14)	AF355  PUROLATOR AF71 Overall Height: 4.00 (102) Overall OD: 5.94 (151) End 1 ID: 3.25 (83) End 2 ID: 0.25 (6)
AF348  CUMMINS 299348 For filter with gasket use AF414M, for Magnum Version use AF348M 250806 Bolt Seal Included Overall Height: 10.06 (256) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.54 (14)	AF351KM  DONALDSON P117331, DONALDSON XLP182000 Extended Life Version of AF351K 250806 Bolt Seal Included Overall Height: 12.44 (316) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 6.73 (171) End 2 ID: 0.54 (14)	AF360  WHITE 3103028 Primary Air Filter used with AF371 Overall Height: 16.05 (408) Overall OD: 14.18 (360) End 1 ID: 9.79 (249)

E. PRODUCT GUIDE

AF361  MACK 2191P102090 Same as AF1871M w/o gasket. For Magnum Version use AF361M 250806 Bolt Seal Included Overall Height: 16.05 (408) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF376  VORTOX VF135A 250806 Bolt Seal Included Overall Height: 10.56 (268) Overall OD: 10.39 (264) End 1 ID: 5.49 (139) End 2 ID: 0.44 (11)	AF387  CUMMINS 209890 Overall Height: 7.88 (200) Overall OD: 9.62 (244) End 1 ID: 5.00 (127)
AF361M  DONALDSON P117808, DONALDSON P119238, DONALDSON XLP182036 Extended Life Version of AF361.250806 Bolt Seal Included Overall Height: 16.06 (408) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF378  VORTOX VF100A 250806 Bolt Seal Included Overall Height: 10.56 (268) End 1 OD: 7.39 (188) End 1 ID: 3.49 (89) End 2 ID: 0.44 (11)	AF388  FORD C4ZF9601B, FORD C5ZZ9601B Overall Height: 2.36 (60) Overall OD: 10.00 (254) End 1 ID: 7.54 (192)
AF362  CUMMINS 151688, CUMMINS 299362 w/ gasket use AF413 For Magnum Version use AF362M. 250806 Bolt Seal Included Overall Height: 14.05 (357) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF380  GMC 6419892, GMC 6420934 Overall Height: 3.50 (89) Overall OD: 9.71 (247) End 1 ID: 8.18 (208)	AF390  GMC 6421746 Overall Height: 3.05 (77) Overall OD: 13.88 (353) End 1 ID: 11.62 (295)
AF362M  DONALDSON P117809, DONALDSON P119239, DONALDSON XLP182031 Extended Life Version of AF362. 250806 Bolt Seal Included Overall Height: 14.06 (357) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF381  CLARK 1800562, ONAN 140B495 Overall Height: 3.31 (84) Overall OD: 4.25 (108) End 1 ID: 3.00 (76)	AF399  GMC 6483644 Overall Height: 2.64 (67) Overall OD: 12.62 (321) End 1 ID: 10.84 (275)
AF364  CUMMINS 299364 Overall Height: 1.40 (36) Overall OD: 2.99 (76) End 1 ID: 1.35 (34)	AF383  CUMMINS 299383 Overall Height: 9.04 (230) End 1 OD: 8.41 (214) End 2 OD: 8.40 (213) End 1 ID: 5.79 (147)	AF400  GMC 6484235 Overall Height: 3.47 (88) Overall OD: 12.00 (305) End 1 ID: 9.88 (251)
AF371  WHITE 3103029 Safety Element used with AF360 Overall Height: 15.38 (391) Overall OD: 8.08 (205) End 1 ID: 5.75 (146)	AF384  DONALDSON P102183 For Magnum Version use AF384M 250806 Bolt Seal Included Overall Height: 7.56 (192) Overall OD: 13.83 (351) End 1 ID: 11.23 (285) End 2 ID: 0.54 (14)	AF401  GMC 6483645 Overall Height: 2.48 (63) Overall OD: 12.00 (305) End 1 ID: 9.88 (251)
AF373  VORTOX VF120A 250806 Bolt Seal Included Overall Height: 10.31 (262) End 1 OD: 8.89 (226) End 2 OD: 8.88 (226) End 1 ID: 4.98 (127) End 2 ID: 0.44 (11)	AF384M  DONALDSON P119184 Extended Life Version of AF384. 250806 Bolt Seal Included Overall Height: 7.56 (192) Overall OD: 13.83 (351) End 1 ID: 11.23 (285) End 2 ID: 0.54 (14)	AF403  FORD C8AF9601A Overall Height: 2.81 (71) Overall OD: 13.00 (330) End 1 ID: 11.22 (285)
AF374  VORTOX VF160A 250806 Bolt Seal Included Overall Height: 13.51 (343) Overall OD: 11.87 (301) End 1 ID: 7.13 (181) End 2 ID: 0.44 (11)	AF386  CUMMINS 209892 Overall Height: 6.38 (162) Overall OD: 9.62 (244) End 1 ID: 5.00 (127)	AF405  AC A331C Overall Height: 2.58 (66) Overall OD: 10.75 (273) End 1 ID: 8.61 (219)
		AF406  GMC 2493708, CASE 303642C91 Overall Height: 3.00 (76) Overall OD: 13.00 (330) End 1 ID: 10.50 (267)

E. PRODUCT GUIDE

AF407 WHITE 3107361 For Magnum Version use AF407M. 3311624 Bolt Seal Included



Overall Height: 13.56 (344)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF407M DONALDSON P119720 Extended Life Version of AF407. 3311624 Bolt Seal Included



Overall Height: 13.56 (344)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF408 WHITE 545249 Primary Air Filter used with AF920 For Magnum Version use AF408M 3311624 Bolt Seal Included



Overall Height: 13.56 (344)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF408M DONALDSON P117327 Extended Life Version of AF408. 3311624 Bolt Seal Included



Overall Height: 13.56 (344)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF409K Primary Air Filter used with AF1980, AF4813 Filter used with AH19110 Some European applications use AF1980. For Magnum Version use AF409KM. 3311624 Bolt Seal Included



Overall Height: 12.43 (316)
Fin Diameter: 7.85 (200)
End 2 OD: 6.08 (154)
End 1 ID: 3.48 (88)
End 2 ID: 0.67 (17)

AF409KM DONALDSON P118160, DONALDSON XLP182054 Filter used with AH19110 Extended Life Version of AF409K. 3311624 Bolt Seal Included



Overall Height: 12.43 (316)
Fin Diameter: 7.85 (200)
End 2 OD: 6.08 (154)
End 1 ID: 3.48 (88)
End 2 ID: 0.67 (17)

AF410 FORD C8TZ9601A



Overall Height: 2.15 (55)
Overall OD: 10.88 (276)
End 1 ID: 8.95 (227)

AF411 FORD C9ZZ9601A



Overall Height: 2.11 (54)
Overall OD: 11.75 (298)
End 1 ID: 9.56 (243)
End 2 ID: 9.56 (243)

AF412 FORD B7SZ9601A



Overall Height: 2.20 (56)
Overall OD: 13.30 (338)
End 1 ID: 11.34 (288)

AF413 CASE 346779R91 w/gasket w/o gasket use AF362. 250806 Bolt Seal Included



Gasket: 3309167 (1)
Overall Height: 14.56 (370)
Overall OD: 13.83 (351)
End 1 ID: 9.48 (241)
End 2 ID: 0.54 (14)

AF414M CASE 346777R91 w/gasket w/o gasket use AF348. 250806 Bolt Seal Included



Overall Height: 10.51 (267)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF415K For Magnum Version use AF415KM. 250806 Bolt Seal Included



Overall Height: 10.62 (270)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 0.54 (14)
End 2 ID: 4.86 (123)

AF415KM DONALDSON P118343 Extended Life Version of AF415K. 250806 Bolt Seal Included



Overall Height: 10.62 (270)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 0.54 (14)
End 2 ID: 4.86 (123)

AF416 FORD C5TZ9601A, DONALDSON P106510 This element to be used only after Donaldson FWB-12-0009 kit has been installed. 250806 Bolt Seal Included



Overall Height: 10.46 (266)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.54 (14)

AF417K FIAT-ALLIS 73040631 3311624 Bolt Seal Included



Overall Height: 13.56 (344)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.67 (17)

AF418 FIAT-ALLIS 73050258, FIAT-ALLIS 70660360, FRANKLIN 1513159 Primary Air Filter used with AF490M For element w/ fin use AF489K. For Magnum Version use AF418M. 3311624 Bolt Seal Included



Overall Height: 13.56 (344)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.67 (17)

AF418M



DONALDSON P117439, DONALDSON XLP182034 Primary Air Filter used with AF490M Filter used with AH19070 Extended Life Version of AF418. 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)
End 2 ID: 0.67 (17)

AF420KM DONALDSON P106822, DONALDSON P108786, DONALDSON P118746 3311624 Bolt Seal Included



Overall Height: 6.07 (154)
Fin Diameter: 11.70 (297)
End 2 OD: 9.21 (234)
End 1 ID: 0.67 (17)
End 2 ID: 4.86 (123)

AF421M EUCLID 9035429 Primary Air Filter used with AF821M Extended Life Version of AF421



Overall Height: 16.46 (418)
Height: 16.51 (419)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.91 (23)

AF422 MACK 2MD49303A Primary Air 250806 Bolt Seal Included



Overall Height: 12.38 (314)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.54 (14)

AF423K MACK 2MD3110, WHITE 3891H21 250806 Bolt Seal Included



Overall Height: 8.44 (214)
Fin Diameter: 13.80 (351)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.54 (14)

AF424 CASE 702322C1 Primary Air Filter used with AF820M For Magnum Version use AF424M 3311624 Bolt Seal Included



Overall Height: 16.56 (421)
End 1 OD: 11.09 (282)
End 1 ID: 0.67 (17)
End 2 ID: 6.73 (171)

AF424M DONALDSON P117437, DONALDSON XLP182046 Filter used with AH19071, AH19072 Extended Life Version of AF424. 3311624 Bolt Seal Included






Overall Height: 16.56 (421)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF426  DONALDSON P109685 250806 Bolt Seal Included Overall Height: 8.94 (227) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF437K  DONALDSON P101222, DONALDSON SMP181052 Primary Air Filter used with AF4510 Filter used with AH19109 For Magnum Version use AF437KM. For Flame Retardant version use AF4545K. 3311624 Bolt Seal Included Overall Height: 11.43 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF447  FARR P12 (3 x 4) Inside-Out Flow Height: 8.18 (208) Length: 10.56 (268) Width: 8.25 (210)
AF427M  DONALDSON P109200, DONALDSON P117433, DONALDSON SMP181044, CAMECO INDUSTRIES 60019277 Primary Air Filter used with AF822M, AF938 830497 Bolt Seal Included Overall Height: 14.55 (370) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.91 (23)	AF437KM  DONALDSON P119775, DONALDSON XLP182052 Primary Air Filter used with AF4510 Filter used with AH19109 Extended Life Version of AF437K. 3311624 Bolt Seal Included Overall Height: 11.43 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF448  FARR P1226 (2 x 6) Inside- Out Flow Height: 8.18 (208) Length: 15.19 (386) Width: 5.97 (152)
AF429  BUCYRUS-ERIE 362538 Overall Height: 9.00 (229) Overall OD: 10.40 (264) End 1 ID: 7.80 (198)	AF438  UNITED AIR CLEANER 250C6S Overall Height: 20.27 (515) End 1 OD: 7.05 (179) End 2 OD: 6.99 (178) End 1 ID: 2.71 (69) End 2 ID: 4.42 (112)	AF449  FARR P16 (4 x 4) Inside-Out Flow Height: 8.18 (208) Length: 10.56 (268) Width: 10.56 (268)
AF433K  FIAT-ALLIS 73038733, FIAT- ALLIS 73039921 . 250806 Bolt Seal Included Overall Height: 13.56 (344) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 3.58 (91) End 2 ID: 0.54 (14)	AF439  HOUGH 214349H1, UNITED AIR CLEANER 250C14S Overall Height: 9.50 (241) End 1 OD: 6.94 (176) End 2 OD: 6.92 (176) End 1 ID: 4.88 (124) End 2 ID: 4.44 (113)	AF450  FARR P1628 (2 x 8) Inside- Out Flow Height: 8.18 (208) Length: 5.97 (152) Width: 19.81 (503)
AF434KM  ALLIS-CHALMERS 654409, CUMMINS 196677 Primary Air Filter used with AF4589, AF804M Filter used with AH19067, AH19068 For inner air on some applications use AF804M, AF4589. 3311624 Bolt Seal Included Overall Height: 16.58 (421) Fin Diameter: 10.08 (256) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)	AF444  FARR P4, CARRIER 300031600, TRASCICOLD 300031600 Inside-Out Flow(2 x 2) Height: 8.18 (208) Length: 8.13 (207) Width: 5.97 (152)	AF452  FARR P20 (4 x 5) Inside-Out Flow Height: 8.18 (208) Length: 12.88 (327) Width: 10.56 (268)
AF435KM  DONALDSON SMP181050 Primary Air Filter used with AF4660, AF4850 . 3311624 Bolt Seal Included Overall Height: 10.43 (265) Fin Diameter: 5.16 (131) End 2 OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)	AF445  FARR P6 (2 x 3) Inside-Out Flow Height: 8.18 (208) Length: 8.25 (210) Width: 5.97 (152)	AF454  FARR P2438 (3 x 8) Inside- Out Flow Height: 8.18 (208) Length: 19.81 (503) Width: 8.25 (210)
AF436M  DONALDSON P19175, DONALDSON P118342 Overall Height: 8.06 (205) Overall OD: 5.24 (133) End 1 ID: 2.71 (69)	AF446  FARR P9 (3 x 3) Inside-Out Flow Height: 8.18 (208) Length: 8.25 (210) Width: 8.25 (210)	AF456  FARR P32 (4 x 8) Inside-Out Flow Height: 8.18 (208) Length: 19.81 (503) Width: 10.56 (268)





E. PRODUCT GUIDE

AF457	FARR P36 (6 x 6) Inside-Out Flow
	Height: 8.18 (208) Length: 10.56 (268) Width: 5.97 (152)
AF458	FARR P40 (5 x 8) Inside-Out Flow
	Height: 8.18 (208) Length: 19.81 (503) Width: 12.88 (327)
AF459	FARR P48 (6 x 8) Inside-Out Flow
	Height: 8.18 (208) Length: 19.81 (503) Width: 15.19 (386)
AF460	FARR P64 (8 x 8) Inside-Out Flow
	Height: 8.18 (208) Length: 19.81 (503) Width: 19.81 (503)
AF461	CASE 317702R91
	Overall Height: 12.62 (321) Overall OD: 4.49 (114) End 1 ID: 2.26 (58)
AF462K	FORD D0HZ9601B For Magnum Version use AF462KM. 3311624 Bolt Seal Included
	Overall Height: 10.62 (270) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)
AF462KM	DONALDSON P119112 3311624 Bolt Seal Included
	Overall Height: 10.62 (270) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)
AF463	FORD C8HZ9601C . 3311624 Bolt Seal Included
	Overall Height: 11.44 (290) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)
AF464	GMC 6424027
	Overall Height: 3.05 (77) Overall OD: 10.00 (254) End 1 ID: 7.54 (192)

AF465	GMC 6421161, GMC 6423239
	Overall Height: 5.55 (141) Overall OD: 11.43 (290) End 1 ID: 8.61 (219)
AF467K	MACK 2191P112188
	Overall Height: 13.56 (344) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 6.73 (171)
AF468KM	GMC 643276
	Overall Height: 11.44 (290) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.54 (14)
AF469	FORD D1FZ9601B
	Overall Height: 2.10 (53) Overall OD: 9.21 (234) End 1 ID: 7.03 (179)
AF471	FIAT-ALLIS 70197588 Safety Element used with AF4506M, AF472 For Outer Air use AF472 or AF4506M depending on the application. For Magnum Version use AF471M. 3311624 Bolt Seal Included
	Overall Height: 17.73 (450) End 1 OD: 8.43 (214) End 2 OD: 7.26 (185) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)
AF471M	DONALDSON P119372 Extended Life Version of AF471. 3311624 Bolt Seal Incl.
	Overall Height: 17.73 (450) End 1 OD: 8.43 (214) End 2 OD: 7.26 (185) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)
AF472	Primary Air Filter used with AF471 For Magnum Version use AF472M. 3311624 Bolt Seal Included
	Overall Height: 18.49 (470) Overall OD: 12.08 (307) End 1 ID: 7.72 (196) End 2 ID: 0.67 (17)
AF472M	DONALDSON P117443, DONALDSON XLP182002, NEW HOLLAND 70659387 Extended Life Version of AF472. 3311624 Bolt Seal Included
	Overall Height: 18.50 (470) Overall OD: 12.09 (307) End 1 ID: 7.72 (196)

AF473K	FORD D0HZ9601C For Magnum Version use AF473KM. 3311624 Bolt Seal Included
	Overall Height: 14.50 (368) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 6.73 (171) End 2 ID: 0.67 (17)
AF473KM	DONALDSON P119113 Extended Life Version of AF473K. 3311624 Bolt Seal Included
	Overall Height: 14.50 (368) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)
AF474K	DONALDSON P134741, DONALDSON SMP181067 For Magnum Version use AF474KM. 3311624 Bolt Seal Included
	Overall Height: 16.44 (417) Fin Diameter: 15.80 (401) End 2 OD: 12.09 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF474KM	DONALDSON P117185 3311624 Bolt Seal Included
	Overall Height: 16.44 (417) Fin Diameter: 15.80 (401) End 2 OD: 12.09 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF476K	FORD D0HZ9601A For Magnum Version use AF476KM. 3311624 Bolt Seal Included
	Overall Height: 16.50 (419) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)
AF476KM	DONALDSON P119114 Extended Life Version of AF476K. 3311624 Bolt Seal Included
	Overall Height: 16.50 (419) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)
AF477K	FORD C8HZ9601A For Magnum Version use AF477KM. 3311624 Bolt Seal Included
	Overall Height: 8.57 (218) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 0.67 (17) End 2 ID: 4.86 (123)


E. PRODUCT GUIDE

AF477KM  DONALDSON P119183, DONALDSON XLP182024 For Magnum Version use AF477K 3311624 Bolt Seal Included Overall Height: 8.57 (218) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 0.67 (17) End 2 ID: 4.86 (123)	AF487  JOHN DEERE AT27823 Safety Element used with AF1917M, AF4541KM, AF489K, AF932 . 3311624 Bolt Seal Included Overall Height: 11.23 (285) Overall OD: 4.62 (117) End 1 ID: 0.67 (17) End 2 ID: 3.51 (89)	AF498  CATERPILLAR 4S8340 Safety Element used with AF801 Fleetguard Airkit Option AF4514 + AK00005 Overall Height: 13.38 (340) Flange Diameter: 10.20 (259) End 2 OD: 7.66 (195) End 1 ID: 6.00 (152)
AF478K  For Magnum Version use AF478KM Overall Height: 10.50 (267) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)	AF488  JOHN DEERE AR45785 Safety Element used with AF1732K . 3311624 Bolt Seal Incl. Overall Height: 11.23 (285) Overall OD: 5.21 (132) End 1 ID: 4.16 (106) End 2 ID: 0.67 (17)	AF800  CATERPILLAR 3S4745 Safety Element used with AF803 Fleetguard Airkit Option AF4516 + AK00008 Overall Height: 15.28 (388) Flange Diameter: 12.00 (305) End 2 OD: 8.66 (220) End 1 ID: 7.00 (178)
AF478KM  DONALDSON P127918 Extended Life Version of AF478K Overall Height: 10.50 (267) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)	AF489K  JOHN DEERE AT27824 Primary Air Filter used with AF487 For element w/o fin use AF418. 3311624 Bolt Seal Included Overall Height: 13.38 (340) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)	AF801  CATERPILLAR 4S8337 Primary Air Filter used with AF498 Overall Height: 14.48 (368) End 1 OD: 14.40 (366) End 2 OD: 12.77 (324) End 1 ID: 0.93 (23) End 2 ID: 8.36 (212)
AF479  TOYOTA 1780124010 Overall Height: 2.76 (70) Overall OD: 7.12 (181) End 1 ID: 4.94 (125)	AF490M  FIAT-ALLIS 70662609, JOHN DEERE AR46004, FRANKLIN 1513160 Safety Element used with AF418, AF4567, AF418M Filter used with AH19070 . 3311624 Bolt Seal Included Overall Height: 13.05 (332) End 1 OD: 5.80 (147) End 2 OD: 4.61 (117) End 1 ID: 3.56 (90) End 2 ID: 0.67 (17)	AF802  CATERPILLAR 4S8833 Overall Height: 9.80 (249) End 1 OD: 14.40 (366) End 2 OD: 12.77 (324) End 1 ID: 0.93 (23) End 2 ID: 8.36 (212)
AF483  TOYOTA 1780141010 Overall Height: 2.62 (67) Overall OD: 11.93 (303) End 1 ID: 8.75 (222)	AF491  FORD D2AZ9601A Overall Height: 2.61 (66) Overall OD: 11.22 (285) End 1 ID: 9.03 (229) End 2 ID: 9.03 (229)	AF803  CATERPILLAR 5S4282 Primary Air Filter used with AF800 Gasket: 3309167 (1) Overall Height: 16.15 (410) End 1 OD: 16.40 (417) End 2 OD: 13.83 (351) End 1 ID: 0.93 (23) End 2 ID: 9.48 (241)
AF484  TOYOTA 1780131010 Overall Height: 2.27 (58) Overall OD: 9.69 (246) End 1 ID: 6.94 (176)	AF492  ALLIS-CHALMERS 7237395, CASE 313964R91 Primary Air Filter used with AF1687 Overall Height: 10.87 (276) Overall OD: 4.49 (114) End 1 ID: 2.26 (58)	AF804M  Safety Element used with AF1929, AF434KM Filter used with AH19068 . 3311624 Bolt Seal Included Overall Height: 15.71 (399) End 1 OD: 5.81 (148) End 2 OD: 4.61 (117) End 1 ID: 3.56 (90) End 2 ID: 0.67 (17)
AF485  TOYOTA 1780141050 Overall Height: 1.95 (50) Overall OD: 12.25 (311) End 1 ID: 9.38 (238)	AF493  CASE 391852R91 Overall Height: 10.78 (274) End 1 OD: 3.56 (90) End 2 OD: 3.52 (89) End 1 ID: 2.07 (53) End 2 ID: 2.24 (57)	AF805K  CASE 381344R91, CASE 381344R92 . 3311624 Bolt Seal Included Overall Height: 10.10 (256) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)
AF486K  JOHN DEERE AR45784 3311624 Bolt Seal Included Overall Height: 16.55 (420) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)	AF494  CASE 338744R91, GMC 6485497, KOMATSU 338744R91 Overall Height: 17.32 (440) End 1 OD: 5.55 (141) End 2 OD: 5.53 (140) End 1 ID: 3.17 (80)	AF806K  CASE 675410R91 3311624 Bolt Seal Included Overall Height: 7.25 (184) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF807K  CASE 384812R93 3311624 Bolt Seal Included Overall Height: 11.25 (286) Fin Diameter: 8.03 (204) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.64 (16)	AF816K  CASE A42224 3311624 Bolt Seal Included Overall Height: 13.25 (337) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF823KM  DONALDSON P114207 3311624 Bolt Seal Included Overall Height: 5.32 (135) Fin Diameter: 11.70 (297) End 2 OD: 9.21 (234) End 1 ID: 0.67 (17) End 2 ID: 4.86 (123)
AF808K  CASE 383731R93 3311624 Bolt Seal Included Overall Height: 14.30 (363) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF817K  JOHN DEERE AH19848 3311624 Bolt Seal Incl. Overall Height: 9.25 (235) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF824K  ALLIS-CHALMERS 2565687 250806 Bolt Seal Included Overall Height: 9.50 (241) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 3.58 (91) End 2 ID: 0.54 (14)
AF809K  CASE 343731R91 250806 Bolt Seal Included Overall Height: 16.50 (419) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 3.58 (91) End 2 ID: 0.54 (14)	AF818K  JOHN DEERE AR39798 Primary Air Filter used with AF4817 3311624 Bolt Seal Included Overall Height: 10.38 (264) Fin Diameter: 7.80 (198) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF825  CASE A17742, GMC 6484156 Safety Element used with AF827 Overall Height: 9.52 (242) Overall OD: 6.83 (174) End 1 ID: 4.23 (107)
AF810K  CASE 392517R91 Primary Air Filter used with AF815 Overall Height: 14.39 (366) Fin Diameter: 10.70 (272) End 2 OD: 7.95 (202) End 1 ID: 5.33 (135)	AF819KM  DONALDSON P108736 3311624 Bolt Seal Incl. Overall Height: 9.41 (239) Fin Diameter: 5.16 (131) End 2 OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)	AF826  CASE A14417 Overall Height: 8.54 (217) Overall OD: 10.21 (259) End 1 ID: 5.54 (141)
AF811  FARR R150 Height: 14.00 (356) Length: 22.88 (581) Width: 6.19 (157)	AF820M  JOHN DEERE U44956 Safety Element used with AF424, AF25284M, AF4583M, AF25249M Filter used with AH19072 . 3311624 Bolt Seal Incl. Overall Height: 16.13 (410) End 1 OD: 7.59 (193) End 2 OD: 6.40 (163) End 1 ID: 5.28 (134) End 2 ID: 0.67 (17)	AF827  CASE A17741 Primary Air Filter used with AF825 Overall Height: 10.79 (274) Overall OD: 11.94 (303) End 1 ID: 7.32 (186)
AF813  CASE 383732R93 3311624 Bolt Seal Incl. Overall Height: 11.31 (287) End 1 OD: 6.10 (155) End 2 OD: 6.08 (154) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)	AF821M  CAMECO INDUSTRIES 60034315 Safety Element used with AF421M 3830497 Bolt Seal Included Overall Height: 15.40 (391) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.88 (22) End 1 ID: 0.90 (23) End 2 ID: 6.05 (154)	AF828  JOHN DEERE AT25219 Safety Element used with AF945K 3311624 Bolt Seal Included Overall Height: 7.46 (189) Overall OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)
AF814  CASE 383711R93 3311624 Bolt Seal Incl. Overall Height: 16.31 (414) End 1 OD: 6.10 (155) End 2 OD: 6.08 (154) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)	AF822M  DONALDSON P119371 Safety Element used with AF427M 3830497 Bolt Seal Included Overall Height: 12.44 (316) Overall OD: 5.96 (151) End 1 ID: 4.85 (123) End 2 ID: 0.87 (22)	AF829  JOHN DEERE AR46481 3311624 Bolt Seal Included Overall Height: 12.31 (313) End 1 OD: 6.10 (155) End 2 OD: 6.08 (154) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)
AF815  CASE 392516R91 Safety Element used with AF810K 3311624 Bolt Seal Incl. Overall Height: 13.28 (337) Overall OD: 5.21 (132) End 1 ID: 4.16 (106) End 2 ID: 0.67 (17)	AF830  JOHN DEERE AR46976 3311624 Bolt Seal Included Overall Height: 14.51 (369) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.68 (17) End 2 ID: 3.48 (88)	

E. PRODUCT GUIDE

AF833  CASE 390642R91 Primary Air Filter used with AF848 Overall Height: 16.50 (419) Overall OD: 9.21 (234) End 1 ID: 4.86 (123)	AF845  CASE 401268R1 Safety Element used with AF847 Overall Height: 14.50 (368) Overall OD: 4.12 (105) End 1 ID: 0.41 (10) End 2 ID: 3.00 (76)	AF852M  DONALDSON P116918, DONALDSON XLP182008 Uses service part: 3301159S, 3312554S, 3317765S Extended Life Version of AF852 Overall Height: 23.00 (584) Overall OD: 12.77 (324) End 2 ID: 8.36 (212)
AF834K  CASE 537336R1 Overall Height: 15.49 (393) Fin Diameter: 10.70 (272) End 2 OD: 7.95 (202) End 1 ID: 5.33 (135)	AF846  CASE 401269R1 Primary Air Filter used with AF844 Overall Height: 12.87 (327) Overall OD: 6.63 (168) End 1 ID: 4.19 (106) End 2 ID: 4.19 (106)	AF853  DONALDSON P134743, DONALDSON SMP181007 Uses service part: 3312556S Overall Height: 22.36 (568) Overall OD: 10.39 (264)
AF835K  ALLIS-CHALMERS 239622, CASE A59586 3311624 Bolt Seal Incl. Overall Height: 14.38 (365) Fin Diameter: 7.80 (198) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF847  CASE 401270R1 Primary Air Filter used with AF845 Overall Height: 15.37 (391) End 1 OD: 6.88 (175) End 2 OD: 6.63 (168) End 1 ID: 4.19 (106)	AF853M  DONALDSON P117797 Uses service part: 3312556S Optional Cover Gasket: Extended Life Version of AF853 Overall Height: 22.37 (568) End 1 OD: 10.40 (264) End 2 OD: 10.00 (254) End 1 ID: 6.05 (154)
AF839  WHITE 3108661 250806 Bolt Seal Included Overall Height: 15.50 (394) End 1 OD: 9.63 (245) End 2 OD: 9.18 (233) End 1 ID: 4.04 (103) End 2 ID: 0.40 (10)	AF848  CASE 390643R91 Safety Element used with AF833 Overall Height: 15.84 (402) Flange Diameter: 7.00 (178) End 2 OD: 4.61 (117) End 1 ID: 3.44 (87)	AF854K  DONALDSON P118675 250806 Bolt Seal Included Overall Height: 15.56 (395) Fin Diameter: 15.70 (399) End 2 OD: 12.08 (307) End 1 ID: 0.54 (14) End 2 ID: 7.73 (196)
AF841  WHITE 3107025 250806 Bolt Seal Included Overall Height: 12.75 (324) End 1 OD: 11.18 (284) End 2 OD: 10.74 (273) End 1 ID: 0.40 (10) End 2 ID: 5.62 (143)	AF849  WHITE 27074664, FARR T519 Single Inlet Also See AF850 Height: 5.38 (137) Length: 19.00 (483) Width: 19.00 (483)	AF855M  DONALDSON P119587 Overall Height: 18.05 (458) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)
AF842  CASE 619652C1 250806 Bolt Seal Included Overall Height: 13.16 (334) Overall OD: 10.02 (255) End 1 ID: 5.48 (139) End 2 ID: 0.40 (10)	AF850  FARR T519D Dual Inlet Also See AF849 Height: 5.38 (137) Length: 19.00 (483) Width: 19.00 (483)	AF856M  WHITE 27000805, CASE 447417C1 311624 Bolt Seal Included Overall Height: 19.99 (508) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF843  CASE 385168R1 Overall Height: 1.95 (50) Overall OD: 6.07 (154) End 1 ID: 4.68 (119)	AF851M  DONALDSON P117441 Primary Air Filter used with AF883M, AF943 For Inner Air use AF883M or AF943 depending on application. 256282 Bolt Seal Included Overall Height: 18.49 (470) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.91 (23)	AF857  DONALDSON P115070 Safety Element used with AF879, AF879M 3830497 Bolt Seal Included Overall Height: 22.15 (563) Overall OD: 10.88 (276) End 1 ID: 8.16 (207) End 2 ID: 0.90 (23)
AF844  CASE 401267R1 Safety Element used with AF846 Overall Height: 12.31 (313) Overall OD: 4.12 (105) End 1 ID: 0.44 (11) End 2 ID: 3.00 (76)	AF852  MACK 57MD33 Uses service part: 3312554S, 3317765S Optional Cover Gaskets: Donaldson Hsg. 3312554S Fram Hsg. 3317765S For Magnum Version use AF852M Overall Height: 23.00 (584) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF858KM  WHITE 27077560 311624 Bolt Seal Included Overall Height: 12.62 (321) Fin Diameter: 13.80 (351) End 2 OD: 12.10 (307) End 1 ID: 0.67 (17) End 2 ID: 5.69 (145)

E. PRODUCT GUIDE

AF859KM WHITE 27077372 311624 Bolt Seal Included



Overall Height: 10.56 (268)
Fin Diameter: 15.50 (394)
End 2 OD: 13.85 (352)
End 1 ID: 0.67 (17)
End 2 ID: 7.44 (189)

AF860 DONALDSON SMP181010 For Magnum Version use AF860M 3311624 Bolt Seal Included



Overall Height: 14.51 (368)
End 1 OD: 12.10 (307)
End 1 ID: 5.69 (145)
End 2 ID: 0.67 (17)

AF860M DONALDSON XLP182010 Extended Life Version of AF860 3311624 Bolt Seal Included



Overall Height: 14.48 (368)
End 1 OD: 12.10 (307)
End 1 ID: 5.69 (145)
End 2 ID: 0.67 (17)

AF861M DONALDSON P121075



Gasket: 3309167 (1), 3311624(1)
Overall Height: 18.62 (473)
End 1 OD: 13.85 (352)
End 1 ID: 7.44 (189)
End 2 ID: 0.67 (17)

AF862KM WHITE 27077288 3311624 Bolt Seal Included



Overall Height: 12.60 (320)
Fin Diameter: 15.50 (394)
End 2 OD: 13.85 (352)
End 1 ID: 0.67 (17)
End 2 ID: 7.44 (189)

AF863M DONALDSON P117092



Gasket: 3312554
Overall Height: 21.00 (533)
End 1 OD: 12.79 (325)
End 2 OD: 12.77 (324)
End 2 ID: 8.36 (212)

AF864 DONALDSON P119297 For Upgrade, use AF864M For Magnum Version use AF864M 3830497 Bolt Seal Included



Gasket: 3830497
Overall Height: 7.69 (195)
Overall OD: 17.60 (447)
End 1 ID: 11.10 (282)
End 2 ID: 0.90 (23)

AF864M DONALDSON P124307 Upgrade of AF864 3830497 Bolt Seal Included



Gasket: 3830497
Overall Height: 7.69 (195)
Overall OD: 17.60 (447)
End 1 ID: 11.10 (282)
End 2 ID: 0.90 (23)

AF865 DONALDSON P134745 Uses service part: 3301159S For Magnum Version use AF865M



Gasket: 3312554
Overall Height: 27.00 (686)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF865M DONALDSON P128299 Extended Life Version of AF865



Overall Height: 27.00 (686)
Overall OD: 12.77 (324)
End 1 ID: 10.09 (256)

AF867M CASE 472099C1 3311624 Bolt Seal Included



Overall Height: 17.77 (451)
End 1 OD: 12.10 (307)
End 1 ID: 5.69 (145)
End 2 ID: 0.67 (17)

AF869M CASE 606860C91 Primary Air Filter used with AF1654



Overall Height: 18.49 (470)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)

AF870 WHITE 27092086 For Magnum Version use AF870M



Overall Height: 19.42 (493)
End 1 OD: 16.26 (413)
End 2 OD: 12.75 (324)
End 2 ID: 7.36 (187)

AF870M DONALDSON P122079 Extended Life Version of AF870



Overall Height: 19.42 (493)
End 1 OD: 16.26 (413)
End 2 OD: 12.75 (324)
End 2 ID: 7.36 (187)

AF871 CASE 425534C1 For Magnum Version use AF871M



Overall Height: 21.52 (547)
End 1 OD: 16.26 (413)
End 2 OD: 13.83 (351)
End 2 ID: 9.48 (241)

AF871M DONALDSON P118039 Extended Life Version of AF871



Overall Height: 21.52 (547)
End 1 OD: 16.26 (413)
End 2 OD: 13.83 (351)
End 2 ID: 9.48 (241)

AF872 CASE 420051C1 Filter used with AH19327 For Upgrade, use AF872M



Overall Height: 18.48 (469)
Cover Diameter: 16.41 (417)
End 2 OD: 13.83 (351)
End 2 ID: 9.48 (241)

AF872M DONALDSON P118047, DONALDSON XLP182006 Upgrade of AF872 For Magnum Version use AF872M



Overall Height: 18.48 (469)
Cover Diameter: 16.41 (417)
End 2 OD: 13.83 (351)
End 2 ID: 9.48 (241)

AF873M CATERPILLAR 1P8483 Primary Air Filter used with AF1833, AF874



Overall Height: 15.47 (393)
End 1 OD: 12.49 (317)
End 2 ID: 9.11 (231)

AF874 CATERPILLAR 1P8482 Safety Element used with AF873M For Magnum Version use AF874M Fleetguard Airkit Option AF4516 + AK0007



Overall Height: 15.03 (382)
End 1 OD: 11.40 (289)
End 2 OD: 8.63 (219)
End 1 ID: 7.00 (178)

AF874M CATERPILLAR 7N1308 Extended Life Version of AF874 Fleetguard Air kit Option AF4516M + AK00007



Overall Height: 15.03 (382)
End 1 OD: 11.40 (289)
End 2 OD: 8.63 (219)
End 1 ID: 7.00 (178)

AF875M CATERPILLAR 1P7716 Primary Air Filter used with AF876



Overall Height: 13.51 (343)
Overall OD: 11.50 (292)
End 1 ID: 8.08 (205)

AF876 CATERPILLAR 1P7360 Safety Element used with AF875M Fleetguard Airkit Option AF4514 + AK00005



Overall Height: 13.50 (343)
Flange Diameter: 10.25 (260)
End 2 OD: 7.62 (194)
End 1 ID: 6.00 (152)
End 2 ID: 1.72 (44)

AF877M DONALDSON P124726



Overall Height: 19.77 (502)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)

E. PRODUCT GUIDE

AF878M  DONALDSON P124907 Overall Height: 17.93 (455) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF884K  JOY 1224974 3311624 Bolt Seal Included Overall Height: 18.55 (471) Fin Diameter: 15.80 (401) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)	AF891  DONALDSON P145706 Primary Air Filter used with AF890 For Magnum Version use AF891M 3830497 Bolt Seal Included Overall Height: 24.65 (626) End 1 OD: 13.80 (351) End 2 OD: 12.77 (324) End 1 ID: 0.93 (24) End 2 ID: 8.36 (212)
AF879  WABCO VS2186 Primary Air Filter used with AF857 For Upgrade, use AF879M 3630497 Bolt Seal Included Gasket: 3308026 Overall Height: 23.62 (600) Boot Diameter: 18.60 (472) End 2 OD: 17.60 (447) End 1 ID: 0.90 (23) End 2 ID: 11.10 (282)	AF885M  FORD D5HZ9601C Overall Height: 20.96 (532) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF891M  INGERSOLL-RAND 35123512 3830497 Bolt Seal Included Overall Height: 24.62 (625) End 1 OD: 13.80 (351) End 2 OD: 12.77 (324) End 1 ID: 0.93 (24) End 2 ID: 8.36 (212)
AF879M  DONALDSON P115069, DONALDSON XLP182038 Primary Air Filter used with AF857 Upgrade of AF879 3830497 Bolt Seal Included Gasket: 3308026 Overall Height: 23.62 (600) End 1 OD: 18.43 (468) End 2 OD: 17.64 (448) End 1 ID: 0.91 (23) End 2 ID: 11.12 (283)	AF886  FORD D5HZ9601D For Magnum Version use AF886M Gasket: 3312556 Overall Height: 16.00 (406) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF892  AC A866C Safety Element used with AF893 250806 Bolt Seal Included Overall Height: 13.55 (344) Overall OD: 5.07 (129) End 1 ID: 3.83 (97) End 2 ID: 0.42 (11)
AF880  WABCO VJ5176 Safety Element used with AF899, AF899M 3830497 Bolt Seal Included Overall Height: 22.50 (572) Overall OD: 11.92 (303) End 1 ID: 0.90 (23) End 2 ID: 10.22 (259)	AF886M  DONALDSON XLP182014 Extended Life Version Of AF886 Gasket: 3312556 Overall Height: 16.00 (406) End 1 OD: 10.40 (264) End 1 ID: 6.05 (154)	AF893  KOMATSU 6112837610 Primary Air Filter used with AF892 250806 Bolt Seal Included Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 ID: 5.25 (133) End 2 ID: 0.42 (11)
AF881  FIAT-ALLIS 70690304, DRESSTA 1200455H1 Safety Element used with AF882M, AF1849M 3830497 Bolt Seal Included Overall Height: 21.13 (537) End 1 OD: 8.65 (220) End 1 ID: 7.09 (180) End 2 ID: 0.90 (23)	AF887KM  DONALDSON P120117, LUBERFINER LAF1868, CHAMP LAF1868 250806 Bolt Seal Included Overall Height: 14.56 (370) Fin Diameter: 15.85 (402) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF894  KOMATSU 6001819120 Safety Element used with AF895
AF882M  FIAT-ALLIS 70690305 Primary Air Filter used with AF881 3830497 Bolt Seal Included Overall Height: 22.68 (576) End 1 OD: 14.60 (371) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)	AF888M  WHITE 27088627 3830497 Bolt Seal Included Overall Height: 17.64 (448) Boot Diameter: 13.50 (343) End 2 OD: 12.77 (324) End 1 ID: 0.93 (23) End 2 ID: 8.36 (212)	AF895  KOMATSU 6001819220 Primary Air Filter used with AF894 Overall Height: 12.94 (329) End 1 OD: 8.27 (210) End 2 OD: 8.26 (210) End 1 ID: 0.40 (10) End 2 ID: 4.17 (106)
AF883M  EUCLID 9035993 Safety Element used with AF4606M, AF851M Extended Life Version of AF883. 3830497 Bolt Seal Included Gasket: 3830497 Overall Height: 17.11 (435) Height: 17.05 (433) Overall OD: 8.63 (219) End 1 ID: 7.05 (179) End 2 ID: 0.91 (23)	AF889  NEW HOLLAND 614104, IHC HOUSINGS 923611C91 Safety Element used with AF901 3311624 Bolt Seal Included Overall Height: 20.05 (509) End 1 OD: 7.60 (193) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134) End 2 ID: 0.67 (17)	AF896  KOMATSU 6003000121 Safety Element used with AF897 Overall Height: 16.86 (428) Flange Diameter: 6.72 (171) End 2 OD: 4.13 (105) End 1 ID: 2.84 (72)
AF890  INGERSOLL-RAND 35123520 Safety Element used with AF891 3830497 Bolt Seal Included Overall Height: 22.44 (570) Overall OD: 8.24 (209) End 1 ID: 7.12 (181) End 2 ID: 0.93 (24)	AF897  KOMATSU 6003000110 Primary Air Filter used with AF896 Overall Height: 16.81 (427) Overall OD: 8.48 (215) End 1 ID: 4.17 (106)	

E. PRODUCT GUIDE

AF898M  CASE 433324C1 IH 1600-1800 Trucks w/ Dd 6V-53 Overall Height: 7.54 (192) End 1 OD: 16.26 (413) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)	AF904  CASE 627934C1 Primary Air Filter used with AF905 3311624 Bolt Seal Included Overall Height: 12.50 (318) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.68 (17)	AF911  MACK 57MD31 For Magnum Version use AF911M Gasket: 3312554 Overall Height: 15.00 (381) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)
AF899  DONALDSON SMP181040, WABCO VJ0075, WABCO VJ5175 Primary Air Filter used with AF880 For Magnum Version use AF899M. 3830497 Bolt Seal Included Gasket: 3825893 Overall Height: 23.62 (600) End 1 OD: 18.60 (472) End 2 OD: 17.60 (447) End 1 ID: 0.90 (23) End 2 ID: 12.23 (311)	AF905  CASE A47146 Safety Element used with AF4636, AF904 3311624 Bolt Seal Included Overall Height: 10.44 (265) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)	AF911M  DONALDSON P142448 Extended Life Version of AF911 Gasket: 3312554 Overall Height: 15.00 (381) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)
AF899M  WABCO VJ0075, WABCO VJ5175 Primary Air Filter used with AF880 Extended Life Version of AF899. 3830497 Bolt Seal Included Gasket: 3825893 Overall Height: 23.62 (600) End 1 OD: 18.43 (468) End 2 OD: 17.64 (448) End 1 ID: 0.90 (23) End 2 ID: 12.24 (311)	AF906  CASE 627127C1 Primary Air Filter used with AF907 3830497 Bolt Seal Included Overall Height: 16.60 (422) Boot Diameter: 11.40 (290) End 2 OD: 10.40 (264) End 1 ID: 0.90 (23) End 2 ID: 6.05 (154)	AF914  FORD D0GY9601A Overall Height: 2.55 (65) Overall OD: 13.00 (330) End 1 ID: 11.22 (285)
AF900  CASE 702848C1 Primary Air Filter used with AF902 Overall Height: 23.00 (584) Overall OD: 8.50 (216) End 1 ID: 5.39 (137) End 2 ID: 0.44 (11)	AF907  JOHN DEERE AE30507, CASE 624978C91 Safety Element used with AF1887M, AF906 3830497 Bolt Seal Included Overall Height: 14.35 (364) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.88 (22)	AF915  VERSATILE 22935 Safety Element used with AF916 Overall Height: 18.32 (465) End 1 OD: 7.38 (187) End 2 OD: 7.06 (179) End 1 ID: 5.85 (149) End 2 ID: 0.55 (14)
AF901  IHC HOUSINGS 640968C91, JOHN DEERE AT49022, NEW HOLLAND 614103 Primary Air Filter used with AF889 3311624 Bolt Seal Included Overall Height: 20.45 (519) End 1 OD: 11.09 (282) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)	AF908  CASE 702672C1 Primary Air Filter used with AF909 3302302 Bolt Seal Included Overall Height: 27.41 (696) Overall OD: 12.56 (319) End 1 ID: 7.57 (192) End 2 ID: 0.77 (20)	AF916  VERSATILE 22934 Primary Air Filter used with AF915 Overall Height: 20.37 (517) Cover Diameter: 13.91 (353) End 2 ID: 7.73 (196)
AF902  CASE 702847C1 Safety Element used with AF900 3311624 Bolt Seal Included Overall Height: 21.46 (545) End 1 OD: 5.26 (134) End 2 OD: 5.21 (132) End 1 ID: 0.68 (17) End 2 ID: 4.16 (106)	AF909  CASE 702673C1 Safety Element used with AF908 3302302 Bolt Seal Included Overall Height: 25.72 (653) Overall OD: 7.44 (189) End 1 ID: 6.09 (155) End 2 ID: 0.77 (20)	AF917  VERSATILE 22930 Primary Air Filter used with AF918 Overall Height: 20.47 (520) Overall OD: 10.47 (266) End 1 ID: 6.88 (175)
AF903M  CUMMINS 3013205 3311624 Bolt Seal Included Overall Height: 18.41 (468) End 1 OD: 13.85 (352) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)	AF910  MACK 57MD21 For Upgrade, use AF910M Used With AF911 or AF967M depending on application Gasket: 3312554 Overall Height: 9.00 (229) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF918  VERSATILE 17444 Safety Element used with AF917, AF927 Overall Height: 18.42 (468) End 1 OD: 6.13 (156) End 1 ID: 0.50 (13) End 2 ID: 4.73 (120)
	AF910M  DONALDSON P142449, DONALDSON XLP182005 Upgrade of AF910 Gasket: 3312554 Overall Height: 9.00 (229) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF919  CASE 680587C2 Primary Air Filter used with AF929 3311624 Bolt Seal Included Overall Height: 18.49 (470) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)




E. PRODUCT GUIDE

AF920  Safety Element used with AF408 3311624 Bolt Seal Included Overall Height: 12.43 (316) Overall OD: 7.64 (194) End 1 ID: 6.05 (154) End 2 ID: 0.67 (17)	AF928M  DONALDSON XLP182056, CUMMINS 3022209 Filter used with AH19325, AH19326 Extended Life Version of AF928 Overall Height: 15.67 (398) End 1 OD: 12.09 (307) End 1 ID: 7.74 (197) End 2 ID: 0.67 (17)	AF935M  EUCLID 9039993 Primary Air Filter used with AF4862, AF934 . 3830497 Bolt Seal Included Gasket: 3308026 Overall Height: 19.60 (498) End 1 OD: 18.58 (472) End 2 OD: 17.60 (447) End 1 ID: 0.90 (23) End 2 ID: 12.23 (311)
AF921M  CATERPILLAR 4N0326 Primary Air Filter used with AF922 3311624 Bolt Seal Included Overall Height: 12.48 (317) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)	AF929  IHC HOUSINGS 681911C91 Safety Element used with AF919 3311624 Bolt Seal Included Overall Height: 17.30 (439) End 1 OD: 7.65 (194) End 1 ID: 0.68 (17) End 2 ID: 6.05 (154)	AF936  INGERSOLL-RAND 40070 Primary Air Filter used with AF264 Overall Height: 16.06 (408) Overall OD: 16.64 (423) End 1 ID: 11.99 (305)
AF922  CATERPILLAR 4N0313 Safety Element used with AF921M 3311624 Bolt Seal Included Overall Height: 10.37 (263) Overall OD: 3.37 (86) End 1 ID: 2.24 (57) End 2 ID: 0.67 (17)	AF930M  FORD D2HZ9601C . 250806 Bolt Seal Included Overall Height: 9.50 (241) End 1 OD: 12.00 (305) End 2 OD: 10.23 (260) End 1 ID: 0.54 (14) End 2 ID: 4.83 (123)	AF937  STEIGER 71010 Safety Element used with AF4628M, AF939 . 3311624 Bolt Seal Included Overall Height: 16.41 (417) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)
AF923M  CASE 537337R1 Primary Air Filter used with AF924 Overall Height: 15.53 (394) End 1 OD: 9.50 (241) End 2 OD: 8.48 (215) End 2 ID: 4.51 (115)	AF931M  DONALDSON P129472 Gasket: 3309314 Overall Height: 28.90 (734) End 1 OD: 8.66 (220) End 2 OD: 5.72 (145) End 1 ID: 5.21 (132)	AF938  STEIGER 45212 Safety Element used with AF427M 3311624 Bolt Seal Included Overall Height: 12.44 (316) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)
AF924  CASE 537338R2 Safety Element used with AF923M Overall Height: 14.38 (365) Overall OD: 4.47 (114) End 1 ID: 0.44 (11) End 2 ID: 3.41 (87)	AF932  JOHN DEERE AT35155 Primary Air Filter used with AF487 3311624 Bolt Seal Included Overall Height: 12.50 (318) Overall OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)	AF939  STEIGER 71011 Primary Air Filter used with AF937 3830497 Bolt Seal Included Overall Height: 18.49 (470) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)
AF925  CASE 925761C1 Primary Air Filter used with AF926 250806 Bolt Seal Included Overall Height: 21.03 (534) Overall OD: 10.02 (255) End 1 ID: 5.48 (139) End 2 ID: 0.40 (10)	AF933  DONALDSON P181021 For Magnum Version use AF933M Overall Height: 10.50 (267) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.33 (8) Thread Size: 5/16-18 UNC-2A	AF940K  MASSEY-FERGUSON 1428739M91 Primary Air Filter used with AF988 3311624 Bolt Seal Incl. Overall Height: 15.41 (391) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.66 (93) End 2 ID: 0.67 (17)
AF926  CASE 925762C1 Safety Element used with AF925 3311624 Bolt Seal Incl. Overall Height: 19.28 (490) Overall OD: 5.43 (138) End 1 ID: 4.02 (102) End 2 ID: 0.68 (17)	AF933M  DONALDSON XLP182021 Extended Life Version Of AF933 Overall Height: 10.50 (267) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.33 (8)	AF941  CASE 466400C1 Overall Height: 8.64 (219) Overall OD: 12.59 (320) End 1 ID: 8.19 (208)
AF927  VERSATILE 15803 Primary Air Filter used with AF918 Overall Height: 20.38 (518) End 1 OD: 11.56 (294) End 2 OD: 9.63 (244) End 1 ID: 6.19 (157)	AF934  EUCLID 9039992 Safety Element used with AF935M 3830497 Bolt Seal Included Overall Height: 18.13 (460) Overall OD: 11.92 (303) End 1 ID: 10.22 (259) End 2 ID: 0.90 (23)	AF942  CASE 478974C1 For Magnum Version use AF942M Overall Height: 12.34 (313) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)


E. PRODUCT GUIDE

AF942M  Extended Life Version of AF942 Overall Height: 12.34 (313) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF949  KOMATSU 6001817310 Safety Element used with AF948 Overall Height: 11.47 (291) Overall OD: 3.78 (96) End 1 ID: 0.63 (16) End 2 ID: 2.37 (60)	AF958M  FORD D5HZ9601A Overall Height: 16.55 (420) Cover Diameter: 14.12 (359) End 2 OD: 12.10 (307) End 2 ID: 6.69 (170)
AF943  STEIGER 45253 Safety Element used with AF851M . 3311624 Bolt Seal Included Overall Height: 17.05 (433) Overall OD: 8.65 (220) End 1 ID: 7.09 (180) End 2 ID: 0.65 (17)	AF950  CHRYSLER 3614353 Overall Height: 3.51 (89) Overall OD: 10.88 (276) End 1 ID: 8.95 (227)	AF959  CATERPILLAR 9S9972 Safety Element used with AF335M Fleetguard Airkit Option AF4513 + AK00003 Overall Height: 13.11 (333) Cover Diameter: 9.04 (230) End 2 OD: 6.28 (160) End 1 ID: 4.61 (117)
AF944  CASE 433127C91, UNITED ENGINE LIFE 507D1 Overall Height: 8.49 (216) End 1 OD: 12.10 (307) End 2 OD: 12.08 (307) End 1 ID: 0.49 (12) End 2 ID: 7.73 (196)	AF951M  FORD D5HZ9601B 3311624 Bolt Seal Included Overall Height: 16.50 (419) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF960  DONALDSON SMP181017 For Magnum Version use AF960M. 3308844S gasket is optional. Overall Height: 29.01 (737) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)
AF945K  JOHN DEERE AT33363, JOHN DEERE AR39799 Primary Air Filter used with AF828 Overall Height: 10.38 (264) Fin Diameter: 8.69 (221) End 2 OD: 6.85 (174) End 1 ID: 4.23 (107) End 2 ID: 0.68 (17)	AF953K  CASE 3124008R91 3311624 Bolt Seal Included Overall Height: 18.38 (467) Fin Diameter: 7.80 (198) End 2 OD: 6.10 (155) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF960M  DONALDSON XLP182017 Uses service part: 3308844S Extended Life Version of AF960. Gasket is optional. Overall Height: 29.01 (737) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)
AF946M  FORD D6HZ9601B 250806 Bolt Seal Included Overall Height: 8.23 (209) End 1 OD: 12.00 (305) End 2 OD: 10.23 (260) End 1 ID: 0.54 (14) End 2 ID: 4.83 (123)	AF954M  GMC 68999 Filter used with AH19099, AH19100 Gasket: 3311160 Overall Height: 28.90 (734) End 1 OD: 10.40 (264) End 2 OD: 7.40 (188) End 1 ID: 6.95 (177)	AF961  GALION D59585 Overall Height: 2.25 (57) Overall OD: 2.06 (52) End 1 ID: 0.88 (22) End 2 ID: 0.98 (25)
AF947  CUMMINS 4099423, JOHN DEERE AR61967, CAMECO INDUSTRIES AR79679 Primary Air Filter used with AF963 Filter used with 1403112, AH1148, AH19040, AH19322 250806 Bolt Seal Included Overall Height: 17.11 (435) Overall OD: 9.10 (231) End 1 ID: 4.79 (122) End 2 ID: 0.38 (10)	AF955  FIAT-ALLIS 70671839 Safety Element used with AF956, AF956M 3830497 Bolt Seal Included Overall Height: 21.46 (545) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.90 (23) End 2 ID: 6.05 (154)	AF963  JOHN DEERE AR61968 Safety Element used with AF947, AF4668 Filter used with AH1147, AH1148 Overall Height: 14.20 (361) Overall OD: 4.67 (119) End 1 ID: 0.66 (17) End 2 ID: 4.03 (102)
AF948  KOMATSU 6001817210 Primary Air Filter used with AF949 Overall Height: 12.44 (316) Overall OD: 7.06 (179) End 1 ID: 3.94 (100) End 2 ID: 0.40 (10)	AF956  Primary Air Filter used with AF955 For Magnum Version use AF956M. 3830497 Bolt Seal Included Overall Height: 23.72 (602) Boot Diameter: 12.80 (325) End 2 OD: 12.08 (307) End 1 ID: 0.90 (23) End 2 ID: 7.73 (196)	AF964  FORD D5HZ9601A Overall Height: 5.51 (140) Overall OD: 12.62 (321) End 1 ID: 9.75 (248)
	AF956M  FIAT-ALLIS 70671838 Primary Air Filter used with AF955 Extended Life Version of AF956. 3830497 Bolt Seal Included Overall Height: 23.73 (603) End 1 OD: 12.80 (325) End 2 OD: 12.08 (307) End 1 ID: 0.90 (23) End 2 ID: 7.73 (196)	AF965  FORD D4HZ9601B Overall Height: 5.50 (140) Overall OD: 12.60 (320) End 1 ID: 8.35 (212)



E. PRODUCT GUIDE

AF966  MACK 57MD24 Uses service part: 3312553S, 3316953S For Magnum Version use AF966M. Overall Height: 23.01 (584) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)	AF973  FARR T528 Height: 5.38 (137) Length: 28.50 (724) Width: 19.00 (483)	AF980  TOWMOTOR 343008 Primary Air Filter used with AF1687 Overall Height: 10.85 (276) Overall OD: 3.54 (90) End 1 ID: 2.26 (58)
AF966M  MACK 57MD24 Uses service part: 3312553S, 3316953S Extended Life Version of AF966. Overall Height: 23.00 (584) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)	AF974  DONALDSON P132349 Safety Element used with AF972KM 3311624 Bolt Seal Included Overall Height: 15.79 (401) End 1 OD: 8.50 (216) End 2 OD: 7.27 (185) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)	AF981  MERCEDES-BENZ 10949404 Overall Height: 8.63 (219) Cover Diameter: 9.94 (252) End 2 OD: 8.24 (209) End 1 ID: 0.34 (9) End 2 ID: 4.08 (104)
AF967M  MACK 57MD29301 Overall Height: 15.03 (382) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF975M  DONALDSON P124045, DONALDSON XLP182082 Primary Air Filter used with AF976 Is a longer version of AF25763M Overall Height: 20.50 (521) Overall OD: 10.86 (276) End 1 ID: 6.50 (165) End 2 ID: 0.92 (23)	AF982  GMC 25040873, AC A784C, MOTORCRAFT FA709 Primary Air Filter used with AF986 For Upgrade, use AF982M Overall Height: 18.55 (471) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)
AF968  VOLVO 475386 250806 Bolt Seal Included Overall Height: 14.54 (369) Overall OD: 12.21 (310) End 1 ID: 7.88 (200) End 2 ID: 0.54 (14)	AF976  DONALDSON P124047 Safety Element used with AF975M Is a longer version of AF25764 3311624 Bolt Seal Included Overall Height: 19.50 (495) End 1 OD: 6.41 (163) End 2 OD: 6.39 (162) End 1 ID: 0.67 (17) End 2 ID: 5.27 (134)	AF982M  CASE 476743C1 Primary Air Filter used with AF986 Upgrade of A784C, AF982 Extended Life Version of AF982 Overall Height: 18.55 (471) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)
AF969  VOLVO 347138 Overall Height: 11.40 (290) Cover Diameter: 9.25 (235) End 2 OD: 8.39 (213) End 1 ID: 0.35 (9) End 2 ID: 4.13 (105)	AF977  MERCEDES-BENZ 10948304 Overall Height: 10.19 (259) Cover Diameter: 15.16 (385) End 2 OD: 12.85 (327) End 1 ID: 0.41 (11) End 2 ID: 6.58 (167)	AF983  HEIL 75A506 Hydraulic Air Overall Height: 5.37 (136) Largest OD: 3.69 (94) Thread Size: 1-14 UNS-2B
AF970  MASSEY-FERGUSON 197946201 Overall Height: 19.50 (495) Cover Diameter: 12.17 (309) End 2 OD: 9.54 (242) End 1 ID: 5.21 (132) End 2 ID: 0.41 (11)	AF978  MERCEDES-BENZ 10949304 Overall Height: 10.13 (257) Cover Diameter: 13.27 (337) End 2 OD: 10.87 (276) End 1 ID: 0.41 (11) End 2 ID: 5.26 (134)	AF984  CASE 530560C1 Safety Element used with AF994 3311624 Bolt Seal Included Overall Height: 14.50 (368) Overall OD: 7.22 (183) End 1 ID: 5.66 (144) End 2 ID: 0.67 (17)
AF971  JOHN DEERE AZ23642 Primary Air Filter used with AF1841 Overall Height: 15.00 (381) Cover Diameter: 10.95 (278) End 2 OD: 8.96 (228) End 1 ID: 0.41 (11) End 2 ID: 4.61 (117)	AF979  DONALDSON SMP181028 Primary Air Filter used with AF987 For Upgrade, use AF979M Overall Height: 16.51 (419) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF986  Safety Element used with AF982, AF982M 3311624 Bolt Seal Included Overall Height: 15.79 (401) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.68 (17) End 2 ID: 6.07 (154)
AF972KM  DONALDSON P132348 Primary Air Filter used with AF974 3311624 Bolt Seal Included Overall Height: 16.57 (421) Fin Diameter: 15.70 (399) End 2 OD: 12.08 (307) End 1 ID: 0.67 (17) End 2 ID: 7.73 (196)	AF979M  DONALDSON XLP182028 Primary Air Filter used with AF987 Upgrade of AF979 Extended Life Version Of AF979 Overall Height: 16.50 (419) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF987  CASE 482644C1 Safety Element used with AF979, AF979M Overall Height: 13.78 (350) Overall OD: 5.98 (152) End 1 ID: 4.83 (123)


E. PRODUCT GUIDE

AF988  MASSEY-FERGUSON 1037735M91 Safety Element used with AF1910M, AF940K Overall Height: 14.04 (356) Overall OD: 3.75 (95) End 1 ID: 2.93 (74) End 2 ID: 0.66 (17)	AF996M  VORTOX VF160R 3311624 Bolt Seal Included Overall Height: 27.00 (686) End 1 OD: 12.79 (325) End 2 OD: 12.77 (324) End 1 ID: 0.67 (17) End 2 ID: 8.36 (212)	AF1602M  MANN & HUMMEL C23726, SCANIA 269733 Overall Height: 14.93 (379) Cover Diameter: 10.98 (279) End 2 OD: 8.96 (228) End 1 ID: 0.41 (11) End 2 ID: 4.60 (117)
AF989  ATLAS COPCO 10300979 250806 Bolt Seal Included Gasket: 3309167 (1) Overall Height: 14.24 (362) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF997M  MACK 57MD29305P2 Uses service part: 3312555S Gasket: 3312555 Overall Height: 15.00 (381) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF1603M  GMC 2034764 Overall Height: 28.43 (722) Overall OD: 9.01 (229) End 1 ID: 5.71 (145)
AF990  FENDT F278201090020 Primary Air Filter used with AF25424 Overall Height: 9.40 (239) Overall OD: 6.44 (164) End 1 ID: 3.38 (86) End 1 ID: 3.40 (86)	AF998M  MACK 57MD29305P1 Uses service part: 3312555S Gasket: 3312555 Overall Height: 12.04 (306) Overall OD: 10.40 (264) End 1 ID: 6.95 (177)	AF1604  CUMMINS 3013213, KOMATSU VE1061, CAMECO INDUSTRIES 61380377 Safety Element used with AF1605M, AF4605M 3830497 Bolt Seal Included Overall Height: 22.50 (572) Overall OD: 10.25 (260) End 1 ID: 9.12 (232) End 1 ID: 0.88 (22)
AF991  KHD(KLOCKNER- HUMBOLDT-DEUTZ) 2339823 Primary Air Filter used with AF25425, AF4745 Overall Height: 13.08 (332) Overall OD: 6.44 (164) End 1 ID: 3.39 (86)	AF999  AP LOCKHEED AP497A, GMC 25096001, AC A181C, DONALDSON P539487 Overall Height: 8.09 (205) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF1605M  CUMMINS 3013212, KOMATSU VE1062, CAMECO INDUSTRIES 61380371 Primary Air Filter used with AF1604 Overall Height: 24.50 (622) End 1 OD: 14.70 (373) End 2 OD: 14.69 (373) End 1 ID: 0.88 (22) End 2 ID: 10.30 (262)
AF992  FENDT F181200091040 Overall Height: 13.91 (353) Overall OD: 6.46 (164) End 1 ID: 3.38 (86)	AF1600  DONALDSON SMP181011 Uses service part: 3312555S For Magnum Version use AF1600M Gasket: 3312555 Overall Height: 27.00 (686) End 1 OD: 13.76 (349) End 2 OD: 13.74 (349) End 1 ID: 7.40 (188)	AF1606K  DONALDSON SMP181062 Overall Height: 15.42 (392) Fin Diameter: 6.40 (163) End 2 OD: 5.24 (133) End 1 ID: 3.25 (83) End 2 ID: 0.67 (17)
AF993  DONALDSON P130115 3830497 Bolt Seal Included Overall Height: 13.51 (343) End 1 OD: 9.23 (234) End 2 OD: 9.21 (234) End 1 ID: 0.90 (23) End 2 ID: 4.86 (123)	AF1600M  DONALDSON P123785, DONALDSON XLP182011 Uses service part: 3312555S Extended Life Version of AF1600 Gasket: 3312555 Overall Height: 27.00 (686) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)	AF1606KM  INGERSOLL-RAND 35291970, DONALDSON XLP182062 Primary Air Filter used with AF1892 Filter used with AH19063, AH19064 Upgrade of SMP181062 3311624 Bolt Seal Included Overall Height: 15.42 (392) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.17 (81) End 2 ID: 0.67 (17)
AF994  CASE 530561C1 Primary Air Filter used with AF984 3311624 Bolt Seal Included Overall Height: 15.76 (400) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF1601M  MANN & HUMMEL C20325, KHD(KLOCKNER- HUMBOLDT-DEUTZ) 2241034 Primary Air Filter used with AF1840 Overall Height: 14.75 (375) Cover Diameter: 9.80 (249) End 2 OD: 7.78 (198) End 1 ID: 0.34 (9) End 2 ID: 4.08 (104)	AF1609  CATERPILLAR 6P6664 3834340 Wing Nut Included Overall Height: 12.47 (317) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 4.23 (107)
AF995M  GMC 717702 Uses service part: 3312555S Gasket: 3312555 Overall Height: 19.88 (505) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)		





E. PRODUCT GUIDE

AF1611M  DONALDSON P137982 Available in Australia ONLY3830497 Bolt Seal Included Overall Height: 16.56 (421) End 1 OD: 11.08 (281) End 2 OD: 11.07 (281) End 1 ID: 6.73 (171) End 2 ID: 0.90 (23)	AF1622  JOHN DEERE AR80652 Primary Air Filter used with AF1623 Overall Height: 19.76 (502) Overall OD: 9.09 (231) End 1 ID: 6.22 (158) End 2 ID: 0.39 (10)	AF1635  MASSEY-FERGUSON 1039045M91 Safety Element used with AF4855, AF1704 Overall Height: 13.44 (341) Overall OD: 3.35 (85) End 1 ID: 0.28 (7) End 2 ID: 2.29 (58)
AF1612M  DONALDSON P137981 Primary Air Filter used with AF1749 3830497 Bolt Seal Included Overall Height: 18.48 (469) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF1623  JOHN DEERE AR80653 Safety Element used with AF1622 Overall Height: 16.15 (410) Overall OD: 5.18 (132) End 1 ID: 4.13 (105) End 2 ID: 0.66 (17)	AF1636  JOHN DEERE AR82915 Primary Air Filter used with AF1637 Overall Height: 19.81 (503) Overall OD: 9.06 (230) End 1 ID: 0.45 (11) End 2 ID: 5.37 (136)
AF1613M  GMC 2034763 Overall Height: 22.60 (574) Overall OD: 9.01 (229) End 1 ID: 5.71 (145)	AF1624  GMC 8994941 Overall Height: 5.30 (135) Overall OD: 5.09 (129) End 1 ID: 3.59 (91)	AF1637  JOHN DEERE AR81313 Safety Element used with AF1636 Overall Height: 16.19 (411) Overall OD: 4.70 (119) End 1 ID: 0.63 (16) End 2 ID: 4.04 (103)
AF1614  LEYLAND ACU2889 Overall Height: 11.52 (293) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)	AF1625  GMC 8996587 Overall Height: 2.29 (58) Overall OD: 10.09 (256) End 1 ID: 8.62 (219)	AF1638  JOHN DEERE AR54336 Primary Air Filter used with AF1639 Filter used with AH1146, AH1171 Overall Height: 15.32 (389) End 1 OD: 7.35 (187) End 2 OD: 7.29 (185) End 1 ID: 0.39 (10) End 2 ID: 4.03 (102)
AF1616  WHITE 220055002 Filter used with AH19104, AH19106 For Magnum Version use AF1616M Gasket: 3312556 Overall Height: 27.00 (686) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF1628  GMC 8997189 Same As AF1985 Without Foam Pre- Cleaner Overall Height: 4.00 (102) Overall OD: 13.88 (353) End 1 ID: 11.62 (295)	AF1639  JOHN DEERE AR79942 Safety Element used with AF1638 Filter used with AH1146, AH1171 Overall Height: 13.25 (337) End 1 OD: 3.88 (98) End 2 OD: 3.81 (97) End 1 ID: 0.63 (16) End 2 ID: 3.19 (81)
AF1616M  WHITE 220055002 Extended Life Version Of AF1616 Gasket: 3312556 Overall Height: 27.00 (686) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)	AF1631  MASSEY-FERGUSON 1041845M91 Primary Air Filter used with AF1685 Overall Height: 14.03 (356) End 1 OD: 8.69 (221) End 2 OD: 7.94 (202) End 1 ID: 5.30 (135) End 2 ID: 0.66 (17)	AF1640  FORD D1NN9R500A Safety Element used with AF1641 Overall Height: 13.56 (344) Overall OD: 3.63 (92) End 1 ID: 3.02 (77) End 2 ID: 0.44 (11)
AF1617  FORD D7ZZ9601A Overall Height: 1.75 (44) Overall OD: 11.22 (285) End 1 ID: 9.03 (229)	AF1632  CASE A44805 Safety Element used with AF1633 Overall Height: 8.38 (213) Overall OD: 6.84 (174) End 1 ID: 4.22 (107) End 2 ID: 0.66 (17)	AF1641  FORD D1NN9601A Primary Air Filter used with AF1640 Overall Height: 15.36 (390) Overall OD: 6.69 (170) End 1 ID: 0.54 (14) End 2 ID: 3.76 (96)
AF1618  FORD D7EF9601AA Overall Height: 1.75 (44) Overall OD: 11.25 (286) End 1 ID: 9.38 (238)	AF1633  CASE A44804 Primary Air Filter used with AF1632 Overall Height: 9.54 (242) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)	AF1642  CASE 175568C1 Height: 2.19 (56) Length: 32.00 (813) Width: 6.75 (171)
AF1620  MANN & HUMMEL C241653, KHD(KLOCKNER- HUMBOLDT-DEUTZ) 2102752 Overall Height: 6.47 (164) Overall OD: 9.05 (230) End 1 ID: 6.36 (161)		


E. PRODUCT GUIDE

AF1643  JOHN DEERE AR70106 Primary Air Filter used with AF1644 Overall Height: 20.38 (518) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)	AF1653  MASSEY-FERGUSON 1026137M91, MASSEY-FERGUSON 1029945M91 Overall Height: 9.25 (235) Overall OD: 4.09 (104) End 1 ID: 2.47 (63) End 2 ID: 0.38 (10)	AF1663  JOHN DEERE AR49839 Overall Height: 17.20 (437) Overall OD: 9.06 (230) End 1 ID: 5.39 (137) End 2 ID: 0.38 (10)
AF1644  JOHN DEERE AR70107 Safety Element used with AF1643 Overall Height: 18.33 (466) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)	AF1654  CASE 606861C91 Safety Element used with AF869M Overall Height: 17.84 (453) Flange Diameter: 7.00 (178) End 2 OD: 4.61 (117) End 1 ID: 3.44 (87)	AF1664  JOHN DEERE AR51431 Primary Air Filter used with AF1665 Overall Height: 7.25 (184) Overall OD: 13.84 (352) End 1 ID: 7.44 (189) End 2 ID: 0.63 (16)
AF1647M  CATERPILLAR 4L4719 Overall Height: 18.26 (464) End 1 OD: 13.89 (353) End 2 OD: 13.83 (351) End 2 ID: 9.48 (241)	AF1655  MASSEY-FERGUSON 1028094M92 Overall Height: 15.38 (391) Overall OD: 6.09 (155) End 1 ID: 3.47 (88) End 2 ID: 0.66 (17)	AF1665  JOHN DEERE AR51432 Safety Element used with AF1664, AF1693 Overall Height: 6.19 (157) Overall OD: 6.84 (174) End 1 ID: 4.22 (107) End 2 ID: 0.66 (17)
AF1648  JOHN DEERE AM31000 Overall Height: 4.76 (121) Overall OD: 4.38 (111) End 1 ID: 3.00 (76)	AF1656  WISCONSIN LO175B Overall Height: 4.02 (102) Overall OD: 4.20 (107) End 1 ID: 2.00 (51)	AF1666  NISSAN 1654618000 Overall Height: 1.94 (49) Overall OD: 9.06 (230) End 1 ID: 6.84 (174)
AF1649  NISSAN 1654623000, GMC 94020442 Overall Height: 2.41 (61) Overall OD: 10.20 (259) End 1 ID: 8.01 (203)	AF1657  WISCONSIN LO173B Overall Height: 4.19 (106) Overall OD: 3.56 (90) End 1 ID: 2.12 (54)	AF1667  CHRYSLER 2402677, MOPAR L141 Height: 3.62 (92) Length: 11.44 (291) Width: 6.56 (167)
AF1650  Uses service part: 3835841S, 3835842S Allis-Chalmers, Autocar, Brockway, Cummins, FWD, Diamond T, Dodge, Hough, Hyster, IH Primary Air Blanket AF1807 element AF1888. Overall Height: 11.71 (297) Overall OD: 9.61 (244) End 1 ID: 5.20 (132)	AF1658K  FIAT-ALLIS 70247060 Filter used with AH19107 Overall Height: 7.36 (187) Fin Diameter: 4.17 (106) End 2 OD: 3.27 (83) End 1 ID: 1.79 (46) End 2 ID: 0.41 (11)	AF1668  BRIGGS & STRATTON 296186, BRIGGS & STRATTON 296188 Overall Height: 1.56 (40) Overall OD: 4.39 (112) End 1 ID: 3.00 (76)
AF1651  JOHN DEERE AM30800 Overall Height: 2.34 (59) Overall OD: 4.39 (112) End 1 ID: 3.00 (76)	AF1659  JOHN DEERE AR43605, JOHN DEERE AR43941 Overall Height: 12.38 (314) Overall OD: 6.85 (174) End 1 ID: 3.45 (88) End 2 ID: 0.88 (22)	AF1669  FRAM CA140PL Overall Height: 2.13 (54) Overall OD: 8.05 (204) End 1 ID: 6.48 (164)
AF1652  JOY 12124040 Overall Height: 18.38 (467) Overall OD: 11.13 (283) End 1 ID: 6.44 (164) End 2 ID: 0.44 (11)	AF1660  CATERPILLAR 6L8485 Height: 2.57 (65) Length: 15.00 (381) Width: 15.00 (381)	AF1670  CYCLONE AP250 Overall Height: 4.44 (113) Overall OD: 7.13 (181) End 1 ID: 4.94 (125)

E. PRODUCT GUIDE

AF1671  AUSTIN-HEALY 1H1334 Overall Height: 2.52 (64) Overall OD: 5.94 (151) End 1 ID: 3.56 (90)	AF1680  MITSUBISHI 3083081900, DONALDSON P112212 Safety Element used with AF4059K 3311624 Bolt Seal Included Overall Height: 13.42 (341) Overall OD: 3.37 (86) End 1 ID: 2.24 (57) End 2 ID: 0.67 (17)	AF1690  CASE 67975C1 Safety Element used with AF1847 Overall Height: 15.50 (394) Overall OD: 5.56 (141) End 1 ID: 4.42 (112)
AF1672  GMC 6484966 Height: 1.50 (38) Overall OD: 0.82 (21) Length: 3.90 (99) Width: 1.70 (43)	AF1681  JOHN DEERE AH80920 Height: 2.19 (56) Length: 39.96 (1015) Width: 6.12 (155)	AF1693  CASE A44185 Primary Air Filter used with AF1665 Overall Height: 7.43 (189) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)
AF1673  FORD D1AZ9D65A For replacement foam see AF1964 Height: 1.30 (33) Overall OD: 0.55 (14) Length: 3.92 (99) Width: 1.68 (43)	AF1682  MASSEY-FERGUSON 1038946M91 Overall Height: 14.28 (363) Overall OD: 6.86 (174) End 1 ID: 4.20 (107)	AF1694  CASE 537334R1 Primary Air Filter used with AF1839 Overall Height: 13.47 (342) Overall OD: 6.08 (154) End 1 ID: 3.48 (88)
AF1674  FORD D3ZZ9601A Overall Height: 1.94 (49) Overall OD: 11.22 (285) End 1 ID: 9.03 (229)	AF1683  CASE 529851R2 Overall Height: 15.29 (388) Overall OD: 6.08 (154) End 1 ID: 3.48 (88)	AF1695  CASE F84818 Height: 2.19 (56) Length: 28.00 (711) Width: 7.50 (191)
AF1675  CASE A43734 Primary Air Filter used with AF1676 Overall Height: 7.50 (191) Overall OD: 11.72 (298) End 1 ID: 0.44 (11) End 2 ID: 7.16 (182)	AF1685  MASSEY-FERGUSON 1041846M91 Safety Element used with AF1631 Overall Height: 12.25 (311) Overall OD: 5.22 (133) End 1 ID: 4.08 (104) End 2 ID: 0.66 (17)	AF1696  FORD D2HZ9601A Overall Height: 10.38 (264) Overall OD: 9.19 (233) End 1 ID: 4.84 (123) End 2 ID: 0.53 (13)
AF1676  CASE A43735 Safety Element used with AF1675 Overall Height: 6.13 (156) Overall OD: 6.81 (173) End 1 ID: 0.44 (11) End 2 ID: 5.53 (140)	AF1686  DONALDSON P117109 For Element w/ Clip Use AF1686C Height: 2.19 (56) Length: 33.00 (838) Width: 6.50 (165)	AF1697  MOPAR L539 Overall Height: 2.41 (61) Overall OD: 9.75 (248) End 1 ID: 7.56 (192)
AF1677  JOHN DEERE AR61903 Height: 2.69 (68) Length: 28.00 (711) Width: 7.50 (191)	AF1687  FORD D2NN9R500A, MASSEY-FERGUSON 1094269M91 Safety Element used with AF980, AF1954, AF492 Overall Height: 10.31 (262) End 1 OD: 2.50 (64) End 2 OD: 2.12 (54) End 1 ID: 1.86 (47) End 2 ID: 0.38 (10)	AF1699  MASSEY-FERGUSON 525446M1 Height: 2.19 (56) Length: 28.94 (735) Width: 9.25 (235)
AF1678  CASE T39515 Height: 2.23 (57) Length: 23.50 (597) Width: 7.00 (178)	AF1688  FORD D2NN9601A Overall Height: 14.38 (365) End 1 OD: 9.81 (249) End 2 OD: 7.94 (202) End 1 ID: 0.53 (13) End 2 ID: 4.63 (117)	AF1700  MASSEY-FERGUSON 1041911 Safety Element used with AF1712 Overall Height: 14.56 (370) Overall OD: 4.09 (104) End 1 ID: 3.64 (92) End 2 ID: 0.66 (17)

E. PRODUCT GUIDE

AF1701  CASE A44694 Primary Air Filter used with AF1702 Overall Height: 7.55 (192) Boot Diameter: 13.13 (334) End 2 OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF1720  HONDA 17220671000 Overall Height: 2.00 (51) Overall OD: 10.23 (260) End 1 ID: 7.64 (194)	AF1731  CASE 446661C2 For element with foam wrap use AF1983 Overall Height: 5.00 (127) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)
AF1702  CASE A44695 Safety Element used with AF1701 Overall Height: 5.26 (134) Overall OD: 6.84 (174) End 1 ID: 4.22 (107)	AF1722  CASE A42573 For filter with gasket use AF1870 Height: 2.50 (64) Length: 38.00 (965) Width: 6.00 (152)	AF1732K  CASE A43264 Primary Air Filter used with AF488 Overall Height: 13.38 (340) Fin Diameter: 10.00 (254) End 2 OD: 7.94 (202) End 1 ID: 5.30 (135) End 2 ID: 0.66 (17)
AF1703  FORD C9NN9R500A Overall Height: 13.94 (354) Overall OD: 3.53 (90) End 1 ID: 2.50 (64) End 2 ID: 0.50 (13)	AF1724  FORD C9NN9R500B, FORD D2NN9R500B Safety Element used with AF1725 Overall Height: 13.75 (349) Overall OD: 4.56 (116) End 1 ID: 3.47 (88) End 2 ID: 0.53 (13)	AF1733K  MASSEY-FERGUSON 1093682M91 Primary Air Filter used with AF4103 Filter used with AH19267, AH19268 For Magnum Version use AF1733KM Overall Height: 15.35 (390) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)
AF1704  MASSEY-FERGUSON 1039044M91 Primary Air Filter used with AF1635 Overall Height: 14.38 (365) Overall OD: 5.31 (135) End 1 ID: 3.44 (87)	AF1725  FORD D0NN9601A Primary Air Filter used with AF1724 Overall Height: 14.38 (365) Overall OD: 6.97 (177) End 1 ID: 4.63 (117)	AF1733KM  DONALDSON XLP182059 Primary Air Filter used with AF4103 Extended Life Version Of AF1733K Overall Height: 15.54 (395) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)
AF1707  AC A705C, GMC 8995405 Overall Height: 2.61 (66) Overall OD: 9.06 (230) End 1 ID: 6.84 (174)	AF1726  CATERPILLAR 6P1290 Height: 2.19 (56) Length: 25.50 (648) Width: 6.00 (152)	AF1734  AIR MAZE 125954016 Height: 2.23 (57) Length: 26.00 (660) Width: 7.00 (178)
AF1708  CASE C15861, IHC 488619R91 Overall Height: 2.06 (52) End 1 OD: 3.81 (97) End 2 OD: 3.00 (76) End 1 ID: 2.41 (61)	AF1727  DONALDSON P122115, NEW HOLLAND 73107280 Height: 2.19 (56) Length: 23.50 (597) Width: 6.50 (165)	AF1735K  FIAT-ALLIS 70266787 Primary Air Filter used with AF4150 Filter used with AH19269 Overall Height: 16.58 (421) Fin Diameter: 8.88 (226) End 2 OD: 6.85 (174) End 1 ID: 4.23 (108) End 2 ID: 0.67 (17)
AF1710  GMC 5645381 Overall Height: 3.25 (83) End 1 OD: 7.31 (186) End 2 OD: 6.50 (165) End 1 ID: 4.25 (108)	AF1728  DONALDSON P113407 Height: 2.19 (56) Length: 20.00 (508) Width: 7.50 (191)	AF1736  FORD 77HB9601AA Overall Height: 20.50 (521) Flange Diameter: 15.19 (386) End 2 OD: 12.08 (307) End 1 ID: 0.18 (5) End 2 ID: 7.73 (196)
AF1712  MASSEY-FERGUSON 1038944M91 Primary Air Filter used with AF1700 Overall Height: 16.43 (417) Overall OD: 7.64 (194) End 1 ID: 4.29 (109)	AF1730  CATERPILLAR 6K9606 Height: 0.95 (24) Length: 23.43 (595) Width: 7.00 (178)	AF1737M  GMC 2014573 Gasket: 3312553 Overall Height: 14.97 (380) End 1 OD: 8.85 (225) End 1 ID: 7.20 (183) End 2 ID: 5.82 (148)


E. PRODUCT GUIDE

AF1738  CASE 631422C1 Safety Element used with AF1740 3311624 Bolt Seal Included Overall Height: 12.11 (308) Overall OD: 3.88 (99) End 1 ID: 2.48 (63) End 2 ID: 0.67 (17)	AF1746  DONALDSON P114653 Height: 2.13 (54) Length: 30.56 (776) Width: 8.56 (217)	AF1753  DONALDSON P130747 3311624 Bolt Seal Included 3317119 Wing Nut Overall Height: 16.44 (418) Overall OD: 7.93 (201) End 1 ID: 3.58 (91) End 2 ID: 0.67 (17)
AF1739  DONALDSON P113632 Safety Element used with AF1747K 3311624 Bolt Seal Included Overall Height: 13.42 (341) Overall OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)	AF1747K  DONALDSON P113636 Primary Air Filter used with AF1739 Overall Height: 14.38 (365) Fin Diameter: 8.69 (221) End 2 OD: 6.84 (174) End 1 ID: 4.22 (107) End 2 ID: 0.66 (17)	AF1754K  FORD D0HZ9601D Complete With Reusable Lid. For Element Only Use AF1755. Overall Height: 10.36 (263) Cover Diameter: 12.38 (314) Fin Diameter: 11.47 (291) End 2 OD: 9.04 (230) End 1 ID: 0.54 (14) End 2 ID: 4.93 (125)
AF1740  CASE 631421C1 Primary Air Filter used with AF1738 Overall Height: 14.63 (371) Overall OD: 7.35 (187) End 1 ID: 4.00 (102) End 2 ID: 0.38 (10)	AF1748  DONALDSON SMP181058 Uses service part: 3312555S For Upgrade, use AF1748M Gasket: 3312555 Overall Height: 24.00 (610) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)	AF1755  MOTORCRAFT FA1008 250806 Bolt Seal Included Overall Height: 10.61 (269) Overall OD: 8.89 (226) End 1 ID: 4.98 (127)
AF1741  WHITE 220050004 Height: 5.38 (137) Length: 28.50 (724) Width: 19.00 (483)	AF1748M  DONALDSON P132069 Uses service part: 3312555S Upgrade of AF1748 Gasket: 3312555 Overall Height: 24.00 (610) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)	AF1756M  VOLVO 1517842 Overall Height: 12.67 (322) Overall OD: 8.39 (213) End 1 ID: 4.02 (102)
AF1742M  CASE 574845C1 Overall Height: 23.00 (584) End 1 OD: 8.66 (220) End 2 OD: 5.81 (147) End 1 ID: 5.21 (132)	AF1749  DONALDSON P138789 Safety Element used with AF1612M 3311624 Bolt Seal Included Overall Height: 16.40 (417) Overall OD: 7.28 (185) End 1 ID: 6.19 (157) End 2 ID: 0.65 (17)	AF1758M  GMC 2031381 Overall Height: 15.89 (403) End 1 OD: 8.66 (220) End 2 OD: 5.81 (147) End 1 ID: 5.21 (132)
AF1743M  CASE 574844C1 Gasket: 3311631 (1) Overall Height: 22.90 (582) End 1 OD: 10.40 (264) End 2 OD: 7.49 (190) End 1 ID: 6.95 (177)	AF1750  GMC 8996555 Rectangular shaped Overall Height: 2.11 (54) End 1 OD: 10.70 (272) End 2 OD: 9.25 (235) End 1 ID: 9.14 (232) End 2 ID: 7.69 (195)	AF1759  QUINCY 125042001 Height: 5.38 (137) Length: 11.50 (292) Width: 15.00 (381)
AF1744M  FORD D6NN9601A Primary Air Filter used with AF1766 250806 Bolt Seal Included Overall Height: 11.54 (293) End 1 OD: 5.91 (150) End 2 OD: 5.24 (133) End 1 ID: 0.49 (13) End 2 ID: 3.17 (81)	AF1751  GMC 8996528 Oval shaped Overall Height: 1.91 (49) End 1 OD: 10.41 (264) End 2 OD: 8.38 (213) End 1 ID: 8.84 (225) End 2 ID: 6.81 (173)	AF1760M  CASE 3242256R1 3830497 Bolt Seal Included Overall Height: 15.31 (389) End 1 OD: 9.23 (234) End 2 OD: 9.21 (234) End 1 ID: 0.90 (23) End 2 ID: 4.86 (123)
AF1745  CATERPILLAR 2G406 Height: 0.85 (22) Length: 16.50 (419) Width: 4.00 (102)	AF1752M  VOLVO 475975 Overall Height: 24.08 (612) Overall OD: 7.87 (200) End 1 ID: 4.54 (115) End 2 ID: 0.41 (10)	AF1761  JOY 1224813 Overall Height: 5.25 (133) Overall OD: 9.88 (251) End 1 ID: 6.06 (154) End 2 ID: 6.02 (153)


E. PRODUCT GUIDE

AF1762	GMC 8997890
	Overall Height: 5.41 (137) Overall OD: 12.00 (305) End 1 ID: 9.82 (249)
AF1763K	DONALDSON P127172
	Overall Height: 10.50 (267) Fin Diameter: 10.08 (256) End 2 OD: 7.93 (201) End 1 ID: 0.67 (17) End 2 ID: 3.58 (91)
AF1765M	WHITE 220050009
	Overall Height: 16.10 (409) End 1 OD: 16.23 (412) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)
AF1766	FORD D6NN9R500A Safety Element used with AF1744M
	Overall Height: 10.08 (256) End 1 OD: 2.87 (73) End 2 OD: 2.84 (72) End 1 ID: 2.32 (59) End 2 ID: 0.43 (11)
AF1767	YALE & TOWNE 408481 Safety Element used with AF1768M, AF4865M 3311624 Bolt Seal Included
	Overall Height: 12.50 (318) Overall OD: 5.72 (145) End 1 ID: 4.56 (116) End 2 ID: 0.65 (17)
AF1768M	YALE & TOWNE 408480 Primary Air Filter used with AF1767 3830497 Bolt Seal Included
	Overall Height: 13.44 (341) Overall OD: 9.14 (232) End 1 ID: 5.87 (149) End 2 ID: 0.90 (23)
AF1769	PERKINS PE322
	Overall Height: 2.99 (76) Overall OD: 6.89 (175) End 1 ID: 5.04 (128)
AF1770	CHRYSLER 5240668
	Overall Height: 5.78 (147) Overall OD: 4.39 (112) End 1 ID: 3.00 (76)

AF1771	FORD E1FZ9601A
	Overall Height: 2.01 (51) End 1 OD: 14.57 (370) End 2 OD: 7.87 (200) End 1 ID: 12.68 (322) End 2 ID: 5.98 (152)
AF1773	CHRYSLER 4227087
	Height: 1.65 (42) Length: 8.07 (205) Width: 5.26 (134)
AF1774	V.A.G. (VOLKSWAGEN, AUDI) 113129620
	Height: 1.62 (41) Length: 13.23 (336) Width: 5.26 (134)
AF1775	FORD D8AZ9D695A
	Overall Height: 2.00 (51) Overall OD: 5.21 (132) End 1 ID: 0.47 (12)
AF1776	SUBARU 421457000
	Overall Height: 1.87 (48) End 1 OD: 14.62 (371) End 2 OD: 6.56 (167) End 1 ID: 12.31 (313) End 2 ID: 4.25 (108)
AF1777	FORD D7ZE9601A
	Overall Height: 2.19 (56) Overall OD: 11.03 (280) End 1 ID: 8.50 (216)
AF1780	GMC 25040929
	Overall Height: 2.82 (72) Overall OD: 9.69 (246) End 2 ID: 8.12 (206)
AF1781M	GMC 717714, GMC 25040535 Uses service part: 3312555S
	Gasket: 3312555 Overall Height: 26.00 (660) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 2 ID: 7.44 (189)
AF1782	AIR MAZE CD1221B05826
	Overall Height: 17.95 (456) Overall OD: 10.00 (254) End 1 ID: 6.69 (170) End 2 ID: 0.43 (11)

AF1784	GMC 25040047
	Overall Height: 3.20 (81) Overall OD: 12.00 (305) End 1 ID: 9.88 (251)
AF1785	GMC 25040881
	Overall Height: 2.47 (63) Overall OD: 8.43 (214) End 2 ID: 6.93 (176)
AF1788	GMC 25041208
	Overall Height: 2.62 (67) Overall OD: 13.88 (353) End 2 ID: 11.62 (295)
AF1789	GMC 25041646
	Overall Height: 1.75 (44) Overall OD: 9.31 (236) End 1 ID: 7.50 (191)
AF1790M	MACK 57MD32 3311624 Bolt Seal Included
	Overall Height: 7.55 (192) Overall OD: 8.85 (225) End 1 ID: 5.45 (138) End 2 ID: 0.67 (17)
AF1791	KOMATSU 6127817413 Safety Element used with AF4504M 3311624 Bolt Seal Included
	Overall Height: 17.68 (449) End 1 OD: 8.43 (214) End 2 OD: 7.31 (186) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)
AF1792	LEROI H43651
	Overall Height: 4.75 (121) Overall OD: 4.37 (111) End 1 ID: 3.00 (76)
AF1793	MANN & HUMMEL C246502
	Overall Height: 19.50 (495) Cover Diameter: 12.17 (309) End 2 OD: 9.54 (242) End 1 ID: 0.41 (11) End 2 ID: 5.21 (132)
AF1795M	VOLVO 6872683
	Overall Height: 20.38 (518) Overall OD: 7.87 (200) End 1 ID: 4.54 (115) End 2 ID: 0.41 (10)

E. PRODUCT GUIDE

AF1796M  WHITE 220055001 Gasket: 3312554 Overall Height: 19.01 (483) End 1 OD: 12.79 (325) End 2 OD: 12.77 (324) End 2 ID: 8.36 (212)	AF1804  M.A.N. 81083040039, MANN & HUMMEL C247001 Overall Height: 19.62 (498) End 1 OD: 9.56 (243) End 2 OD: 9.54 (242) End 2 ID: 5.21 (132)	AF1812  MERCEDES-BENZ 20942404 Overall Height: 13.91 (353) Cover Diameter: 15.16 (385) End 2 OD: 12.85 (327) End 1 ID: 0.41 (11) End 2 ID: 6.58 (167)
AF1797M  FORD E2HZ9601A Gasket: 3309167 Overall Height: 29.03 (737) End 1 OD: 12.77 (324) End 2 OD: 9.81 (249) End 1 ID: 8.33 (212)	AF1805M  CATERPILLAR 1W2516 Overall Height: 19.03 (483) End 1 OD: 12.49 (317) End 2 ID: 9.11 (231)	AF1813  LEYLAND ACU3731 Overall Height: 18.47 (469) End 1 OD: 8.25 (210) End 2 OD: 7.24 (184) End 1 ID: 4.65 (118) End 2 ID: 0.67 (17)
AF1798  M.A.N. 81083040024 Overall Height: 15.06 (383) End 1 OD: 8.98 (228) End 2 OD: 8.96 (228) End 2 ID: 4.60 (117)	AF1806M  WHITE 220050012 Overall Height: 16.05 (408) Overall OD: 12.10 (307) End 1 ID: 6.69 (170)	AF1814M  WHITE 220050013 Overall Height: 15.55 (395) End 1 OD: 16.26 (413) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)
AF1799  RENAULT V.I. 5000243970 Overall Height: 12.78 (325) End 1 OD: 9.36 (238) End 2 OD: 7.11 (181) End 1 ID: 0.36 (9) End 2 ID: 4.16 (106)	AF1807  FRAM CA240B Precleaner used with AF1888 Complete Assembly is AF1650 Height: 10.40 (264) Length: 29.00 (737) Width: 1.00 (25)	AF1815  DONALDSON P141284 For Magnum Version use AF1815M Overall Height: 8.05 (204) Overall OD: 12.08 (307) End 1 ID: 8.69 (221)
AF1800  RENAULT V.I. 5000559387 Overall Height: 13.45 (342) Cover Diameter: 7.96 (202) End 2 OD: 5.97 (152) End 1 ID: 0.36 (9) End 2 ID: 3.33 (85)	AF1808M  FRAM CA2550 Overall Height: 28.38 (721) Overall OD: 9.50 (241) End 1 ID: 6.49 (165) End 2 ID: 6.47 (164)	AF1815M  Extended Life Version of AF1815 Overall Height: 8.05 (204) Overall OD: 12.08 (307) End 1 ID: 8.69 (221)
AF1801  MERCEDES-BENZ 10949604 Overall Height: 13.83 (351) Cover Diameter: 7.76 (197) End 2 OD: 6.44 (164) End 1 ID: 0.34 (9) End 2 ID: 3.41 (87)	AF1809  MANN & HUMMEL C30880 Overall Height: 18.72 (476) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 7.55 (192)	AF1817  DONALDSON P142100 For Upgrade, use AF1817M Gasket: 3309167 Overall Height: 25.01 (635) End 1 OD: 12.77 (324) End 2 OD: 9.81 (249) End 1 ID: 8.33 (212)
AF1802  M.A.N. 81083040044 Primary Air Filter used with AF4523 Seal included. Overall Height: 18.72 (476) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)	AF1810  CROSLAND 9608 Overall Height: 18.30 (465) Overall OD: 5.43 (138) End 1 ID: 2.86 (73) End 2 ID: 0.67 (17)	AF1817M  DONALDSON P185027 Upgrade of AF1817 Gasket: 3309167 Overall Height: 25.01 (635) End 1 OD: 12.77 (324) End 2 OD: 9.81 (249) End 1 ID: 8.33 (212)
AF1803  VOLVO 1131838, MANN & HUMMEL C23690 Overall Height: 15.13 (384) Cover Diameter: 10.95 (278) End 2 OD: 8.96 (228) End 1 ID: 0.41 (11) End 2 ID: 4.61 (117)	AF1811  FORD 81DB9601TB Overall Height: 15.37 (391) End 1 OD: 7.01 (178) End 2 OD: 6.06 (154) End 1 ID: 3.54 (90) End 2 ID: 0.67 (17)	AF1819  MASSEY-FERGUSON 1051376M91 Overall Height: 20.68 (525) Overall OD: 11.50 (292) End 1 ID: 7.00 (178) End 2 ID: 0.40 (10)

E. PRODUCT GUIDE

AF1820M

CATERPILLAR 7N1225



Overall Height: 9.50 (241)
Overall OD: 10.40 (264)
End 1 ID: 6.05 (154)

AF1821M

FRAM CA2570



Gasket: 3310237
Overall Height: 28.38 (721)
End 1 OD: 9.54 (242)
End 2 OD: 9.50 (241)
End 1 ID: 0.39 (10)
End 2 ID: 6.49 (165)

AF1822

NISSAN 16546L3000



Overall Height: 6.72 (171)
Overall OD: 4.97 (126)
End 1 ID: 2.76 (70)
End 2 ID: 0.44 (11)

AF1823K

DONALDSON P120281
Primary Air Filter used with
AF1824 Filter used with
AH19061, AH19062



Overall Height: 14.39 (365)
Fin Diameter: 5.16 (131)
End 2 OD: 4.08 (104)
End 1 ID: 2.56 (65)
End 2 ID: 0.67 (17)

AF1824

DONALDSON P120307 Safety
Element used with AF1823K
Filter used with AH19062



Overall Height: 13.14 (334)
End 1 OD: 4.50 (114)
End 2 OD: 2.38 (60)
End 1 ID: 2.00 (51)
End 2 ID: 0.65 (16)

AF1825

COOPERS AZA188T



Overall Height: 18.52 (470)
Cover Diameter: 9.37 (238)
End 2 OD: 8.25 (210)
End 1 ID: 4.65 (118)

AF1826K

LEYLAND BAU1475,
COOPERS AZA360T



Overall Height: 18.37 (467)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 2.71 (69)
End 2 ID: 0.67 (17)

AF1827

BENDIX 100783, MIDLAND
STEEL 100696A



Overall Height: 1.03 (26)
Overall OD: 2.73 (69)
End 1 ID: 1.38 (35)

AF1828

DONALDSON P124861
Primary Air Filter used with
AF1894M Filter used with
AH19259 is a longer version of
AF25762 3830497S Bolt Seal
Included



Overall Height: 20.70 (526)
Boot Diameter: 12.80 (325)
End 2 OD: 12.08 (307)
End 1 ID: 0.90 (23)
End 2 ID: 7.73 (196)

AF1829

MANN & HUMMEL C27585



Overall Height: 9.11 (232)
Cover Diameter: 12.99 (330)
End 2 OD: 10.39 (264)
End 1 ID: 0.41 (11)
End 2 ID: 5.20 (132)

AF1830KM

CASE 924779C2 Primary Air
Filter used with AF1839
3311624 Bolt Seal Included



Overall Height: 12.50 (318)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 3.35 (85)
End 2 ID: 0.67 (17)

AF1831

DONALDSON P138037
3830497 Bolt Seal Included



Overall Height: 16.40 (417)
Overall OD: 8.26 (210)
End 1 ID: 7.10 (180)
End 2 ID: 0.93 (23)

AF1832

CASE 505633C1



Overall Height: 19.54 (496)
End 1 OD: 16.26 (413)
End 2 OD: 12.77 (324)
End 2 ID: 8.36 (212)

AF1833

CATERPILLAR 6N6444 Safety
Element used with AF873M
Fleetguard Airtkit Option
AF4515 + AK00006



Overall Height: 11.97 (304)
Flange Diameter: 11.42 (290)
End 2 OD: 8.62 (219)
End 1 ID: 7.00 (178)
End 2 ID: 7.06 (179)

AF1835

FORD D6NN9R500B Safety
Element used with AF1855



Overall Height: 13.43 (341)
Overall OD: 2.87 (73)
End 1 ID: 2.32 (59)
End 2 ID: 0.43 (11)

AF1837

DONALDSON P148044



Gasket: 3309314
Overall Height: 28.90 (734)
End 1 OD: 8.66 (220)
End 2 OD: 5.81 (147)
End 1 ID: 5.21 (132)

AF1838

DONALDSON P148043



Gasket: 3311631
Overall Height: 28.90 (734)
End 1 OD: 10.40 (264)
End 2 OD: 7.49 (190)
End 1 ID: 6.95 (177)

AF1839

CASE 537335R1 Safety
Element used with AF1694,
AF1830KM



Overall Height: 11.08 (282)
End 1 OD: 3.62 (92)
End 2 OD: 2.95 (75)
End 1 ID: 2.42 (62)
End 2 ID: 0.67 (17)

AF1840

BOMAG 5821014, LIEBHERR
7360733, VOLVO 6644988,
FENDT F184230090100
Safety Element used with
AF25044M, AF25064,
AF1601M



Overall Height: 14.78 (376)
End 1 OD: 4.33 (110)
End 2 OD: 3.98 (101)
End 1 ID: 3.41 (87)
End 2 ID: 0.67 (17)

AF1841

KAELBLE 34000191,
KHD(KLOCKNER-
HUMBOLDT-DEUTZ)
2243946, VOLVO 4785746
Safety Element used with
AF25065, AF971, AF25043M



Overall Height: 14.96 (380)
End 1 OD: 4.76 (121)
End 2 OD: 4.49 (114)
End 1 ID: 3.92 (100)
End 2 ID: 0.67 (17)

AF1842

BOMAG 5821015,
KHD(KLOCKNER-
HUMBOLDT-DEUTZ)
2985037, VOLVO 4765611
Safety Element used with
AF4058



Overall Height: 13.56 (345)
End 1 OD: 3.54 (90)
End 2 OD: 3.31 (84)
End 1 ID: 2.74 (70)
End 2 ID: 0.67 (17)

AF1843

VOLVO 4785749 Safety
Element used with AF4060



Overall Height: 18.84 (479)
End 1 OD: 5.51 (140)
End 2 OD: 5.12 (130)
End 1 ID: 4.55 (116)
End 2 ID: 0.67 (17)

AF1844

FRAM CA230B Precleaner
used with AF1893, AF1894M,
AF252 Precleaner Blanket



Height: 1.00 (25)
Length: 25.38 (645)
Width: 8.75 (222)



E. PRODUCT GUIDE

AF1845K  J.C.B. 32203702 Primary Air Filter used with AF1851 Overall Height: 12.52 (318) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.82 (72) End 2 ID: 0.67 (17)	AF1853KM  MOTORCRAFT AFA92 3830497 Bolt Seal Included Overall Height: 16.44 (418) Fin Diameter: 15.70 (399) End 2 OD: 12.08 (307) End 1 ID: 0.90 (23) End 2 ID: 7.73 (196)	AF1861K  CASE 3125342R1 Primary Air Filter used with AF4882 Overall Height: 11.55 (293) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)
AF1846  DONALDSON P150694 Overall Height: 28.40 (721) End 1 OD: 10.40 (264) End 2 OD: 7.49 (190) End 1 ID: 6.95 (177)	AF1854  STEIGER 13899 3311624 Bolt Seal Included Overall Height: 20.99 (533) Overall OD: 8.65 (220) End 1 ID: 7.09 (180) End 2 ID: 0.65 (17)	AF1862M  JOHN DEERE T52223 Primary Air Filter used with AF1863M 3830497 Bolt Seal Included Overall Height: 15.47 (393) Overall OD: 10.86 (276) End 1 ID: 6.50 (165) End 2 ID: 0.92 (23)
AF1847  CASE 67974C4 Primary Air Filter used with AF1690 Overall Height: 16.58 (421) End 1 OD: 9.60 (244) End 2 OD: 9.01 (229) End 2 ID: 5.71 (145)	AF1855  FORD D6NN9601B Primary Air Filter used with AF1835 Overall Height: 14.95 (380) End 1 OD: 5.91 (150) End 2 OD: 5.24 (133) End 1 ID: 0.49 (13) End 2 ID: 3.17 (81)	AF1863M  JOHN DEERE T52224 Safety Element used with AF1862M 3311624 Bolt Seal Included Overall Height: 14.49 (368) End 1 OD: 6.41 (163) End 2 OD: 6.39 (162) End 1 ID: 0.67 (17) End 2 ID: 5.27 (134)
AF1848  CASE 494730C91 3311624 Bolt Seal Included Overall Height: 17.72 (450) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF1856  MASSEY-FERGUSON 1698683M1 Primary Air Filter used with AF1857 Overall Height: 9.15 (233) End 1 OD: 7.44 (189) End 2 OD: 6.65 (169) End 1 ID: 0.34 (9) End 2 ID: 3.62 (92)	AF1864  WHITE 220050010 Overall Height: 18.55 (471) Flange Diameter: 16.23 (412) End 2 OD: 12.75 (324) End 2 ID: 7.43 (189)
AF1849M  STEIGER 13898, DRESSSTA 1200454H1 Primary Air Filter used with AF881 3830497 Bolt Seal Included Overall Height: 22.48 (571) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.90 (23)	AF1857  MASSEY-FERGUSON 1698684M1 Safety Element used with AF1856 Overall Height: 7.91 (201) Overall OD: 3.50 (89) End 1 ID: 2.24 (57) End 2 ID: 0.34 (9)	AF1865  RENAULT V.I. 3563576, RENAULT V.I. 4311087, FENDT X810270070, KRAMER 9930906 Overall Height: 13.22 (336) Cover Diameter: 6.99 (178) End 2 OD: 5.87 (149) End 1 ID: 0.34 (9) End 2 ID: 2.82 (72)
AF1850  DONALDSON P150692 For element w/ attached cover use AF4562M Overall Height: 28.40 (721) End 1 OD: 8.66 (220) End 2 OD: 5.82 (148) End 1 ID: 5.21 (132)	AF1858  MASSEY-FERGUSON 1698374M1 Primary Air Filter used with AF1859 Overall Height: 12.82 (326) End 1 OD: 7.44 (189) End 2 OD: 6.65 (169) End 1 ID: 0.34 (9) End 2 ID: 3.62 (92)	AF1866M  CASE 932391C1 Primary Air Filter used with AF1873 3311624 Bolt Seal Included Overall Height: 18.48 (469) End 1 OD: 9.20 (234) End 2 OD: 9.14 (232) End 1 ID: 0.67 (17) End 2 ID: 5.87 (149)
AF1851  J.C.B. 32203703 Safety Element used with AF1845K Overall Height: 11.04 (281) End 1 OD: 3.27 (83) End 2 OD: 2.72 (69) End 1 ID: 2.40 (61) End 2 ID: 0.67 (17)	AF1859  MASSEY-FERGUSON 1698375M1 Safety Element used with AF1858 Overall Height: 11.65 (296) Overall OD: 3.50 (89) End 1 ID: 2.24 (57) End 2 ID: 0.34 (9)	AF1867  COOPERS AZA250T Overall Height: 19.24 (489) End 1 OD: 9.96 (253) End 2 OD: 8.50 (216) End 1 ID: 6.30 (160) End 2 ID: 0.69 (18)
AF1852  LISTER PETTER 36606227 Overall Height: 2.52 (64) Overall OD: 5.79 (147) End 1 ID: 4.17 (106)	AF1860  LEYLAND AAU6096 Overall Height: 15.21 (386) Overall OD: 6.65 (169) End 1 ID: 4.17 (106) End 2 ID: 0.41 (11)	AF1868  COOPERS AZA199T Overall Height: 20.54 (522) End 1 OD: 11.48 (292) End 2 OD: 9.21 (234) End 1 ID: 8.10 (206) End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF1869  CATERPILLAR 4N0015 Height: 5.54 (141) Length: 15.00 (381) Width: 15.00 (381)	AF1877  CATERPILLAR 2V0036 Gasket: 3312136 Overall Height: 9.52 (242) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 4.23 (107)	AF1885  JOY 360628321 Safety Element used with AF1884KM 3311624 Bolt Seal Included Overall Height: 15.11(384) End 1 OD: 7.6 (193) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134) End 2 ID: .67 (179)
AF1870  CASE 143481C91 For filter without gasket use AF1722 Height: 2.19 (56) Length: 38.00 (965) Width: 6.00 (152)	AF1878  CASE 588213C1 Overall Height: 6.95 (177) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)	AF1886M  FORD E2HZ9601B 3311624 Bolt Seal Included Overall Height: 10.50 (267) Overall OD: 13.85 (352) End 1 ID: 7.44 (189) End 2 ID: 0.67 (17)
AF1871M  CROSLAND 9509 Same as AF361 w/attached gasket 250806 Bolt Seal Included Overall Height: 16.39 (416) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)	AF1879  DAF 693099 Overall Height: 14.99 (381) Overall OD: 9.88 (251) End 1 ID: 5.51 (140)	AF1887M  CASE 935694C1 Primary Air Filter used with AF907 3311624 Bolt Seal Included Overall Height: 16.51 (419) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.68 (17)
AF1872  DONALDSON P123990 Uses service part: 3834340S 3311624 Bolt Seal Included Overall Height: 13.50 (343) Overall OD: 6.84 (174) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)	AF1880  VOLVO 15178478 Overall Height: 12.67 (322) Overall OD: 6.54 (166) End 1 ID: 2.99 (76)	AF1888  FRAM CA240PLH Pre-Cleaner Blanket is AF1807 Complete assembly is AF1650 Overall Height: 11.71 (297) Overall OD: 9.61 (244) End 1 ID: 5.14 (131)
AF1873  CASE 932390C1 Safety Element used with AF1866M 3311624 Bolt Seal Included Overall Height: 16.34 (415) Overall OD: 5.72 (145) End 1 ID: 4.56 (116) End 2 ID: 0.67 (17)	AF1881  RENAULT V.I. 5000560078 Overall Height: 14.83 (377) End 1 OD: 11.85 (301) End 2 OD: 8.70 (221) End 1 ID: 0.49 (13) End 2 ID: 4.74 (121)	AF1889  GMC 25041542 Overall Height: 2.50 (64) Overall OD: 10.15 (258) End 1 ID: 8.59 (218)
AF1874  MACK 2MD3131 Overall Height: 4.31 (109) Largest OD: 3.69 (94) Thread Size: 3/4-20 UNEF-2B	AF1882  RENAULT V.I. 5000807196 Overall Height: 16.45 (418) Cover Diameter: 14.74 (375) End 2 OD: 11.69 (297) End 1 ID: 0.47 (12) End 2 ID: 5.24 (133)	AF1890M  CATERPILLAR 8N5504 Primary Air Filter used with AF1891, AF4886 Overall Height: 5.78 (147) Overall OD: 8.39 (213) End 1 ID: 4.00 (102)
AF1875M  DONALDSON P133754 Gasket: 3312554 Overall Height: 16.94 (430) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF1883  FORD 81DB9601DB Overall Height: 4.33 (110) Overall OD: 12.48 (317) End 1 ID: 8.54 (217)	AF1891  CATERPILLAR 7N9027 Safety Element used with AF1890M Overall Height: 6.57 (167) Flange Diameter: 6.70 (170) End 2 OD: 3.92 (100) End 2 ID: 2.38 (60)
AF1876  CATERPILLAR 7G8116 3834340 Wing Nut Included Overall Height: 7.55 (192) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) Thread Size: 7/16-20 UNF-2B	AF1884KM  GMC 6488354 Primary Air Filter used with AF1885 3311624 Bolt Seal Included Overall Height: 15.51 (394) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)	AF1892  Safety Element used with AF1606KM, AF4800K Filter used with AH19064 Overall Height: 14.06 (357) End 1 OD: 3.62 (92) End 2 OD: 2.95 (75) End 1 ID: 2.42 (62) End 2 ID: 0.67 (17)


E. PRODUCT GUIDE

AF1893  FRAM CA230PLHD Pre-Cleaner Blanket is AF1844 Precleaner blanket is AF1844 Overall Height: 9.71 (247) Overall OD: 8.35 (212) End 1 ID: 5.14 (131)	AF1900M  DONALDSON P123347 Overall Height: 12.02 (305) Overall OD: 8.04 (204) End 1 ID: 6.06 (154)	AF1908KM  DONALDSON P900023 3830497 Bolt Seal Included Overall Height: 15.55 (395) Fin Diameter: 15.50 (394) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)
AF1894M  DONALDSON P124860 Safety Element used with AF1828 Filter used with AH19259 Pre-Cleaner Blanket is AF1844 3830497S Bolt Seal Included Overall Height: 18.50 (470) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.88 (22) End 2 ID: 6.05 (154)	AF1901M  DONALDSON P128781 Overall Height: 23.51 (597) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF1909  DONALDSON P900024 3311624 Bolt Seal Included Overall Height: 14.38 (365) Overall OD: 8.26 (210) End 1 ID: 7.10 (180) End 2 ID: 0.67 (17)
AF1895M  DONALDSON P133050 Overall Height: 13.54 (344) End 1 OD: 16.26 (413) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)	AF1902M  KOMATSU 6001812350 Safety Element used with AF1903M 256017 Bolt Seal Included Overall Height: 13.55 (344) Overall OD: 5.07 (129) End 1 ID: 3.83 (97) End 2 ID: 0.65 (17)	AF1910M  CASE 71912C2 Primary Air Filter used with AF988 Overall Height: 15.38 (391) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 3.48 (88)
AF1896M  GARDNER-DENVER 8507413 3311624 Bolt Seal Included Overall Height: 13.50 (343) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.68 (17)	AF1903M  KOMATSU 6001812300 Primary Air Filter used with AF1902M Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 OD: 9.65 (245) End 1 ID: 5.25 (133)	AF1913  KOHLER 253107 Filter used with AH1134 Overall Height: 5.91 (150) Overall OD: 7.88 (200) End 1 ID: 4.13 (105)
AF1897M  WHITE 220053201 Overall Height: 15.95 (405) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)	AF1904M  KOMATSU 6001814212 Safety Element used with AF1905M Overall Height: 16.11 (409) End 1 OD: 7.59 (193) End 2 OD: 6.40 (163) End 1 ID: 5.28 (134) End 2 ID: 0.67 (17)	AF1914  BEDFORD 7972962 Overall Height: 14.55 (370) End 1 OD: 6.44 (164) End 2 OD: 6.42 (163) End 2 ID: 3.90 (99)
AF1898KM  MOTORCRAFT AFA106 Primary Air Filter used with AF1899M 3830497 Bolt Seal Included Overall Height: 18.52 (470) Fin Diameter: 15.80 (401) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)	AF1905M  KOMATSU 6001814300 Primary Air Filter used with AF1904M Overall Height: 16.58 (421) End 1 OD: 11.12 (282) End 2 OD: 11.08 (281) End 2 ID: 6.73 (171)	AF1915  CATERPILLAR 8P5343 Height: 2.19 (56) Length: 23.50 (597) Width: 6.00 (152)
AF1899M  MOTORCRAFT AFA107 Safety Element used with AF1898KM 3311624 Bolt Seal Included Overall Height: 17.14 (435) Overall OD: 8.26 (210) End 1 ID: 7.10 (180) End 2 ID: 0.67 (17)	AF1906  RENAULT 8983500079 Overall Height: 2.45 (62) Overall OD: 10.41 (264) End 1 ID: 8.12 (206)	AF1916  FORD E3TZ9601H Overall Height: 2.17 (55) Overall OD: 9.92 (252) End 1 ID: 8.03 (204)
	AF1907M  FILTER CLONE FC3R1001, FILTER CLONE 128495 3830497 Bolt Seal Included Overall Height: 26.47 (672) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)	AF1917M  CASE A47137, JOHN DEERE AT39124 Primary Air Filter used with AF487 3311624 Bolt Seal Included Overall Height: 12.50 (318) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF1918KM  ISUZU 9142151960 250806 Bolt Seal Included Overall Height: 12.25 (311) Fin Diameter: 7.80 (198) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.48 (12)	AF1929  Primary Air Filter used with AF804M Overall Height: 16.37 (416) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)	AF1945  COOPERS AZA251T Overall Height: 14.49 (368) End 1 OD: 7.48 (190) End 2 OD: 6.46 (164) End 1 ID: 0.65 (17) End 2 ID: 3.84 (98)
AF1919  INGERSOLL-RAND 59710368 256017 Bolt Seal Included 3839974 Wing Nut Included Overall Height: 27.04 (687) Boot Diameter: 15.77 (401) End 2 OD: 15.11 (384) End 1 ID: 0.85 (22) End 2 ID: 8.20 (208)	AF1930  WABCO VE0539 Height: 2.19 (56) Length: 26.00 (660) Width: 11.00 (279)	AF1946M  MACK 57MD37M, CHAMP 1523443, LUBERFINER 1523443 Overall Height: 22.53 (572) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189)
AF1920  LISTER PETTER 334402 Overall Height: 2.84 (72) Overall OD: 3.74 (95) End 1 ID: 1.93 (49)	AF1934M  CASE S238646 Primary Air Filter used with AF1935M 3830497 Bolt Seal Included Overall Height: 18.48 (469) Overall OD: 9.14 (232) End 1 ID: 5.87 (149) End 2 ID: 0.90 (23)	AF1947  GMC 2026736 3311624 Bolt Seal Included Overall Height: 12.02 (305) Cover Diameter: 11.87 (302) End 2 OD: 11.07 (281) End 1 ID: 0.64 (16) End 2 ID: 7.25 (184)
AF1921M  KOMATSU 5610212330 Primary Air Filter used with AF1922M 3830497 Bolt Seal Included Overall Height: 24.46 (621) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF1935M  DONALDSON P124046 Safety Element used with AF1934M 3311624 Bolt Seal Included Overall Height: 17.48 (444) Overall OD: 5.72 (145) End 1 ID: 4.56 (116) End 2 ID: 0.65 (17)	AF1948  CASE 405716R1, CASE 405716R2 Overall Height: 6.14 (156) Overall OD: 4.20 (107) End 1 ID: 2.00 (51)
AF1922M  KOMATSU 5610212320 Safety Element used with AF1921M 3311624 Bolt Seal Included Overall Height: 23.53 (598) End 1 OD: 7.30 (185) End 2 OD: 7.28 (185) End 1 ID: 0.67 (17) End 2 ID: 6.19 (157)	AF1941  NELSON 70474N Overall Height: 9.05 (230) Flange Diameter: 2.76 (70) End 2 OD: 2.41 (61) End 1 ID: 1.99 (51) End 2 ID: 0.66 (17)	AF1949  EUCLID 9023871 Overall Height: 3.62 (92) Overall OD: 3.06 (78) End 1 ID: 1.56 (40)
AF1925K  HINO 178011720 Overall Height: 11.65 (296) Fin Diameter: 9.09 (231) End 2 OD: 7.87 (200) End 1 ID: 3.94 (100) End 2 ID: 0.51 (13)	AF1942  NELSON 70475N Overall Height: 13.99 (355) End 1 OD: 3.60 (91) End 2 OD: 2.71 (69) End 1 ID: 2.39 (61) End 2 ID: 0.67 (17)	AF1950  EUCLID 9034697 Height: 18.50 (470) Length: 31.00 (787) Width: 10.80 (274)
AF1926  MITSUBISHI ME021214 Overall Height: 11.60 (295) Overall OD: 8.81 (224) End 1 ID: 5.69 (144)	AF1943M  WHITE 220053202 Overall Height: 16.00 (406) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)	AF1951  TORIT S102235 Overall Height: 26.44 (672) Overall OD: 12.76 (324) End 1 ID: 8.43 (214) End 2 ID: 0.55 (14)
AF1927  LEYLAND ACU3994, E.R.F. 943042 Overall Height: 19.06 (484) Cover Diameter: 9.41 (239) End 2 OD: 8.66 (220) End 1 ID: 5.16 (131) Thread Size: M10 X 1.5-6H INT	AF1944  NELSON 83887N Height: 2.13 (54) Length: 16.88 (429) Width: 7.88 (200)	AF1952  TOWMOTOR 358896 Overall Height: 3.97 (101) End 1 OD: 3.25 (83) End 2 OD: 2.94 (75) End 1 ID: 2.00 (51)



E. PRODUCT GUIDE

AF1953  IVECO 1901601 Overall Height: 4.96 (126) Overall OD: 6.34 (161) End 1 ID: 4.49 (114)	AF1965M  MACK 2191P138427 3317119 Wing Nut 3311624 Bolt Seal Included Gasket: 3318734 Overall Height: 15.55 (395) End 1 OD: 9.83 (250) End 2 OD: 8.66 (220) End 1 ID: 0.67 (17) End 2 ID: 5.21 (132)	AF1972  KOHLER 277138 Overall Height: 4.08 (104) Overall OD: 6.07 (154) End 1 ID: 4.68 (119)
AF1954  MASSEY-FERGUSON 1094056M1 Primary Air Filter used with AF1687 250806 Bolt Seal Included Overall Height: 10.87 (276) Overall OD: 5.32 (135) End 1 ID: 2.21 (56) End 2 ID: 0.40 (10)	AF1966  MASSEY-FERGUSON 1043327M91 Safety Element used with AF1956KM, AF4887KM Overall Height: 10.08 (256) End 1 OD: 3.05 (77) End 2 OD: 2.59 (66) End 1 ID: 2.15 (55) End 2 ID: 0.66 (17)	AF1973  MOTORCRAFT FA1041 Overall Height: 6.97 (177) Overall OD: 11.71 (297) End 1 ID: 8.33 (212)
AF1955KM  GROVE 9304100072 3311624 Bolt Seal Included Overall Height: 18.55 (471) Fin Diameter: 15.80 (401) End 2 OD: 13.83 (351) End 1 ID: 0.67 (17) End 2 ID: 9.48 (241)	AF1967  NELSON A12871 3830497 Bolt Seal Included Overall Height: 14.50 (368) Overall OD: 6.30 (160) End 1 ID: 4.60 (117) End 2 ID: 0.90 (23)	AF1974  TOYOTA 178012200071 Overall Height: 3.50 (89) Overall OD: 7.38 (187) End 1 ID: 4.31 (110)
AF1956KM  MASSEY-FERGUSON 1043326M1 Primary Air Filter used with AF1966 3311624 Bolt Seal Included Gasket: 3301542 Overall Height: 11.43 (290) Fin Diameter: 6.44 (164) End 2 OD: 5.24 (133) End 1 ID: 0.67 (17) End 2 ID: 2.71 (69)	AF1968  DONALDSON P153551 For Upgrade, use AF1968M, AF26328 Overall Height: 22.40 (569) End 1 OD: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)	AF1975  TOYOTA 233013020571 Overall Height: 5.70 (145) Overall OD: 7.68 (195) End 1 ID: 3.32 (84)
AF1960  MASSEY-FERGUSON 1698675M1 Primary Air Filter used with AF1961 Overall Height: 9.45 (240) End 1 OD: 4.53 (115) End 2 OD: 4.25 (108) End 1 ID: 0.39 (10) End 2 ID: 2.64 (67)	AF1968M  DONALDSON P185053 Upgrade of AF1968 For Upgrade, use AF26328M Overall Height: 22.40 (569) Cover Diameter: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)	AF1976  THERMO-KING 120404 Overall Height: 10.16 (258) End 1 OD: 5.94 (151) End 2 OD: 5.27 (134) End 1 ID: 0.55 (14) End 2 ID: 3.12 (79)
AF1961  MASSEY-FERGUSON 1698676M1 Safety Element used with AF1960 Overall Height: 8.23 (209) End 1 OD: 2.60 (66) End 2 OD: 2.58 (66) End 1 ID: 1.61 (41) End 2 ID: 0.34 (9)	AF1969  DONALDSON P150695 For Upgrade, use AF1969M Overall Height: 28.40 (721) Cover Diameter: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)	AF1977M  DONALDSON SMP181162 Overall Height: 10.51 (267) Overall OD: 10.40 (264) End 1 ID: 6.05 (154)
AF1962  KOMATSU 6001812500 Primary Air Filter used with AF1963 Overall Height: 13.15 (334) Overall OD: 9.76 (248) End 1 ID: 5.65 (144) Thread Size: M10 X 1.5-6H INT	AF1969M  DONALDSON P185047 Upgrade of AF1969 Overall Height: 28.40 (721) Cover Diameter: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)	AF1978  MANN & HUMMEL C1450 Overall Height: 4.84 (123) Overall OD: 5.43 (138) End 1 ID: 3.15 (80)
AF1963  KOMATSU 6001812461 Safety Element used with AF1962 Overall Height: 10.95 (278) Overall OD: 5.51 (140) End 1 ID: 4.23 (108) End 2 ID: 0.63 (16)	AF1971  PERMATIC FA1068 Overall Height: 20.00 (508) Cover Diameter: 16.58 (421) End 2 OD: 11.24 (286) End 1 ID: 0.20 (5) End 2 ID: 6.12 (156)	AF1979  CATERPILLAR 9P5174 Height: 0.88 (22) Length: 13.25 (337) Width: 12.00 (305)

E. PRODUCT GUIDE

AF1980  JOHN DEERE AT44378 Safety Element used with AF4736, AF409K Overall Height: 11.00 (279) Flange Diameter: 4.07 (103) End 2 OD: 3.44 (87) End 1 ID: 2.88 (73) End 2 ID: 0.66 (17)	AF4019  LEYLAND 12G903 Overall Height: 3.47 (88) End 1 OD: 7.13 (181) End 2 OD: 5.55 (141) End 1 ID: 3.94 (100) End 2 ID: 3.35 (85)	AF4027  VOLVO 347436 Overall Height: 10.43 (265) Overall OD: 8.51 (216) End 1 ID: 6.06 (154) End 2 ID: 0.41 (10)
AF1982  KOHLER 4508302 Overall Height: 3.08 (78) Overall OD: 6.07 (154) End 1 ID: 4.68 (119)	AF4020  LISTER PETTER JF356 Overall Height: 4.82 (123) Overall OD: 5.43 (138) End 1 ID: 3.15 (80)	AF4028  CUMMINS 650931, LEYLAND 37H3737 3311624 Bolt Seal Included Overall Height: 13.56 (344) Overall OD: 7.93 (201) End 1 ID: 3.58 (91) End 2 ID: 0.67 (17)
AF1983  FORD E3T9601C For element w/o foam wrap use AF1731 Overall Height: 5.00 (127) Overall OD: 12.51 (318) End 1 ID: 8.28 (210)	AF4021  ROLLS ROYCE OE17616 Overall Height: 7.54 (192) Overall OD: 8.07 (205) End 1 ID: 5.77 (147) End 2 ID: 0.43 (11)	AF4035  CUMMINS 701645 Overall Height: 12.49 (317) Overall OD: 9.85 (250) End 2 ID: 5.83 (148)
AF1984K  HUBER-WARCO 104873 3311624 Bolt Seal Included Overall Height: 16.26 (413) Fin Diameter: 7.70 (196) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4022  GARDNER MA410 Overall Height: 2.30 (59) Overall OD: 2.80 (71) End 1 ID: 1.32 (34)	AF4039  VOLVO 347437 Overall Height: 10.95 (278) Overall OD: 10.55 (268) End 1 ID: 7.68 (195)
AF1985  AC A644C Same as AF1628 with foam precleaner Overall Height: 4.69 (119) Overall OD: 14.88 (378) End 1 ID: 11.62 (295)	AF4023  SCANIA 709457 Overall Height: 5.02 (128) Overall OD: 5.63 (143) End 1 ID: 3.45 (88)	AF4041  PERKINS 26510167 Overall Height: 10.43 (265) End 1 OD: 5.45 (138) End 2 OD: 5.43 (138) End 2 ID: 2.86 (73)
AF1986  DONALDSON P105958 Height: 2.75 (70) Length: 10.00 (254) Width: 10.00 (254)	AF4024  ROLLS ROYCE UE9813 Overall Height: 4.04 (103) Overall OD: 8.27 (210) End 1 ID: 5.88 (149)	AF4044  GMC 7972972 Overall Height: 14.43 (366) End 1 OD: 7.73 (196) End 2 OD: 7.71 (196) End 2 ID: 5.09 (129)
AF1987  DONALDSON P137523 Height: 2.19 (56) Length: 15.00 (381) Width: 7.00 (178)	AF4025  CUMMINS 701835 Overall Height: 2.01 (51) Overall OD: 5.43 (138) End 1 ID: 3.15 (80)	AF4046  COOPERS DU2065T Overall Height: 18.46 (469) End 1 OD: 6.18 (157) End 2 OD: 5.24 (133) End 2 ID: 2.72 (69)
AF1988  JOHN DEERE AH61904 Height: 2.57 (65) Length: 15.00 (381) Width: 15.00 (381)	AF4026  CUMMINS 701646 Overall Height: 15.80 (401) Overall OD: 11.54 (293) End 1 ID: 7.41 (188)	AF4047  FIAT-ALLIS 78822161 250806 Bolt Seal Included Overall Height: 15.49 (394) End 1 OD: 4.77 (121) End 2 OD: 4.48 (114) End 1 ID: 3.52 (89) End 2 ID: 0.35 (9)
AF4018  FORD 2720E9601A Overall Height: 2.24 (57) Overall OD: 9.57 (243) End 1 ID: 7.40 (188)		





E. PRODUCT GUIDE

AF4049 GMC 7980474  Height: 1.20 (31) Length: 4.86 (124) Width: 12.72 (323)	AF4065 LEYLAND 37H6187  Overall Height: 15.55 (395) End 1 OD: 6.18 (157) End 2 OD: 5.24 (133) End 2 ID: 2.72 (69)	AF4083 E.R.F. 932833, GARDNER MA410  Overall Height: 3.31 (84) Overall OD: 3.39 (86) End 1 ID: 1.50 (38)
AF4050 COOPERS 8465T  Overall Height: 7.11 (181) Overall OD: 8.11 (206) End 1 ID: 4.25 (108)	AF4066 MANN & HUMMEL C11763 250806 Bolt Seal Included  Overall Height: 8.93 (227) Overall OD: 4.35 (111) End 1 ID: 1.97 (50) End 2 ID: 0.34 (9)	AF4084 VOLVO 475230  Overall Height: 8.86 (225) Overall OD: 13.15 (334) End 1 ID: 8.13 (207)
AF4057 MANN & HUMMEL C234402  Overall Height: 11.57 (294) Overall OD: 8.98 (228) End 1 ID: 4.58 (116) End 2 ID: 0.41 (10)	AF4067 MANN & HUMMEL C131144 Primary Air Filter used with AF4521 250806 Bolt Seal Included  Overall Height: 11.58 (294) Overall OD: 4.96 (126) End 1 ID: 2.52 (64) End 2 ID: 0.34 (9)	AF4085 ALLIS-CHALMERS 4055745  Overall Height: 2.81 (71) Overall OD: 5.33 (135) End 1 ID: 3.92 (100)
AF4058 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2165044 Primary Air Filter used with AF1842 250806 Bolt Seal Included  Overall Height: 13.81 (351) Overall OD: 6.44 (164) End 1 ID: 3.40 (86) End 2 ID: 0.34 (9)	AF4068 LEYLAND 10906087  Overall Height: 11.55 (293) Cover Diameter: 10.83 (275) End 2 OD: 9.21 (234) End 1 ID: 4.84 (123) End 2 ID: 4.86 (123)	AF4088 ATLAS COPCO 10300832  Overall Height: 4.33 (110) Overall OD: 11.97 (304) End 2 ID: 7.52 (191)
AF4059K LEYLAND 37H3739 Primary Air Filter used with AF1680, AF4103 Filter used with AH19065, AH19066 3311624 Bolt Seal Included  Overall Height: 15.35 (390) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4073 GMC 7955307  Overall Height: 8.03 (204) Overall OD: 8.31 (211) End 1 ID: 6.02 (153)	AF4100 VOLVO 823701  Overall Height: 28.03 (712) Overall OD: 7.72 (196) End 1 ID: 3.98 (101)
AF4060 SCANIA 219517 Primary Air Filter used with AF1843 250806 Bolt Seal Included  Overall Height: 19.59 (497) Overall OD: 9.55 (243) End 1 ID: 5.20 (132) End 2 ID: 0.41 (11)	AF4074 FIAT-ALLIS 8322121  Overall Height: 6.85 (174) Overall OD: 5.35 (136) End 1 ID: 3.98 (101)	AF4103 MASSEY-FERGUSON 1093683M91, INGERSOLL-RAND 59155135 Safety Element used with AF1733K, AF4748K, AF4853K, AF4892K, AF4856M, AF4059K, AF1733KM Filter used with AH19066, AH19267 Inner Air on JCB applications Bolt Seal Included  Overall Height: 14.04 (357) End 1 OD: 4.13 (105) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)
AF4061 LEYLAND 37H6186  Overall Height: 11.35 (288) End 1 OD: 6.18 (157) End 2 OD: 5.24 (133) End 2 ID: 2.82 (72)	AF4076 WELLWORTHY WS526902  Overall Height: 4.45 (113) Overall OD: 10.00 (254) End 1 ID: 5.59 (142)	AF4106 LISTER PETTER ZPF356  Overall Height: 2.52 (64) Overall OD: 5.43 (138) End 1 ID: 3.13 (80)
AF4064 J.C.B. 98800031  Overall Height: 11.20 (285) Overall OD: 4.76 (121) End 1 ID: 2.13 (54) End 2 ID: 0.37 (10)	AF4078 FIAT-ALLIS 8322122  Overall Height: 8.19 (208) Overall OD: 8.51 (216) End 1 ID: 6.06 (154)	

E. PRODUCT GUIDE

AF4124  MERCEDES-BENZ 945804 Overall Height: 8.82 (224) Overall OD: 5.91 (150) End 1 ID: 3.47 (88)	AF4150  DONALDSON P119778 Safety Element used with AF1735K, AF4643 Overall Height: 15.06 (383) End 1 OD: 4.84 (123) End 2 OD: 4.09 (104) End 1 ID: 3.66 (93) End 2 ID: 0.67 (17)	AF4502K  KUBOTA 1585211080 Overall Height: 7.21 (183) Cover Diameter: 4.90 (125) Fin Diameter: 4.17 (106) End 1 ID: 0.44 (11) End 2 ID: 1.79 (46)
AF4125  LISTER PETTER AAF4996 Overall Height: 2.09 (53) Overall OD: 3.39 (86) End 1 ID: 1.91 (48)	AF4152  LEYLAND 10906354 3311624 Bolt Seal Included Overall Height: 24.74 (628) Overall OD: 7.98 (203) End 1 ID: 4.64 (118) End 2 ID: 0.63 (16)	AF4503  IVECO 1902129 Seal included. For fire resistant version, use AF26325 Overall Height: 18.72 (476) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)
AF4128  CATERPILLAR 6L4714 Height: 2.69 (68) Length: 24.00 (610) Width: 24.00 (610)	AF4158  KOMATSU 6691817310 Safety Element used with AF4159 3311624 Bolt Seal Included Overall Height: 14.79 (376) End 1 OD: 5.81 (148) End 2 OD: 4.61 (117) End 1 ID: 3.54 (90) End 2 ID: 0.67 (17)	AF4504M  KOMATSU 6001814400, NEW HOLLAND 76570088, FIAT HITACHI 76570088 Primary Air Filter used with AF1791 3830497 Bolt Seal Included Overall Height: 18.70 (475) Cover Diameter: 14.86 (378) End 2 OD: 12.08 (307) End 1 ID: 0.93 (24) End 2 ID: 7.73 (196)
AF4135  MANN & HUMMEL C151653 Primary Air Filter used with AF4522 250806 Bolt Seal Included Overall Height: 13.22 (336) Overall OD: 5.87 (149) End 1 ID: 2.82 (72) End 2 ID: 0.34 (9)	AF4159  KOMATSU 6691817210 Primary Air Filter used with AF4158 3311624 Bolt Seal Included Overall Height: 15.50 (394) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)	AF4505M  FORD D6HZ9601A 250806 Bolt Seal Included Overall Height: 9.15 (232) Overall OD: 9.21 (234) End 1 ID: 0.54 (14) End 2 ID: 4.85 (123)
AF4137  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2339813, KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2311565 Primary Air Filter used with AF25424, AF25490 Overall Height: 8.21 (209) Overall OD: 6.44 (164) End 1 ID: 3.39 (86)	AF4164K  DONALDSON P124164 Primary Air Filter used with AF4165 3311624 Bolt Seal Included Overall Height: 13.38 (340) Fin Diameter: 7.80 (198) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4506M  KOMATSU 6001814200 Primary Air Filter used with AF471 3317119 Wing Nut Included 256017 Bolt Seal Included Overall Height: 18.49 (470) End 1 OD: 12.08 (307) End 2 OD: 12.09 (307) End 2 ID: 7.73 (196)
AF4138  CASE 351585R91 3311624 Bolt Seal Included Overall Height: 9.06 (230) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 4.23 (107)	AF4165  DONALDSON P124165 Safety Element used with AF4164K, AF25348K, AF25342 Overall Height: 12.07 (307) End 1 OD: 3.74 (95) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)	AF4509  TOYOTA 1780168020 Overall Height: 5.75 (146) Overall OD: 8.58 (218) End 1 ID: 4.29 (109)
AF4139  CUMMINS 105067 Overall Height: 12.17 (309) Overall OD: 10.40 (264) End 1 ID: 7.80 (198) End 2 ID: 0.43 (11)	AF4500  MASSEY-FERGUSON 1678295M1 Safety Element used with AF4501, AF4569 Overall Height: 11.50 (292) Overall OD: 2.91 (74) End 1 ID: 1.87 (48) End 2 ID: 0.34 (9)	AF4510  CASE E41535 Safety Element used with AF437K, AF437KM Overall Height: 10.75 (273) Overall OD: 2.60 (66) End 1 ID: 2.21 (56) End 2 ID: 0.34 (9)
AF4149  SCANIA 261185 Overall Height: 18.72 (476) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 7.55 (192)	AF4501  MASSEY-FERGUSON 1678294M1 Primary Air Filter used with AF4500 Overall Height: 12.68 (322) End 1 OD: 5.75 (146) End 2 OD: 5.20 (132) End 1 ID: 0.37 (10) End 2 ID: 2.97 (76)	AF4511  CASE E43789 Safety Element used with AF4557K Overall Height: 10.20 (259) End 1 OD: 2.91 (74) End 2 OD: 2.84 (72) End 1 ID: 0.34 (9) End 2 ID: 1.85 (47)






E. PRODUCT GUIDE

AF4512  Replacement Element For Kit To Convert CAT 2S1285 Use With Bracket AK00001 -To Convert CAT 8N4901 Use With Bracket AK00009 3311624 Bolt Seal Included Overall Height: 11.25 (286) End 1 OD: 4.77 (121) End 2 OD: 4.75 (121) End 1 ID: 3.52 (89) End 2 ID: 0.68 (17)	AF4518  MITSUBISHI ME0120389 Overall Height: 5.04 (128) End 1 OD: 9.41 (239) End 2 OD: 8.86 (225) End 1 ID: 0.47 (12) End 2 ID: 5.59 (142)	AF4527M  SISU 1293400121 Overall Height: 28.87 (733) End 1 OD: 8.66 (220) End 2 OD: 5.75 (146) End 1 ID: 5.12 (130)
AF4513  Replacement Element For Kit To Convert CAT 2S1286 Use With Bracket AK00002; -To Convert CAT 9S9972 Use With Bracket AK00003 3311624 Bolt Seal Included Overall Height: 12.25 (311) Overall OD: 6.30 (160) End 1 ID: 4.60 (117) End 2 ID: 0.68 (17)	AF4520  HUPP 64879G1 Height: 2.19 (56) Length: 29.19 (741) Width: 8.00 (203)	AF4528M  SISU 1293400192 Overall Height: 28.78 (731) End 1 OD: 10.40 (264) End 2 OD: 7.51 (191) End 1 ID: 6.95 (177)
AF4514  Replacement Element For Kit To Convert CAT 1P7360 And 4S8340 Use With Bracket: AK00005 3311624 Bolt Seal Included Overall Height: 12.25 (311) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.68 (17) End 2 ID: 5.71 (145)	AF4521  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4144896, IHC 314080R1 Safety Element used with AF4067 Overall Height: 11.20 (285) End 1 OD: 2.76 (70) End 2 OD: 2.44 (62) End 1 ID: 1.87 (48) End 2 ID: 0.67 (17)	AF4529  CROSLAND 9505 Same as AF354 w/gasket Overall Height: 9.43 (240) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.54 (14)
AF4515  Replacement Element For Kit To Convert CAT 6N6444 Use With Bracket: AK00006 3311624 Bolt Seal Included Overall Height: 11.25 (286) Overall OD: 8.65 (220) End 1 ID: 6.69 (170) End 2 ID: 0.65 (17)	AF4522  LIEBHERR 7002402, ATLAS COPCO 16195441 Safety Element used with AF4135 Overall Height: 12.85 (327) End 1 OD: 3.19 (81) End 2 OD: 2.72 (69) End 1 ID: 2.15 (55) End 2 ID: 0.67 (17)	AF4530  MASSEY-FERGUSON 1613731M1, CASE 702642C1 Safety Element used with AF4531 3311624 Bolt Seal Included Overall Height: 16.02 (407) Overall OD: 5.41 (137) End 1 ID: 4.10 (104) End 2 ID: 0.67 (17)
AF4516  Replacement Element For Kit To Convert CAT 1P8482 Use With Bracket AK00007; -To Convert CAT 3S4745 Use With Bracket AK00008 3311624 Bolt Seal Included For Magnum Version use AF4516M Overall Height: 14.23 (361) Overall OD: 8.65 (220) End 1 ID: 6.69 (170) End 2 ID: 0.65 (17)	AF4523  INGERSOLL-RAND 92035955 Safety Element used with AF1802 Overall Height: 18.50 (470) End 1 OD: 6.38 (162) End 2 OD: 6.10 (155) End 1 ID: 5.53 (141) End 2 ID: 0.67 (17)	AF4531  MASSEY-FERGUSON 1613732M1, CASE 702641C1 Primary Air Filter used with AF4530 250806 Bolt Seal Included Overall Height: 17.56 (446) Overall OD: 10.02 (255) End 1 ID: 5.48 (139) End 2 ID: 0.40 (10)
AF4516M  Replacement Element For Kit To Convert CAT 7N1308 Use With Bracket: AK00007 Extended Life Version of AF4516 3311624 Bolt Seal Included Overall Height: 14.23 (361) Overall OD: 8.65 (220) End 1 ID: 4.60 (117) End 2 ID: 0.68 (17)	AF4524  MOTORCRAFT EFA981 Overall Height: 2.75 (70) Overall OD: 12.80 (325) End 1 ID: 11.04 (280)	AF4532  KOMATSU 6001822500 Safety Element used with AF4533 256017 Bolt Seal Included Overall Height: 13.52 (343) Overall OD: 5.09 (129) End 1 ID: 3.81 (97) End 2 ID: 0.65 (17)
AF4517  WHITE 7761170 Height: 2.19 (56) Length: 17.00 (432) Width: 15.00 (381)	AF4525  CROSLAND 9009 Overall Height: 2.76 (70) Overall OD: 3.84 (98) End 1 ID: 2.38 (61)	AF4533  KOMATSU 6001811320 Primary Air Filter used with AF4532 Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 ID: 5.25 (133)
	AF4526  Replacement Element For Kit To Convert CAT 2S1287 Use With Bracket AK00004 -To Convert CAT 8N-6883 Use With Bracket AK00012 3311624 Bolt Seal Included Overall Height: 14.23 (361) Overall OD: 6.30 (160) End 1 ID: 4.60 (117) End 2 ID: 0.68 (17)	AF4534  FORD E6HZ9601A Overall Height: 16.36 (416) Overall OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)



E. PRODUCT GUIDE

AF4535M  GMC 15527863 Overall Height: 20.38 (518) Cover Diameter: 11.73 (298) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)	AF4549  VOLVO 6897063 Primary Air Filter used with AF4551 Overall Height: 22.87 (581) End 1 OD: 10.63 (270) End 2 OD: 10.59 (269) End 1 ID: 0.67 (17) End 2 ID: 7.28 (185)	AF4558  VOLVO 16606004 Safety Element used with AF4559, AF25294 Overall Height: 19.89 (505) End 1 OD: 6.12 (156) End 2 OD: 6.08 (155) End 1 ID: 0.41 (10) End 2 ID: 4.91 (125)
AF4536  CATERPILLAR 2W4246 Overall Height: 5.52 (140) Overall OD: 6.83 (174) End 1 ID: 4.23 (107)	AF4550  VOLVO 1660376 Primary Air Filter used with AF4552 Overall Height: 22.87 (581) End 1 OD: 10.63 (270) End 2 OD: 10.59 (269) End 1 ID: 0.41 (10) End 2 ID: 7.28 (185)	AF4559  VOLVO 16606606 Primary Air Filter used with AF4558 Overall Height: 21.41 (544) End 1 OD: 10.16 (258) End 2 OD: 10.12 (257) End 1 ID: 0.41 (10) End 2 ID: 6.34 (161)
AF4539  NELSON 70456N w/Foam Precleaner Overall Height: 10.90 (277) Overall OD: 8.00 (203) End 1 ID: 5.38 (137)	AF4551  VOLVO 6897064 Safety Element used with AF4549 Overall Height: 21.56 (548) End 1 OD: 7.11 (181) End 2 OD: 7.07 (180) End 1 ID: 0.67 (17) End 2 ID: 5.51 (140)	AF4560  VOLVO 1544449 Primary Air Filter used with AF4746 Overall Height: 14.43 (366) End 1 OD: 13.78 (350) End 2 OD: 13.74 (349) End 1 ID: 0.41 (10) End 2 ID: 8.31 (211)
AF4540  RENAULT V.I. 5000802163 Overall Height: 16.59 (422) End 1 OD: 9.36 (238) End 2 OD: 7.11 (181) End 1 ID: 0.36 (9) End 2 ID: 4.16 (106)	AF4552  VOLVO 1660377 Safety Element used with AF4550 Overall Height: 21.44 (545) End 1 OD: 6.73 (171) End 2 OD: 6.69 (170) End 1 ID: 0.41 (10) End 2 ID: 5.51 (140)	AF4561  GMC 8996724 Overall Height: 1.58 (40) End 1 ID: 0.63 (16) Length: 1.63 (42) Width: 1.97 (50)
AF4541KM  JOHN DEERE AT43870 Primary Air Filter used with AF487 3311624 Bolt Seal Included Overall Height: 12.50 (318) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)	AF4553M  ONAN 1401654 Primary Air Filter used with AF4554M Filter used with 71686A, AH19073, AH19074 3830497 Bolt Seal Included Overall Height: 20.68 (525) End 1 OD: 14.60 (371) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)	AF4562M  DONALDSON P150693 For element w/o attached cover use AF1850 Overall Height: 28.40 (721) Cover Diameter: 9.72 (247) End 2 OD: 8.66 (220) End 2 ID: 5.21 (132)
AF4545K  TOYOTA 177522054071 Same as AF437K with flame retardant paper 3311624 Bolt Seal Included Overall Height: 11.42 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF4554M  ONAN 1404655 Safety Element used with AF4553M Filter used with AH19074 3830497 Bolt Seal Included Overall Height: 18.50 (470) End 1 OD: 8.65 (220) End 2 OD: 8.63 (219) End 1 ID: 7.09 (180) End 2 ID: 0.90 (23)	AF4563M  FORD E7HZ9601A Overall Height: 23.52 (597) End 1 OD: 7.35 (187) End 2 OD: 7.32 (186) End 1 ID: 0.41 (10) End 2 ID: 5.40 (137)
AF4547  COOPERS AZA484T Overall Height: 4.53 (115) Overall OD: 11.93 (303) End 2 ID: 8.50 (216)	AF4555M  CHRYSLER 4428308 Overall Height: 9.76 (248) Overall OD: 7.98 (203) End 1 ID: 4.64 (118) End 2 ID: 0.38 (10)	AF4564KM  JOHN DEERE AL30394 Primary Air Filter used with AF4626 . 3830160 Wing Nut Included; 3311624 Bolt Seal Included Overall Height: 14.70 (373) Cover Diameter: 8.44 (214) Fin Diameter: 7.80 (198) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)
AF4548  CASE 573640C1 Overall Height: 22.50 (572) End 1 OD: 10.40 (264) End 2 OD: 7.49 (190) End 1 ID: 6.95 (177)	AF4557K  CASE E43790 Primary Air Filter used with AF4511 Overall Height: 11.43 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)	AF4565  RENAULT V.I. 7701027436 Primary Air Filter used with AF4566 Overall Height: 14.53 (369) End 1 OD: 8.98 (228) End 2 OD: 8.31 (211) End 1 ID: 0.39 (10) End 2 ID: 5.34 (136)


E. PRODUCT GUIDE

AF4566  RENAULT V.I. 7701027437 Safety Element used with AF4565 Overall Height: 13.54 (344) Overall OD: 5.20 (132) End 1 ID: 4.06 (103) End 2 ID: 0.34 (9)	AF4575  MERCEDES-BENZ 20947304 Overall Height: 10.07 (256) Overall OD: 7.78 (198) End 1 ID: 4.08 (104) End 2 ID: 0.34 (9)	AF4586  COOPERS AZA413T Overall Height: 19.61 (498) End 1 OD: 11.50 (292) End 2 OD: 10.39 (264) End 1 ID: 6.54 (166) End 2 ID: 0.67 (17)
AF4567  HITACHI 4129907 Primary Air Filter used with AF490M single element Overall Height: 15.32 (389) Cover Diameter: 9.29 (236) End 2 OD: 7.38 (188) End 1 ID: 0.67 (17) End 2 ID: 4.74 (121)	AF4576M  DONALDSON P521055, FREIGHTLINER FLC112 3830497 Bolt Seal Included Overall Height: 16.50 (419) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF4587  MERCEDES-BENZ 10947404 Overall Height: 9.06 (230) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 6.58 (167)
AF4568  MASSEY-FERGUSON 1806088M91 Overall Height: 10.93 (278) End 1 OD: 5.04 (128) End 2 OD: 4.48 (114) End 2 ID: 2.24 (57)	AF4577M  DONALDSON P900556 3830497 Bolt Seal Included Overall Height: 23.52 (597) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF4588M  DONALDSON P522293 Gasket: 3831817 Overall Height: 28.90 (734) End 1 OD: 10.40 (264) End 2 OD: 7.49 (190) End 1 ID: 6.95 (177) End 2 ID: 5.45 (138)
AF4569  MASSEY-FERGUSON 1678308M91 Primary Air Filter used with AF4500 Overall Height: 12.64 (321) End 1 OD: 5.43 (138) End 2 OD: 5.20 (132) End 1 ID: 0.37 (10) End 2 ID: 2.97 (76)	AF4578  IHC 117210C1 Overall Height: 1.81 (46) Overall OD: 7.00 (178) End 1 ID: 5.57 (141)	AF4589  JOHN DEERE T46317 Safety Element used with AF4893M, AF4894KM, AF4905M, AF434KM . 3834340 Wing Nut Included; 3311624 Bolt Seal Included Overall Height: 15.37 (391) Overall OD: 4.61 (117) End 1 ID: 3.56 (90)
AF4570K  J.C.B. 32206002 Primary Air Filter used with AF4571 Overall Height: 13.92 (354) Cover Diameter: 7.05 (179) Fin Diameter: 6.34 (161) End 2 ID: 2.82 (72) Thread Size: M10 X 1.5-6H INT	AF4579  CATERPILLAR 8N5006, CASE 530778C1 3311624 Bolt Seal Included Overall Height: 9.78 (248) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)	AF4590  GMC 25042383 Overall Height: 2.10 (53) Overall OD: 11.68 (297) End 1 ID: 9.80 (249)
AF4571  J.C.B. 32206003 Safety Element used with AF4570K Overall Height: 12.07 (307) End 1 OD: 3.27 (83) End 2 OD: 2.72 (69) End 1 ID: 2.40 (61) End 2 ID: 0.67 (17)	AF4580  ALLIS-CHALMERS 246580 Height: 2.19 (56) Length: 11.00 (279) Width: 10.94 (278)	AF4591  GMC 25043334 Height: 1.64 (42) Length: 9.50 (241) Width: 4.47 (114)
AF4573K  NISSAN 1654651760 Overall Height: 9.43 (240) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)	AF4581  VOLVO 842280 Overall Height: 12.40 (315) Overall OD: 7.72 (196) End 1 ID: 3.98 (101)	AF4592  GMC 25095333 Height: 1.64 (42) Length: 7.61 (193) Width: 6.00 (152)
AF4574  BRIGGS & STRATTON 393957 Overall Height: 3.81 (97) Overall OD: 4.28 (109) End 1 ID: 1.96 (50)	AF4583M  DONALDSON XLP772523, ROLLS ROYCE CV9686 Primary Air Filter used with AF820M Overall Height: 16.68 (424) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF4593  MOTORCRAFT FA1043 Height: 1.15 (29) Length: 11.24 (286) Width: 6.18 (157)
		AF4594  HONDA 17232PD2660 Overall Height: 2.54 (65) Overall OD: 10.00 (254) End 1 ID: 8.50 (216)

E. PRODUCT GUIDE

AF4595  MAZDA 831723603 Overall Height: 2.54 (65) Overall OD: 10.00 (254) End 1 ID: 8.50 (216)	AF4607  TOYOTA 1780148011 Overall Height: 5.75 (146) Overall OD: 7.60 (193) End 1 ID: 3.35 (85)	AF4619  FORD E5TE9601AB Height: 1.84 (47) Length: 11.27 (286) Width: 7.57 (192)
AF4596  TOYOTA 1780115010 Overall Height: 1.56 (40) Overall OD: 11.50 (292) End 1 ID: 8.88 (225)	AF4608  VOLVO 4771477 Height: 1.50 (38) Length: 7.40 (188) Width: 10.51 (267)	AF4621  MAZDA 859923603 Overall Height: 4.38 (111) Overall OD: 7.38 (187) End 1 ID: 4.88 (124)
AF4597  CHRYSLER 4241042, CHRYSLER 4342800 Height: 1.65 (42) Length: 10.68 (271) Width: 5.26 (134)	AF4609  CATERPILLAR 8N6309 Uses service part: AF26169 Overall Height: 10.34 (263) Overall OD: 19.35 (492) End 1 ID: 12.93 (329)	AF4622  MITSUBISHI MD603384 Oval Shaped Overall Height: 5.88 (149) End 1 ID: 2.90 (74)
AF4598  NISSAN 16546N4200 Height: 1.43 (36) Length: 10.63 (270) Width: 6.37 (162)	AF4610  FIAT-ALLIS 74835378 Overall Height: 3.80 (97) Largest OD: 3.70 (94) Thread Size: 3/4-14 NPSI	AF4623  HONDA 17220PC6660 Rectangular Shaped Overall Height: 2.73 (69) End 1 ID: 2.90 (74)
AF4601  MOTORCRAFT FA971 Height: 1.59 (40) Length: 7.89 (200) Width: 6.99 (178)	AF4612  MAZDA 83923672 Overall Height: 2.75 (70) Overall OD: 10.06 (256) End 1 ID: 7.56 (192)	AF4624  FORD E7TE9601AC Height: 1.70 (43) Length: 12.96 (329) Width: 5.94 (151)
AF4602  GMC 25043119 Overall Height: 4.93 (125) Overall OD: 5.64 (143) End 2 ID: 3.57 (91)	AF4613  FORD E6SE9601BA Height: 1.55 (39) Length: 11.22 (285) Width: 8.90 (226)	AF4626  JOHN DEERE AL30395 Safety Element used with AF4564KM Overall Height: 13.06 (332) End 1 OD: 3.75 (95) End 2 OD: 3.34 (85) End 1 ID: 2.98 (76) End 2 ID: 0.66 (17)
AF4604  GMC 5646510 Overall Height: 3.01 (76) Overall OD: 9.50 (241) End 2 ID: 8.00 (203)	AF4615  NISSAN 16546V0100 Height: 1.24 (32) Length: 10.88 (276) Width: 6.55 (166)	AF4627KM  CASE 3244397R1 3311624 Bolt Seal Included Overall Height: 15.52 (394) Fin Diameter: 10.70 (272) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)
AF4605M  CATERPILLAR 4W5228 Primary Air Filter used with AF1604 Overall Height: 24.60 (625) End 1 OD: 15.70 (399) End 2 OD: 14.69 (373) End 1 ID: 0.88 (22) End 2 ID: 10.30 (262)	AF4616  TOYOTA 1780154010 Overall Height: 4.94 (125) Overall OD: 7.31 (186) End 1 ID: 3.00 (76)	AF4628M  CASE A45694 Primary Air Filter used with AF937 3834340 Wing Nut Included Overall Height: 18.59 (472) End 1 OD: 11.40 (290) End 2 OD: 10.40 (290) End 1 ID: .68 (17) End 2 ID: 6.05 (154)
AF4606M  CATERPILLAR 4W5716 Primary Air Filter used with AF883M Overall Height: 18.57 (472) End 1 OD: 14.90 (378) End 2 OD: 13.83 (351) End 1 ID: 0.90 (23) End 2 ID: 9.48 (241)	AF4617  NISSAN 16546P6910 Oval Shaped	
	AF4618  MAZDA E30123603 Oval Shaped Overall Height: 1.82 (46) End 1 ID: 6.80 (173)	

E. PRODUCT GUIDE

AF4631  SCANIA 365729 Overall Height: 18.72 (476) Cover Diameter: 14.96 (380) End 2 OD: 11.88 (302) End 1 ID: 0.41 (11) End 2 ID: 7.55 (192)	AF4642M  CASE K200379 Primary Air Filter used with AF4721 3311624 Bolt Seal Included Overall Height: 11.53 (293) End 1 OD: 5.26 (134) End 2 OD: 5.24 (133) End 1 ID: 3.25 (83) End 2 ID: 0.67 (17)	AF4651  DONALDSON P900691 Safety Element used with AF4650K 3311624 Bolt Seal Included Overall Height: 13.44 (341) Overall OD: 8.26 (210) End 1 ID: 7.10 (180) End 2 ID: 0.67 (17)
AF4633  FORD HOUSINGS E7TZ9600A Overall Height: 5.00 (127) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)	AF4643  LIEBHERR 7401179 Primary Air Filter used with AF4150 3311624 Bolt Seal Included Overall Height: 16.48 (418) Overall OD: 7.63 (194) End 1 ID: 4.28 (109) End 2 ID: 0.67 (17)	AF4652  TOYOTA 1780174010 Height: 1.66 (42) Length: 8.80 (224) Width: 6.58 (167)
AF4634  CLARK 965169 Height: 2.63 (67) Length: 17.94 (456) Width: 7.94 (202)	AF4644  VOLVO 1544298 Safety Element used with AF4720 For Outer Air use AF4720 on Volvo application Overall Height: 12.58 (320) Overall OD: 7.76 (197) End 1 ID: 6.93 (176) End 2 ID: 0.41 (11)	AF4653  TOYOTA 1780170010 Height: 2.13 (54) Length: 10.25 (260) Width: 6.69 (170)
AF4636  CASE A47145 Primary Air Filter used with AF905 Overall Height: 12.50 (318) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)	AF4645  RENAULT V.I. 5000809894 Overall Height: 11.73 (298) Cover Diameter: 10.20 (259) End 2 OD: 9.13 (232) End 2 ID: 4.57 (116)	AF4654  MASSEY-FERGUSON 3310355M91, DONALDSON P770181 Safety Element used with AF4891M, AF4655KM, AF25958K Overall Height: 10.06 (256) End 1 OD: 3.62 (92) End 2 OD: 2.72 (69) End 1 ID: 2.42 (62) End 2 ID: 0.67 (17)
AF4637  MANN & HUMMEL C17160 Primary Air Filter used with AF25424 Overall Height: 8.36 (212) Overall OD: 6.44 (164) End 1 ID: 3.40 (86)	AF4646M  DONALDSON P900405 Safety Element used with AF4647KM 3311624 Bolt Seal Included Overall Height: 13.06 (332) End 1 OD: 7.59 (193) End 2 OD: 6.40 (163) End 1 ID: 5.27 (134) End 2 ID: 0.67 (17)	AF4655KM  MASSEY-FERGUSON 3310358M1 Primary Air Filter used with AF4654 Wing Nut Included Overall Height: 11.97 (304) Cover Diameter: 7.24 (184) Fin Diameter: 6.42 (163) End 2 ID: 2.84 (72) Thread Size: 7/16-20 UNF-2B
AF4638  VOLVO 6792554 Overall Height: 23.29 (592) Cover Diameter: 8.15 (207) End 2 OD: 7.36 (187) End 1 ID: 0.41 (10) End 2 ID: 4.57 (116)	AF4647KM  DONALDSON P900408 Primary Air Filter used with AF4646M 3830497 Seal Included Overall Height: 13.56 (344) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.90 (23) End 2 ID: 6.73 (171)	AF4656  PUROLATOR AF1624 Overall Height: 24.00 (610) Overall OD: 16.64 (423) End 2 ID: 11.99 (305)
AF4639  CATERPILLAR 8N4901 Safety Element used with AF344M Overall Height: 12.00 (305) Flange Diameter: 7.30 (185) End 2 OD: 4.78 (121) End 1 ID: 3.59 (91)	AF4649  Use w/ bracket AK00010 Overall Height: 15.32 (389) Overall OD: 12.49 (317) End 1 ID: 9.11 (231) End 2 ID: 0.67 (17)	AF4657  RENAULT V.I. 5000814797 Primary Air Filter used with AF4658 Overall Height: 15.34 (390) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF4641M  VOLVO 1660375 Overall Height: 22.73 (577) End 1 OD: 10.63 (270) End 2 OD: 10.59 (269) End 1 ID: 0.41 (10) End 2 ID: 6.22 (158)	AF4650K  DONALDSON P900690 Primary Air Filter used with AF4651 3302302 Bolt Seal Included Overall Height: 14.62 (371) Fin Diameter: 15.50 (394) End 2 OD: 13.80 (351) End 1 ID: 0.67 (17) End 2 ID: 9.48 (241)	AF4658  RENAULT V.I. 5000814798 Safety Element used with AF4657, AF25801 Overall Height: 14.44 (367) End 1 OD: 8.43 (214) End 2 OD: 7.31 (186) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF4660  COOPERS AZA353T Safety Element used with AF435KM Overall Height: 9.04 (230) End 1 OD: 2.76 (70) End 2 OD: 2.40 (61) End 1 ID: 2.01 (51) End 2 ID: 0.67 (17)	AF4671  AIR MAZE CD1417610826 Primary Air Filter used with AF4672 Overall Height: 15.44 (392) Overall OD: 11.47 (291) End 1 ID: 7.00 (178) End 2 ID: 0.38 (10)	AF4692  CATERPILLAR 7W9853 Primary Air Filter used with AF4694 Gasket: 3309167 (1) Overall Height: 18.56 (472) Overall OD: 14.26 (362) End 2 ID: 9.89 (251)
AF4662  RENAULT V.I. 5000814944 Overall Height: 15.46 (393) Cover Diameter: 14.33 (364) End 2 OD: 9.92 (252) End 1 ID: 0.63 (16) End 2 ID: 6.50 (165)	AF4672  AIR MAZE CD1417610827 Safety Element used with AF4671 Overall Height: 13.94 (354) Overall OD: 6.88 (175) End 1 ID: 5.42 (138)	AF4694  CATERPILLAR 7W9567 Safety Element used with AF4692 Overall Height: 18.13 (460) End 1 OD: 12.10 (307) End 2 OD: 9.81 (249) End 2 ID: 8.13 (206)
AF4663  FENDT F198810140010 Height: 2.17 (55) Length: 23.70 (602) Width: 4.33 (110)	AF4674  AIR MAZE CD1628610826 Primary Air Filter used with AF4675 Filter used with AH19324 Overall Height: 27.06 (687) Overall OD: 12.56 (319) End 1 ID: 7.50 (191) End 2 ID: 0.40 (10)	AF4695  ISUZU 5142150300 Overall Height: 10.75 (273) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.56 (14)
AF4664  DONALDSON P521598 Uses service part: 3301159S Overall Height: 25.00 (635) End 1 OD: 11.82 (300) End 2 OD: 9.80 (249) End 1 ID: 7.36 (187)	AF4675  AIR MAZE CD1628610827 Safety Element used with AF4674 Filter used with AH19324 Overall Height: 25.38 (645) Overall OD: 7.38 (187) End 1 ID: 6.12 (155) End 2 ID: 0.64 (16)	AF4696  ISUZU 8941042730 Overall Height: 7.82 (199) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.56 (14)
AF4666  AIR MAZE CD0510610826 Overall Height: 9.09 (231) Overall OD: 5.53 (140) End 1 ID: 3.06 (78)	AF4676  AIR MAZE CD1830610826 Primary Air Filter used with AF4677 Overall Height: 29.50 (749) Overall OD: 13.90 (353) End 2 ID: 9.95 (253)	AF4699  ISUZU 1142151180 Overall Height: 18.34 (466) Overall OD: 7.29 (185) End 1 ID: 6.18 (157) End 2 ID: 0.75 (19)
AF4668  AIR MAZE CD1017610826 Primary Air Filter used with AF963 Filter used with AH1147 Overall Height: 15.40 (391) Overall OD: 8.53 (217) End 1 ID: 0.42 (11) End 2 ID: 5.39 (137)	AF4677  AIR MAZE CD1830610827 Safety Element used with AF4676 Overall Height: 28.28 (718) Overall OD: 9.88 (251) End 1 ID: 8.06 (205) End 2 ID: 0.53 (13)	AF4700K  MITSUBISHI MB120298 . Wing Nut Included Overall Height: 7.38 (187) Fin Diameter: 10.00 (254) End 2 OD: 8.66 (220) End 1 ID: 4.94 (125) End 2 ID: 0.32 (8)
AF4669  AIR MAZE CD1219610826 Primary Air Filter used with AF4670 Filter used with AH1174 Overall Height: 17.50 (445) Overall OD: 10.00 (254) End 1 ID: 5.88 (149)	AF4678  AIR MAZE CD1623610826 Primary Air Filter used with AF25218 Filter used with AH1151 Overall Height: 22.24 (565) Overall OD: 12.56 (319) End 1 ID: 7.50 (191) End 2 ID: 0.40 (10)	AF4701  HINO 178011960 Overall Height: 9.69 (246) Overall OD: 7.87 (200) End 1 ID: 3.90 (99) End 2 ID: 0.59 (15)
AF4670  AIR MAZE CD1219610830 Safety Element used with AF4669 Filter used with AH1174 Overall Height: 15.98 (406) Overall OD: 5.71 (145) End 1 ID: 5.00 (127) End 2 ID: 0.64 (16)	AF4691  MERCEDES-BENZ 20947004 Overall Height: 11.91 (303) Overall OD: 5.87 (149) End 1 ID: 2.80 (71) End 2 ID: 0.41 (11)	AF4705  HINO 178012200 Overall Height: 12.75 (324) Overall OD: 8.50 (216) End 1 ID: 5.39 (137) End 2 ID: 0.88 (22)



E. PRODUCT GUIDE

AF4706  MITSUBISHI ME033603 Overall Height: 18.00 (457) Flange Diameter: 10.35 (263) End 2 OD: 8.70 (221) End 1 ID: 0.94 (24) End 2 ID: 5.35 (136)	AF4721  CASE K200380 Safety Element used with AF4642M Overall Height: 9.94 (252) End 1 OD: 2.97 (75) End 2 OD: 2.88 (73) End 1 ID: 0.44 (11) End 2 ID: 1.86 (47)	AF4730  CASE 935693C1 3311624 Bolt Seal Included Overall Height: 14.35 (364) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)
AF4709  ISUZU 8941017690 Overall Height: 9.75 (248) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.56 (14)	AF4723  METROPLEX M00709102 Overall Height: 21.07 (535) Overall OD: 12.08 (307) End 1 ID: 7.73 (196)	AF4731  CATERPILLAR 7T1890 Height: 2.69 (68) Length: 26.18 (665) Width: 5.35 (136)
AF4710  MITSUBISHI MD013534	AF4724  VOLVO 6778729 250806 Bolt Seal Included Overall Height: 22.53 (572) Overall OD: 7.89 (200) End 1 ID: 4.52 (115) End 2 ID: 0.45 (11)	AF4732  CASE F64318 Height: 2.19 (56) Length: 38.00 (965) Width: 7.00 (178)
AF4711  ISUZU 1142151160 Overall Height: 19.87 (505) Overall OD: 12.06 (306) End 1 ID: 2.38 (60)	AF4725  SCANIA 395776 Primary Air Filter used with AF4726 Overall Height: 17.19 (437) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF4733  ISUZU 8941560520 250806 Bolt Seal Included Overall Height: 10.57 (268) Overall OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.87 (22)
AF4712  CHRYSLER 4288009 Oval Shaped Overall Height: 2.25 (57) End 1 OD: 8.81 (224) End 2 OD: 7.19 (183) End 1 ID: 7.27 (185) End 2 ID: 5.69 (144)	AF4726  SCANIA 397814 Safety Element used with AF4725 Overall Height: 15.72 (399) End 1 OD: 7.59 (193) End 2 OD: 6.40 (163) End 1 ID: 5.28 (134) End 2 ID: 0.67 (17)	AF4734  STEIGER 904204T1 Safety Element used with AF4729 3311624 Bolt Seal Included Overall Height: 20.38 (518) End 1 OD: 7.65 (194) End 2 OD: 7.64 (194) End 1 ID: 0.68 (17) End 2 ID: 6.05 (154)
AF4713  MANN & HUMMEL C301537 Primary Air Filter used with AF4898 Seal included Overall Height: 18.72 (476) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)	AF4727  SCANIA 397813 Safety Element used with AF25066, AF25045M Overall Height: 14.82 (377) End 1 OD: 6.38 (162) End 2 OD: 6.10 (155) End 1 ID: 5.75 (146) End 2 ID: 0.67 (17)	AF4735  DONALDSON P150703 Overall Height: 13.48 (342) End 1 OD: 13.85 (352) End 2 OD: 13.83 (351) End 1 ID: 7.44 (189)
AF4714  VOLVO 1661667, CHAMP LAF4271, LUBERFINER LAF4271 Primary Air Filter used with AF4719 Overall Height: 26.23 (666) Cover Diameter: 13.33 (339) End 2 OD: 10.98 (279) End 2 ID: 7.24 (184)	AF4728  EUCLID 9029495 Overall Height: 4.81 (122) Overall OD: 4.25 (108) End 2 ID: 1.56 (40)	AF4736  JOHN DEERE AT65296 Primary Air Filter used with AF1980 3311624 Bolt Seal Included Overall Height: 12.48 (317) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)
AF4719  VOLVO 1661668 Safety Element used with AF4714 Seal included Overall Height: 25.37 (645) Overall OD: 6.97 (177) End 1 ID: 5.30 (135) End 2 ID: 0.41 (10)	AF4729  STEIGER 904203S1 Primary Air Filter used with AF4734 3830497 Bolt Seal Included Overall Height: 21.50 (546) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF4737  SCANIA 370750 Overall Height: 20.38 (518) Cover Diameter: 12.17 (309) End 2 OD: 9.54 (242) End 1 ID: 0.41 (11) End 2 ID: 5.21 (132)
AF4720  VOLVO 1660619 Primary Air Filter used with AF4644 . 250806 Bolt Seal Included Overall Height: 14.50 (368) End 1 OD: 12.22 (311) End 2 OD: 12.19 (310) End 1 ID: 0.41 (10) End 2 ID: 7.89 (201)		


E. PRODUCT GUIDE

AF4738	MACK 57MD44M
	Overall Height: 28.38 (721) End 1 OD: 8.85 (225) End 2 OD: 8.83 (224) End 2 ID: 5.82 (148)
AF4739	ISUZU 8944302500 3830497 Bolt Seal Included
	Overall Height: 13.50 (343) End 1 OD: 10.45 (265) End 2 OD: 8.70 (221) End 1 ID: 9.00 (229) End 2 ID: 5.33 (135)
AF4743K	KOMATSU 6001817260 Primary Air Filter used with AF4744
	Overall Height: 11.42 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.35 (85) Thread Size: M10 X 1.5-6H INT
AF4744	Safety Element used with AF4743K, AF25432K Seal included.
	Overall Height: 9.57 (243) Overall OD: 3.27 (83) End 1 ID: 2.13 (54) End 2 ID: 0.65 (17)
AF4745	KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2379163 Safety Element used with AF991
	Overall Height: 12.87 (327) End 1 OD: 3.54 (90) End 2 OD: 3.31 (84) End 1 ID: 2.99 (76) End 2 ID: 0.43 (11)
AF4746	VOLVO 1660903 Safety Element used with AF4560
	Overall Height: 12.60 (320) Overall OD: 7.76 (197) End 1 ID: 6.54 (166) End 2 ID: 0.39 (10)
AF4747	IVECO 107030, IVECO 107029 Primary Air Filter used with AF4970 Seal included.
	Overall Height: 20.52 (521) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF4748K	POCLAIN T1950555 Primary Air Filter used with AF4103 Wing Nut Included
	Overall Height: 15.48 (393) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89) Thread Size: 7/16-20 UNF-2B

AF4749	FORD 87HX9601AA
	Overall Height: 3.74 (95) Overall OD: 9.57 (243) End 1 ID: 7.24 (184)
AF4750	QUINCY 234583 Quincy Compressor 250806. Bolt Seal Included
	Overall Height: 21.25 (540) Overall OD: 12.56 (319) End 1 ID: 7.50 (191) End 2 ID: 0.40 (10)
AF4751	AIR MAZE CD1222610826 Primary Air Filter used with AF4752
	Overall Height: 20.00 (508) Overall OD: 10.00 (254) End 1 ID: 0.39 (10) End 2 ID: 5.88 (149)
AF4752	AIR MAZE CD1222610830 Safety Element used with AF4751
	Overall Height: 18.50 (470) Overall OD: 5.68 (144) End 1 ID: 4.94 (125)
AF4753M	LIEBHERR 7403953 Primary Air Filter used with AF4761M . 3834340 Wing Nut Included; 3311624 Bolt Seal Included
	Overall Height: 16.55 (420) End 1 OD: 12.50 (318) End 2 OD: 10.40 (264) End 1 ID: 0.66 (17) End 2 ID: 6.05 (154)
AF4754	STEIGER 906443T1 Primary Air Filter used with AF4755 Filter used with AH19272
	Overall Height: 17.54 (445) End 1 OD: 9.21 (234) End 2 OD: 9.14 (232) End 1 ID: 0.67 (17) End 2 ID: 5.87 (149)
AF4755	STEIGER 906444T1 Safety Element used with AF4754 3311624 Bolt Seal Included
	Overall Height: 15.61 (396) Overall OD: 5.56 (141) End 1 ID: 4.42 (112) End 2 ID: 0.65 (17)
AF4756	CASE A171255 Primary Air Filter used with AF4757 3311624 Bolt Seal Included
	Overall Height: 16.55 (420) End 1 OD: 9.90 (251) End 2 OD: 9.88 (251) End 1 ID: 0.67 (17) End 2 ID: 6.07 (154)

AF4757	CASE A171256 Safety Element used with AF4756
	Overall Height: 14.50 (368) Overall OD: 5.98 (152) End 1 ID: 4.83 (123) End 2 ID: 0.65 (17)
AF4758KM	KOMATSU 3EA0118130 3311624 Bolt Seal Included
	Overall Height: 10.56 (268) Cover Diameter: 5.91 (150) End 2 OD: 5.16 (131) End 1 ID: 0.67 (17) End 2 ID: 2.56 (65)
AF4759M	DONALDSON P150706 3311624 Bolt Seal Included
	Overall Height: 14.50 (368) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 1 ID: 0.67 (17) End 2 ID: 3.48 (88)
AF4760	DONALDSON R804518
	Overall Height: 9.15 (232) Overall OD: 2.46 (62) End 1 ID: 1.94 (49) End 2 ID: 0.66 (17)
AF4761M	LIEBHERR 7403951, FRAM CA8859SY Safety Element used with AF4753M, AF4980KM, AF4981M, AF25315K . 3311624 Bolt Seal Included
	Overall Height: 15.37 (391) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)
AF4762	FORD D7EF9D695AA
	Height: 1.25 (32) Overall OD: 0.55 (14) Length: 3.21 (82) Width: 1.43 (36)
AF4763	TOYOTA 178022300071 Flame Retardant Media
	Overall Height: 11.04 (281) End 1 OD: 5.23 (133) End 2 OD: 5.21 (132) End 1 ID: 0.51 (13) End 2 ID: 2.56 (65)
AF4764	TOYOTA 178012300071
	Overall Height: 11.04 (281) End 1 OD: 5.27 (134) End 2 OD: 5.21 (132) End 1 ID: 0.51 (13) End 2 ID: 2.56 (65)

E. PRODUCT GUIDE

AF4765  FORD E7TE9D695BA Height: 1.25 (32) Length: 4.44 (113) Width: 2.38 (60)	AF4775  IVECO 1901780 Seal included. Overall Height: 16.37 (416) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.87 (22)	AF4785  DONALDSON P520450 Height: 2.19 (56) Length: 16.00 (406) Width: 8.00 (203)
AF4767  FRANKLIN 1504917 Primary Air Filter used with AF25542 Overall Height: 13.58 (345) End 1 OD: 9.62 (244) End 2 OD: 9.01 (229) End 2 ID: 5.71 (145)	AF4776  DONALDSON P114101 Vee Pack Height: 10.84 (275) Length: 35.54 (903) Width: 18.50 (470)	AF4786  DONALDSON P102052 Height: 2.57 (65) Length: 19.50 (495) Width: 19.50 (495)
AF4768  SULLAIR 250022888 Overall Height: 11.43 (290) Overall OD: 6.70 (170) End 1 ID: 3.68 (93) End 2 ID: 0.48 (12)	AF4777  DONALDSON P125310 Vee Pack Height: 6.20 (157) Length: 36.49 (927) Width: 14.00 (356)	AF4787  DONALDSON P114241 Overall Height: 16.43 (417) Overall OD: 7.64 (194) End 1 ID: 4.29 (109)
AF4769  CATERPILLAR 8N6883 Safety Element used with AF336M Fleetguard Airtkit Option AF4526 + AK00012 Overall Height: 16.13 (410) Flange Diameter: 9.06 (230) End 2 OD: 6.28 (160) End 1 ID: 4.59 (117)	AF4778  DONALDSON P125744 Overall Height: 22.00 (559) Overall OD: 12.75 (324) End 1 ID: 8.37 (213)	AF4789  DONALDSON P121351 Height: 2.19 (56) Length: 20.00 (508) Width: 15.00 (381)
AF4770K  LEYLAND ACU7630 Wing Nut Included Overall Height: 15.54 (395) Cover Diameter: 8.27 (210) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (88)	AF4779  DONALDSON P140681 Overall Height: 12.50 (318) Overall OD: 11.09 (282) End 1 ID: 6.73 (171) End 2 ID: 0.53 (13)	AF4790  DONALDSON P128409 Height: 2.19 (56) Length: 18.50 (470) Width: 17.00 (432)
AF4771  Replacement element for kit to convert CAT 7W9567. Use w/ bracket AK00013. 3311624 Bolt Seal Included Overall Height: 16.86 (428) Overall OD: 9.83 (250) End 1 ID: 8.43 (214) End 2 ID: 0.65 (17)	AF4781  DONALDSON P148018 Height: 2.57 (65) Length: 23.94 (608) Width: 19.68 (500)	AF4791  DONALDSON P129196 Overall Height: 16.50 (419) Overall OD: 7.93 (201) End 1 ID: 3.57 (91) End 2 ID: 0.53 (13)
AF4772  FORD E7HZ9601B Overall Height: 16.55 (420) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.68 (17)	AF4783  DONALDSON P151244 Overall Height: 26.50 (673) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF4793  DONALDSON P131912 Overall Height: 26.50 (673) Overall OD: 12.75 (324) End 1 ID: 8.38 (213) End 2 ID: 0.53 (13)
AF4773  DONALDSON P113330 Height: 2.19 (56) Length: 24.00 (610) Width: 5.00 (127)	AF4784  DONALDSON P153972 Overall Height: 17.05 (433) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)	AF4794  DONALDSON P132447 Height: 2.19 (56) Length: 26.00 (660) Width: 16.00 (406)

E. PRODUCT GUIDE

AF4799  DONALDSON P145891 Overall Height: 26.50 (673) Overall OD: 12.77 (324) End 1 ID: 8.36 (212) End 2 ID: 0.53 (13)	AF4808  DONALDSON P114326 Height: 2.19 (56) Length: 23.50 (597) Width: 11.00 (279)	AF4818  DONALDSON P124767 Safety Element used with AF4835K Overall Height: 10.05 (255) Flange Diameter: 4.12 (105) End 2 OD: 3.36 (85) End 1 ID: 2.26 (57) End 2 ID: 0.66 (17)
AF4800K  DONALDSON P148586 Primary Air Filter used with AF1892 Overall Height: 15.38 (391) Fin Diameter: 6.39 (162) End 2 OD: 5.25 (133) End 1 ID: 3.26 (83) End 2 ID: 0.68 (17)	AF4809  DONALDSON P115051 Height: 2.19 (56) Length: 18.50 (470) Width: 5.25 (133)	AF4819  DONALDSON P127313 Safety Element used with AF4801 Overall Height: 18.48 (469) Overall OD: 7.28 (185) End 1 ID: 6.19 (157) End 2 ID: 0.65 (17)
AF4801  DONALDSON SMP181073 Primary Air Filter used with AF4819 Overall Height: 19.50 (495) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF4810  DONALDSON P117049 Height: 2.19 (56) Length: 47.00 (1194) Width: 7.00 (178)	AF4821  DONALDSON P128252 Overall Height: 14.50 (368) Overall OD: 10.40 (264) End 1 ID: 6.04 (153) End 2 ID: 0.66 (17)
AF4802K  DONALDSON P101038 Overall Height: 12.25 (311) Fin Diameter: 10.06 (256) End 2 OD: 7.93 (201) End 1 ID: 3.57 (91) End 2 ID: 0.53 (13)	AF4812  DONALDSON P118785 Overall Height: 8.39 (213) Flange Diameter: 4.54 (115) End 2 OD: 2.38 (60) End 1 ID: 1.91 (49) End 2 ID: 0.41 (10)	AF4823K  DONALDSON P131331 Overall Height: 15.43 (392) Fin Diameter: 8.89 (226) End 2 OD: 6.84 (174) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)
AF4804  DONALDSON P109531 Overall Height: 4.13 (105) Overall OD: 13.84 (352) End 1 ID: 9.47 (241) End 2 ID: 0.53 (13)	AF4813  DONALDSON P119791 Safety Element used with AF409K Overall Height: 11.52 (293) End 1 OD: 3.74 (95) End 2 OD: 3.36 (85) End 1 ID: 2.93 (74) End 2 ID: 2.26 (57)	AF4826K  DONALDSON P132935 Primary Air Filter used with AF4827 Overall Height: 14.56 (370) Fin Diameter: 8.88 (226) End 2 OD: 6.85 (174) End 1 ID: 4.23 (108) End 2 ID: 0.67 (17)
AF4805  DONALDSON P110852 Overall Height: 18.50 (470) Overall OD: 11.09 (282) End 1 ID: 6.72 (171) End 2 ID: 0.53 (13)	AF4814K  DONALDSON P122529 Overall Height: 12.50 (318) Fin Diameter: 13.67 (347) End 2 OD: 11.09 (282) End 1 ID: 6.72 (171) End 2 ID: 0.53 (13)	AF4827  DONALDSON P132939 Safety Element used with AF4826K Overall Height: 13.05 (332) Flange Diameter: 4.84 (123) End 2 OD: 4.10 (104) End 1 ID: 3.65 (93) End 2 ID: 0.66 (17)
AF4806  DONALDSON P112059 Overall Height: 12.38 (314) Overall OD: 6.85 (174) End 1 ID: 4.23 (107) End 2 ID: 0.68 (17)	AF4815  DONALDSON P122998 Height: 2.19 (56) Length: 28.00 (711) Width: 6.50 (165)	AF4828  DONALDSON P133179 Overall Height: 18.38 (467) Overall OD: 7.63 (194) End 1 ID: 6.04 (153) End 2 ID: 0.66 (17)
AF4807  DONALDSON P112775 Height: 2.19 (56) Length: 38.00 (965) Width: 5.00 (127)	AF4817  JOHN DEERE AT68184 Safety Element used with AF818K Overall Height: 9.05 (230) Flange Diameter: 3.64 (92) End 2 OD: 2.95 (75) End 1 ID: 2.40 (61) End 2 ID: 0.66 (17)	AF4831  DONALDSON P138883 Overall Height: 15.00 (381) Overall OD: 5.25 (133) End 2 ID: 2.62 (67)

E. PRODUCT GUIDE

AF4833  DONALDSON P158852 Overall Height: 16.50 (419) Overall OD: 7.93 (201) End 1 ID: 5.32 (135) End 2 ID: 0.66 (17)	AF4841  RENAULT V.I. 5010064371 Primary Air Filter used with AF4867 Seal included Overall Height: 15.60 (396) End 1 OD: 12.09 (307) End 2 OD: 12.07 (307) End 1 ID: 7.74 (197) End 2 ID: 0.67 (17)	AF4849  DONALDSON P118238 Overall Height: 7.53 (191) Flange Diameter: 20.37 (517) End 2 OD: 16.98 (431) End 1 ID: 10.58 (269)
AF4834  DONALDSON P158893 Height: 2.57 (65) Length: 30.00 (762) Width: 6.00 (152)	AF4842  MERCEDES-BENZ 30944204 Seal included. Overall Height: 10.20 (259) Overall OD: 12.89 (328) End 1 ID: 6.34 (161) End 2 ID: 0.41 (11)	AF4850  DONALDSON P120949 Safety Element used with AF435KM Overall Height: 8.44 (214) Flange Diameter: 4.54 (115) End 2 OD: 2.38 (60) End 1 ID: 1.91 (49) End 2 ID: 0.66 (17)
AF4835K  DONALDSON SMP181093 Primary Air Filter used with AF4818 Overall Height: 11.50 (292) Fin Diameter: 7.84 (199) End 2 OD: 6.09 (155) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)	AF4843  CASE L32513 Safety Element used with AF4845K Overall Height: 9.06 (230) End 1 OD: 7.60 (193) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134) End 2 ID: 0.67 (17)	AF4851  DONALDSON P124366 Safety Element used with AF4852 Overall Height: 14.50 (368) Overall OD: 8.64 (219) End 1 ID: 7.06 (179) End 2 ID: 0.90 (23)
AF4836  DONALDSON SMP181132 Overall Height: 9.50 (241) Overall OD: 0.69 (17) End 1 ID: 4.23 (107) End 2 ID: 0.68 (17)	AF4844KM  CLARK 2353816 Flame Retardant Media Seal included. Overall Height: 10.43 (265) Fin Diameter: 5.16 (131) End 2 OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)	AF4852  DONALDSON P124370 Primary Air Filter used with AF4851 Overall Height: 15.50 (394) Overall OD: 13.84 (352) End 1 ID: 9.47 (241) End 2 ID: 0.94 (24)
AF4837  DONALDSON SMP181149 Overall Height: 8.43 (214) Overall OD: 9.22 (234) End 1 ID: 4.84 (123) End 2 ID: 0.66 (17)	AF4845K  CASE L32512 Primary Air Filter used with AF4843 Overall Height: 9.56 (243) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)	AF4853K  DONALDSON P148573 Primary Air Filter used with AF4103 Overall Height: 15.16 (385) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)
AF4838  DONALDSON SMP181191 Primary Air Filter used with AF4896 Overall Height: 17.90 (455) End 1 OD: 10.45 (265) End 2 OD: 8.70 (221) End 1 ID: 0.90 (23) End 2 ID: 5.33 (135)	AF4846  HINO 178012620 Primary Air Filter used with AF4847 Overall Height: 13.46 (342) End 1 OD: 9.21 (234) End 2 OD: 7.37 (187) End 1 ID: 0.67 (17) End 2 ID: 4.72 (120)	AF4855  UNITED AIR CLEANER V250C142FS Primary Air Filter used with AF1635 Overall Height: 14.00 (356) Overall OD: 5.31 (135) End 1 ID: 3.41 (87)
AF4839  DONALDSON SMP181200 Overall Height: 10.50 (267) Overall OD: 10.41 (264) End 1 ID: 6.03 (153)	AF4847  HINO 178012610 Safety Element used with AF4846 Overall Height: 12.09 (307) End 1 OD: 5.80 (147) End 2 OD: 4.62 (117) End 1 ID: 3.51 (89) End 2 ID: 0.67 (17)	AF4856M  JOHN DEERE DDX18911 Primary Air Filter used with AF4103 Wing nut included Overall Height: 15.39 (391) Cover Diameter: 8.39 (213) End 2 OD: 6.99 (178) End 2 ID: 3.45 (88) Thread Size: 7/16-20 UNF-2B
AF4840  DONALDSON P522451 Overall Height: 13.06 (332) Overall OD: 9.73 (247) End 1 ID: 5.66 (144) End 2 ID: 0.66 (17)	AF4848  DONALDSON P015839 Overall Height: 15.00 (381) Overall OD: 10.40 (264) End 1 ID: 7.79 (198)	AF4857KM  COOPERS AZA327T Seal included. Overall Height: 16.58 (421) Fin Diameter: 9.96 (253) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF4858KM CASE K306535 Seal included.



Overall Height: 13.55 (344)
Fin Diameter: 9.96 (253)
End 2 OD: 7.93 (201)
End 1 ID: 5.33 (135)
End 2 ID: 0.67 (17)

AF4861M DONALDSON P145328



Overall Height: 29.01 (737)
End 1 OD: 8.85 (225)
End 2 OD: 8.83 (224)
End 2 ID: 5.82 (148)

AF4862 TEREX 9054912 Safety Element used with AF935M



Overall Height: 18.10 (460)
Overall OD: 10.88 (276)
End 1 ID: 8.16 (207)
End 2 ID: 0.90 (23)

AF4863 GUARDIAN G116454



Overall Height: 25.00 (635)
Overall OD: 12.77 (324)
End 2 ID: 8.36 (212)

AF4865M ISUZU 1142151580 Primary Air Filter used with AF1767



Overall Height: 13.47 (342)
Overall OD: 9.14 (232)
End 1 ID: 5.87 (149)
End 2 ID: 0.90 (23)

AF4866 ISUZU 1142151510



Overall Height: 14.26 (362)
End 1 OD: 6.41 (163)
End 2 OD: 6.39 (162)
End 1 ID: 0.67 (17)
End 2 ID: 5.27 (134)

AF4867 RENAULT V.I. 5010064372 Safety Element used with AF25249M, AF4841, AF4927, AF25284M



Overall Height: 15.00 (381)
End 1 OD: 7.31 (186)
End 2 OD: 6.40 (163)
End 1 ID: 5.28 (134)
End 2 ID: 0.67 (17)

AF4868 ISUZU 1142151570 Safety Element used with AF4869



Overall Height: 10.66 (271)
End 1 OD: 5.80 (147)
End 2 OD: 4.62 (117)
End 1 ID: 3.51 (89)
End 2 ID: 0.67 (17)

AF4869 ISUZU 1142151560 Primary Air Filter used with AF4868



Overall Height: 11.25 (286)
End 1 OD: 9.21 (234)
End 2 OD: 7.37 (187)
End 1 ID: 0.67 (17)
End 2 ID: 4.72 (120)

AF4870M FORD E8HT9600CB



Overall Height: 7.69 (195)
Overall OD: 13.85 (352)
End 1 ID: 7.44 (189)
End 2 ID: 0.67 (17)

AF4871M DONALDSON XLP182099



Overall Height: 18.52 (470)
End 1 OD: 16.26 (413)
End 2 OD: 13.85 (352)
End 1 ID: 13.70 (348)
End 2 ID: 7.44 (189)

AF4872 GMC 8994542



Overall Height: 3.00 (76)
Overall OD: 7.94 (202)
End 1 ID: 4.13 (105)

AF4874 CATERPILLAR 8N2556




Overall Height: 10.31 (262)
Flange Diameter: 15.64 (397)
End 2 OD: 12.78 (325)
End 1 ID: 10.14 (258)

AF4877 NISSAN D654601D20




Overall Height: 10.54 (268)
Overall OD: 7.93 (201)
End 1 ID: 5.33 (135)
End 2 ID: 0.90 (23)

AF4878 FORD F3HZ9601A, BLAW-KNOX 16480901 Primary Air Filter used with AF25215 Magnum RS Version



Overall Height: 12.80 (325)
Overall OD: 9.29 (236)
End 1 ID: 5.20 (132)

AF4880 GMC 6422214



Height: 7.13 (181)
Length: 8.92 (227)
Width: 8.02 (204)

AF4881 J.C.B. 32903002 Safety Element used with AF4890



Overall Height: 9.08 (231)
End 1 OD: 3.50 (89)
End 2 OD: 2.72 (69)
End 1 ID: 2.40 (61)
End 2 ID: 0.67 (17)

AF4882 J.C.B. 32903202 Safety Element used with AF25509K, AF25311, AF1861K



Overall Height: 9.98 (254)
End 1 OD: 4.13 (105)
End 2 OD: 3.35 (85)
End 1 ID: 2.95 (75)
End 2 ID: 0.67 (17)

AF4883 J.C.B. 32205703 Safety Element used with AF4888K



Overall Height: 13.96 (355)
End 1 OD: 3.50 (89)
End 2 OD: 2.72 (69)
End 1 ID: 2.40 (61)
End 2 ID: 0.67 (17)

AF4884 SCHROEDER ABF310 Air Breather with 3/4" NPT Adaptor



Overall Height: 3.20 (81)
Largest OD: 3.69 (94)
Thread Size: 1 1/8-16 UN-2B

AF4884A STAUFF SGB9010P Air Breather w/o adaptor

Overall Height: 3.20 (81)
Largest OD: 3.69 (94)
Thread Size: 1 1/8-16 UN-2B

AF4886 CATERPILLAR 7W6754E Safety Element used with AF1890M



Overall Height: 5.24 (133)
Flange Diameter: 6.69 (170)
End 2 OD: 3.95 (100)
End 1 ID: 2.36 (60)

AF4887KM KOMATSU 3EC0111630 Primary Air Filter used with AF1966




Overall Height: 11.50 (292)
Fin Diameter: 8.03 (204)
End 2 OD: 7.14 (181)
End 1 ID: 2.71 (69)
End 2 ID: 0.67 (17)

AF4888K J.C.B. 32205702 Primary Air Filter used with AF4883 Seal included




Overall Height: 15.46 (393)
Fin Diameter: 6.34 (161)
End 2 OD: 5.24 (133)
End 1 ID: 3.17 (81)
End 2 ID: 0.67 (17)



E. PRODUCT GUIDE

AF4890  J.C.B. 32903001 Primary Air Filter used with AF4881 Overall Height: 10.35 (263) Cover Diameter: 6.89 (175) End 2 OD: 5.87 (149) End 2 ID: 2.80 (71) Thread Size: M10 X 1.5-6H INT	AF4898  MERCEDES-BENZ 30941604 Safety Element used with AF4713 Seal included Overall Height: 17.78 (452) Overall OD: 7.11 (181) End 1 ID: 5.99 (152) End 2 ID: 0.67 (17)	AF4910  RENAULT V.I. 5001000878 Overall Height: 12.17 (309) Overall OD: 4.92 (125) End 1 ID: 3.35 (85)
AF4891M  JOHN DEERE RE35523, ORENSTEIN & KOPPEL 101158, SAME 242292001, DONALDSON P772552 Primary Air Filter used with AF4654 Overall Height: 11.93 (303) Cover Diameter: 7.09 (180) End 2 OD: 6.30 (160) End 2 ID: 2.84 (72) Thread Size: 7/16-20 UNF-2B	AF4899  STEIGER 906017S1 Wing Nut Included Overall Height: 18.49 (470) Overall OD: 12.08 (307) End 1 ID: 7.73 (196) End 2 ID: 0.90 (23)	AF4911  MITSUBISHI 9126108200 Seal included. Overall Height: 10.16 (258) Overall OD: 5.24 (133) End 1 ID: 3.17 (81) End 2 ID: 0.49 (13)
AF4892K  J.C.B. 32903601 Primary Air Filter used with AF4103 Is a longer version of AF25509K Wing nut Included Overall Height: 15.50 (394) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89)	AF4901  LISTER PETTER 38207903 Overall Height: 13.82 (351) Cover Diameter: 7.24 (184) End 2 OD: 5.51 (140) End 2 ID: 2.84 (72) Thread Size: 7/16-20 UNF-2B	AF4915  MERCEDES-BENZ 20949204 Height: 2.42 (62) Length: 6.77 (172) Width: 23.47 (596)
AF4893M  DONALDSON P772530 Primary Air Filter used with AF4589 Overall Height: 16.46 (418) Cover Diameter: 11.02 (280) End 2 OD: 9.21 (234) End 1 ID: 5.00 (127) Thread Size: 7/16-20 UNF-2B	AF4903  ISUZU 1142151810 Overall Height: 15.50 (394) Overall OD: 10.87 (276) End 1 ID: 6.50 (165) End 2 ID: 0.92 (23)	AF4916  MERCEDES-BENZ 20949304 Height: 3.17 (81) Length: 23.47 (596) Width: 6.77 (172)
AF4894KM  FIATAGRI 71415282 Primary Air Filter used with AF4589 Overall Height: 16.46 (418) Cover Diameter: 11.02 (280) Fin Diameter: 10.08 (256) End 2 ID: 5.33 (135) Thread Size: 7/16-20 UNF-2B	AF4905M  LIEBHERR 7405233, POCLAIN M2150534 Primary Air Filter used with AF4589 Wing nut and seal included Overall Height: 16.26 (413) Cover Diameter: 11.02 (280) End 2 OD: 10.00 (254) End 2 ID: 4.88 (124) Thread Size: 7/16-20 UNF-2B	AF4917  MERCEDES-BENZ 30943904 Overall Height: 9.00 (229) Overall OD: 5.87 (149) End 1 ID: 2.80 (71) End 2 ID: 0.41 (11)
AF4895  VOLVO 15868821 Overall Height: 3.64 (93) End 1 OD: 3.47 (88) End 2 OD: 3.31 (84) End 1 ID: 0.83 (21)	AF4906  IVECO 1902457 Overall Height: 7.17 (182) Overall OD: 6.30 (160) End 1 ID: 3.94 (100)	AF4918  FORD 88VB9601AA Height: 2.28 (58) Length: 8.90 (226) Width: 9.45 (240)
AF4896  MITSUBISHI ME033839 Safety Element used with AF4838, AF25060KM Overall Height: 16.25 (413) Overall OD: 5.21 (132) End 1 ID: 4.16 (106) End 2 ID: 0.67 (17)	AF4907  IVECO 1902486 Overall Height: 9.29 (236) Overall OD: 6.30 (160) End 1 ID: 3.94 (100)	AF4919  VOLVO 47714738 Height: 1.54 (39) Length: 6.48 (165) Width: 13.19 (335)
AF4897  DONALDSON P117370 Overall Height: 18.50 (470) Overall OD: 10.40 (264) End 1 ID: 6.05 (154) End 2 ID: 0.90 (23)	AF4909K  MANITOU 177130 Primary Air Filter used with AF25321 Seal included Overall Height: 12.05 (306) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4920  IVECO 1905710, MANN & HUMMEL C331476 Overall Height: 18.72 (476) Overall OD: 12.89 (327) End 1 ID: 8.58 (218) End 2 ID: 0.41 (11)
		AF4923K  NISSAN 1654600H10, NISSAN 1654605H10 Overall Height: 8.03 (204) Fin Diameter: 5.20 (132) End 2 OD: 4.09 (104) End 1 ID: 2.52 (64) End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF4924  CLARK 2373789, TOWMOTOR 973999 Height: 1.64 (42) Length: 8.37 (212) Width: 8.37 (212)	AF4940  CATERPILLAR 2N7003 Replacement blanket for AF4128 Height: 0.50 (13) Length: 26.00 (660) Width: 24.00 (610)	AF4953  MAZDA F20113Z40 Height: 1.63 (41) Length: 10.12 (257) Width: 7.00 (178)
AF4926  DONALDSON P103988 Overall Height: 14.86 (377) Overall OD: 11.69 (297) End 1 ID: 5.52 (140)	AF4941K  Flame Retardant version of AF409K. 331624 Bolt Seal Included Overall Height: 12.43 (316) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF4954  HONDA 17220PT2000 Height: 1.57 (40) Length: 9.59 (244) Width: 5.45 (138)
AF4927  DONALDSON P103988 Primary Air Filter used with AF4867 Seal included Overall Height: 15.41 (392) Overall OD: 11.08 (281) End 1 ID: 6.73 (171) End 2 ID: 0.67 (17)	AF4942  VOLVO 1080918 Primary Air Filter used with AF25084	AF4955  AC A925C Overall Height: 5.94 (151) Overall OD: 5.75 (146) End 1 ID: 3.62 (92)
AF4928  IMPCO F115 Filter for Impco LP Gas conversion kits for S- 10 Chevy and Ford pickups. Overall Height: 6.63 (168) Overall OD: 6.75 (171) End 1 ID: 5.00 (127)	AF4944  MITSUBISHI MD603932 Height: 6.83 (173) Length: 8.06 (205) Width: 7.56 (192)	AF4956  TOYOTA 1780170020 Overall Height: 2.81 (71) End 1 OD: 8.67 (220) End 2 OD: 7.55 (192) End 2 ID: 1.35 (34)
AF4929  IMPCO F15 Filter for Impco LP Gas conversion kits for S-10 Chevy and Ford pickups. Overall Height: 2.13 (54) Overall OD: 6.75 (171) End 1 ID: 5.00 (127)	AF4945  MOTORCRAFT FA1048 Height: 2.20 (56) Length: 10.72 (272) Width: 8.28 (210)	AF4957  VOLVO 463505 Height: 1.44 (37) Length: 13.16 (334) Width: 6.38 (162)
AF4930  MITSUBISHI ME033773 Overall Height: 11.88 (302) Overall OD: 5.21 (132) End 1 ID: 4.16 (106) End 2 ID: 0.67 (17)	AF4946  AC A1129C Height: 1.65 (42) Length: 11.57 (294) Width: 7.09 (180)	AF4958  HONDA 17220PH3000 Height: 1.30 (33) Length: 11.15 (283) Width: 7.36 (187)
AF4937  TOWMOTOR 369136 Overall Height: 10.50 (267) Overall OD: 4.31 (110) End 1 ID: 2.18 (55)	AF4949  AC A1096C Height: 1.70 (43) Length: 10.62 (270) Width: 7.94 (202)	AF4959  TOYOTA 1780174020 Height: 1.65 (42) Length: 12.25 (311) Width: 6.19 (157)
AF4939  KOMATSU 3EB0125830 Overall Height: 10.35 (263) Cover Diameter: 5.75 (146) End 2 OD: 4.08 (104) End 1 ID: 0.30 (8) End 2 ID: 2.56 (65)	AF4950  HONDA 17220PM7000 Height: 1.46 (37) Length: 8.00 (203) Width: 6.63 (168)	AF4960  MOTORCRAFT FA1061 Height: 1.58 (40) Length: 9.55 (243) Width: 9.55 (243)
	AF4951  HONDA 17220PH4661 Height: 2.03 (52) Length: 13.53 (344) Width: 8.41 (214)	AF4961  AC A1111C Height: 1.56 (40) Length: 8.56 (217) Width: 6.16 (156)
	AF4952  MITSUBISHI MD604880 Overall Height: 2.50 (64) Overall OD: 10.50 (267) End 1 ID: 7.94 (202)	



E. PRODUCT GUIDE

AF4962  NISSAN 1654684A10 Overall Height: 1.75 (44) End 1 OD: 10.81 (275) End 2 OD: 6.75 (171)	AF4973K  Seal included Overall Height: 7.89 (201) Fin Diameter: 5.16 (131) End 2 OD: 4.08 (104) End 1 ID: 2.56 (65) End 2 ID: 0.67 (17)	AF4983  FIATAGRI 1930537, DONALDSON P770207 Safety Element used with AF25002M Seal included Overall Height: 12.07 (307) End 1 OD: 3.62 (92) End 2 OD: 2.72 (69) End 1 ID: 2.40 (61) End 2 ID: 0.67 (17)
AF4964  TOYOTA 1780116020 Height: 1.70 (43) Length: 9.84 (250) Width: 6.10 (155)	AF4974  NISSAN 1654689W00 Overall Height: 2.82 (72) Overall OD: 9.69 (246) End 1 ID: 8.12 (206)	AF4984  RENAULT V.I. 5000814696 Primary Air Filter used with AF25061 Seal included Overall Height: 16.45 (418) Cover Diameter: 14.73 (374) End 2 OD: 11.69 (297) End 2 ID: 7.46 (190)
AF4965  CHRYSLER 53004583 Height: 1.57 (40) Length: 13.50 (343) Width: 6.62 (168)	AF4975  ISUZU 8944656560 Overall Height: 2.82 (72) Overall OD: 8.70 (221) End 1 ID: 1.08 (28)	AF4985  HEAVY DUTY AIR A0337 For use on MCI bus coaches 2556017 Bolt Seal Included Overall Height: 16.02 (407) Boot Diameter: 15.80 (401) End 2 OD: 15.11 (384) End 1 ID: 0.90 (23) End 2 ID: 8.21 (208)
AF4966  VOLVO 10823680 Air breather on vehicles with air suspension. Is a longer version of AF4895 Overall Height: 5.20 (132) End 1 OD: 3.47 (88) End 2 OD: 3.31 (84) End 1 ID: 0.83 (21)	AF4976  MAZDA JF0113Z40 Height: 1.50 (38) Length: 8.69 (221) Width: 7.38 (187)	AF4986  HEAVY DUTY AIR A02040 Overall Height: 16.74 (425) End 1 OD: 12.79 (325) End 2 OD: 12.77 (324) End 2 ID: 8.36 (212)
AF4967  MOTORCRAFT FA1116 Overall Height: 13.88 (353) Overall OD: 7.38 (187) End 1 ID: 5.38 (137) End 2 ID: 0.39 (10)	AF4977  TOYOTA 1780135020 Height: 2.05 (52) Length: 9.76 (248) Width: 6.65 (169)	AF4988  FARR 498805 Height: 1.88 (48) Length: 23.38 (594) Width: 23.38 (594)
AF4968  DAF 393561 Seal included Overall Height: 14.81 (376) Overall OD: 9.54 (242) End 1 ID: 5.21 (132) End 2 ID: 0.41 (11)	AF4978  SUZUKI 1378083000 Overall Height: 4.37 (111) Overall OD: 7.24 (184) End 1 ID: 4.65 (118)	AF4989  LEYLAND ABU6154 Seal included Overall Height: 16.58 (421) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)
AF4970  IVECO 107030 Safety Element used with AF4747 Seal included Overall Height: 19.21 (488) End 1 OD: 8.43 (214) End 2 OD: 7.26 (185) End 1 ID: 6.24 (159) End 2 ID: 0.67 (17)	AF4980KM  BENFRA 40199, DONALDSON P772531 Primary Air Filter used with AF4761M Wing nut and seal included Overall Height: 16.42 (417) Cover Diameter: 12.50 (318) Fin Diameter: 11.61 (295) End 2 OD: 10.39 (264) End 2 ID: 6.02 (153) Thread Size: 7/16-20 UNF-2B	AF4990  VOLVO V1115700 Overall Height: 16.75 (425) Overall OD: 12.74 (324) End 1 ID: 8.36 (212)
AF4972  IVECO 1905983 Seal included Overall Height: 11.67 (297) Overall OD: 9.54 (242) End 1 ID: 5.21 (132) End 2 ID: 0.41 (11)	AF4981M  MASSEY-FERGUSON 3389793M2, FORD 452529 Primary Air Filter used with AF4761M Wing nut and seal included Overall Height: 16.46 (418) Cover Diameter: 12.48 (317) End 2 OD: 9.76 (248) End 2 ID: 6.06 (154) Thread Size: 7/16-20 UNF-2B	AF4991  KUBOTA 1735111080 Overall Height: 11.54 (293) Cover Diameter: 7.05 (179) End 2 OD: 5.24 (133) End 1 ID: 0.53 (14) End 2 ID: 2.84 (72)

E. PRODUCT GUIDE

AF4992  LEYLAND 192720 Seal included Overall Height: 11.40 (290) Overall OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF25005  FARR 49880006 Uses service part: 3847372S, 3847397S Height: 1.88 (48) Length: 23.38 (594) Width: 11.38 (289)	AF25015  CHRYSLER 4287141 Overall Height: 2.69 (68) Overall OD: 12.34 (313) End 1 ID: 9.16 (233)
AF4993  DAF 192057 Seal included Overall Height: 8.64 (220) Overall OD: 5.24 (133) End 1 ID: 2.82 (72) End 2 ID: 0.67 (17)	AF25006K  MANITOU 177129, SOFILTRA 123607 Primary Air Filter used with AF25753 Seal included Overall Height: 11.12 (283) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.71 (69) End 2 ID: 0.67 (17)	AF25016  MITSUBISHI MD620047 Overall Height: 3.14 (80) Overall OD: 9.28 (236) End 1 ID: 6.72 (171)
AF4994  FIATAGRI 1930175 Safety Element used with AF25057, AF25331 Seal included Overall Height: 12.43 (316) Overall OD: 4.61 (117) End 1 ID: 3.56 (90) End 2 ID: 0.67 (17)	AF25007  VOLVO 6888848 Overall Height: 16.70 (424) Overall OD: 14.38 (365) End 1 ID: 8.27 (210) End 2 ID: 0.40 (10)	AF25017  AC A1138C Height: 1.70 (43) Length: 10.11 (257) Width: 8.24 (209)
AF4995K  FURUKAWA 1129111C1 Primary Air Filter used with AF4996 Seal included Overall Height: 15.50 (394) Fin Diameter: 8.88 (226) End 2 OD: 6.85 (174) End 1 ID: 4.23 (108) End 2 ID: 0.67 (17)	AF25008  HITACHI 4247974 Safety Element used with AF25009 Seal included Overall Height: 9.63 (245) Overall OD: 5.16 (131) End 1 ID: 4.06 (103) End 2 ID: 0.67 (17)	AF25022  MERCEDES-BENZ 30947004 Seal included. Overall Height: 18.95 (481) Overall OD: 12.89 (327) End 1 ID: 7.66 (195) End 2 ID: 0.41 (11)
AF4996  FURUKAWA 1129112C1 Safety Element used with AF4995K Seal included Overall Height: 14.37 (365) Overall OD: 4.08 (104) End 1 ID: 2.94 (75) End 2 ID: 0.67 (17)	AF25009  HITACHI 4206098 Primary Air Filter used with AF25008 Seal Included Gasket: 3830497 Overall Height: 10.93 (278) Cover Diameter: 9.92 (252) End 2 OD: 7.93 (201) End 1 ID: 0.87 (22) End 2 ID: 5.33 (135)	AF25023  MOPAR 4713953 Magnum RS Version Gasket: 3895660 Overall Height: 9.98 (253) End 1 OD: 8.21 (209) End 2 OD: 8.06 (205) End 1 ID: 4.18 (106)
AF4999  FARR 52711000 Height: 5.25 (133) Length: 19.50 (495) Width: 19.50 (495)	AF25010  LEYLAND ASU1816 Overall Height: 6.46 (164) Overall OD: 5.75 (146) End 1 ID: 3.54 (90) End 2 ID: 3.54 (90)	AF25024  FARR 49880012 Height: 1.88 (48) Length: 23.50 (597) Width: 19.50 (495)
AF25000  AWD 91112964 Seal Included Overall Height: 14.39 (366) End 1 OD: 8.94 (227) End 2 OD: 7.72 (196) End 1 ID: 0.63 (16) End 2 ID: 5.06 (129)	AF25013  V.A.G. (VOLKSWAGEN, AUDI) 21129620 Height: 8.38 (213) Length: 8.44 (214) Width: 2.28 (58)	AF25029  NEW HOLLAND 1930349 Overall Height: 13.47 (342) Cover Diameter: 10.75 (273) End 2 OD: 10.00 (254) End 2 ID: 4.82 (122)
AF25002M  FIATAGRI 1930536, DONALDSON P772565 Primary Air Filter used with AF4983 Wing Nut Included Overall Height: 13.82 (351) Cover Diameter: 7.24 (184) End 2 OD: 5.43 (138) End 2 ID: 2.84 (72) Thread Size: 7/16-20 UNF-2B	AF25014  CHRYSLER 4300787 Overall Height: 3.06 (78) End 1 OD: 13.00 (330) End 2 OD: 9.12 (232) End 1 ID: 9.81 (249) End 2 ID: 5.94 (151)	AF25031  KOMATSU 6001819460 Overall Height: 12.44 (316) Cover Diameter: 7.60 (193) End 2 OD: 6.08 (154) End 2 ID: 3.48 (88)
	AF25033M  CASE 2005895C1 Primary Air Filter used with AF25430 Overall Height: 18.63 (473) End 1 OD: 13.05 (331) End 2 OD: 12.90 (328) End 1 ID: 6.78 (172)	

E. PRODUCT GUIDE

AF25040  DONALDSON P526678 Magnum RS Version Overall Height: 15.10 (384) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.21 (132)	AF25048  KOMATSU 6675817231 Overall Height: 8.85 (225) Overall OD: 9.65 (245) End 1 ID: 5.25 (133)	AF25062  M.A.N. 81084016082 Primary Air Filter used with AF25230 Seal included For fire resistant version, use AF26279 Overall Height: 24.35 (618) End 1 OD: 12.91 (328) End 2 OD: 12.89 (328) End 1 ID: 8.56 (218) End 2 ID: 0.41 (11)
AF25041  NISSAN 1654606N00 Flame Retardant Media Overall Height: 11.44 (291) End 1 OD: 5.36 (136) End 2 OD: 5.24 (133) End 2 ID: 2.82 (72)	AF25049  KOMATSU 6675817031 Overall Height: 17.00 (432) Overall OD: 5.09 (129) End 1 ID: 3.81 (97) End 2 ID: 0.42 (11)	AF25063  CHAUMECA CH4S Overall Height: 10.55 (268) Overall OD: 8.27 (210) End 1 ID: 5.51 (140)
AF25042K  TOYOTA 178062380071 Overall Height: 11.54 (293) Cover Diameter: 7.76 (197) Fin Diameter: 6.34 (161) End 1 ID: 0.47 (12) End 2 ID: 2.72 (69)	AF25055  LEYLAND ACU8498 Seal included. Overall Height: 15.54 (395) Overall OD: 9.21 (234) End 1 ID: 4.86 (124) End 2 ID: 0.67 (17)	AF25064  SCANIA 218989 Primary Air Filter used with AF1840 Overall Height: 14.81 (376) Overall OD: 7.78 (198) End 1 ID: 4.08 (104) End 2 ID: 0.34 (9)
AF25043M  DAF 112294 Primary Air Filter used with AF1841 Overall Height: 15.03 (382) Overall OD: 8.96 (228) End 1 ID: 4.61 (117) End 2 ID: 0.41 (11)	AF25056K  LEYLAND RTC3478, CROSLAND 9668K Seal included. Overall Height: 8.64 (220) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.72 (69) End 2 ID: 0.67 (17)	AF25065  MERCEDES-BENZ 10944704 Primary Air Filter used with AF1841 Overall Height: 15.03 (382) Overall OD: 8.96 (228) End 1 ID: 4.61 (117) End 2 ID: 0.41 (11)
AF25044M  DAF 265045 Primary Air Filter used with AF1840 Overall Height: 14.81 (376) Overall OD: 7.78 (198) End 1 ID: 4.08 (104) End 2 ID: 0.34 (9)	AF25057  FIATAGRI 1930174, FIATAGRI 1930349 Primary Air Filter used with AF4994 Overall Height: 13.35 (339) Cover Diameter: 10.95 (278) End 2 OD: 10.00 (254) End 2 ID: 4.88 (124) Thread Size: 7/16-20 UNF-2B	AF25066  SCANIA 395773 Primary Air Filter used with AF4727 except for Daf--use AF25045M. Seal included Overall Height: 14.94 (379) End 1 OD: 11.89 (302) End 2 OD: 11.84 (301) End 1 ID: 7.56 (192) End 2 ID: 0.41 (11)
AF25045M  DAF 667078 Primary Air Filter used with AF4727 Overall Height: 14.81 (376) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)	AF25058  JOHN DEERE AT762159 Overall Height: 13.38 (340) Overall OD: 7.31 (186) End 1 ID: 4.00 (102) End 2 ID: 0.38 (10)	AF25067  CASE 7825516 Overall Height: 3.22 (82) Largest OD: 3.31 (84) Thread Size: 3/4-16 UNF-2B
AF25046  KOMATSU 6001818210 Primary Air Filter used with AF25047 Overall Height: 16.75 (425) Overall OD: 8.48 (215) End 1 ID: 4.17 (106) End 2 ID: 0.63 (16)	AF25060KM  KOMATSU 2050173750 Primary Air Filter used with AF25318, AF4896 Overall Height: 17.74 (451) Cover Diameter: 11.02 (280) Fin Diameter: 10.08 (256) End 2 ID: 5.33 (135) Thread Size: 7/16-20 UNF-2B	AF25069  MERCEDES-BENZ 30945104 Half housing attached Overall Height: 13.11 (333) End 1 OD: 7.48 (190) End 2 OD: 6.18 (157) End 1 ID: 2.76 (70)
AF25047  KOMATSU 6001818310 Safety Element used with AF25046 Overall Height: 15.50 (394) Overall OD: 4.10 (104) End 1 ID: 2.92 (74) End 2 ID: 0.63 (16)	AF25061  RENAULT V.I. 5000814947 Safety Element used with AF4984 Overall Height: 14.76 (375) Overall OD: 7.40 (188) End 1 ID: 6.30 (160) End 2 ID: 0.57 (15)	AF25070K  NISSAN 1654602N00 Seal included Overall Height: 11.40 (290) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 2.82 (72) End 2 ID: 0.67 (17)

E. PRODUCT GUIDE

AF25074 PEUGEOT 144588 Peugeot vans



Overall Height: 8.19 (208)
Overall OD: 4.84 (123)
End 1 ID: 2.52 (64)

AF25075 VOLKSWAGEN 2VC129619 Mexico only



Overall Height: 15.43 (392)
End 1 OD: 6.59 (167)
End 1 ID: 4.11 (104)

AF25084 VOLVO 1080920 Safety Element used with AF4942



Overall Height: 22.84 (580)
End 1 OD: 6.77 (172)
End 2 OD: 5.83 (148)
End 1 ID: 5.39 (137)
End 2 ID: 0.39 (10)

AF25086 Ford Cargo



AF25087 LEYLAND ACU8456 Seal included



Overall Height: 14.54 (369)
Overall OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF25088 KOMATSU 6675817021



Overall Height: 9.85 (250)
Overall OD: 9.65 (245)
End 1 ID: 5.25 (133)

AF25089 HITACHI 4206637



Height: 2.69 (68)
Length: 17.13 (435)
Width: 8.47 (215)

AF25090 CHRYSLER 4728406



Height: 2.30 (58)
Length: 11.81 (300)
Width: 10.75 (273)

AF25091 CUMMINS 3040098



Overall Height: 6.00 (152)
Overall OD: 11.50 (292)
End 1 ID: 9.50 (241)

AF25092M Kenworth T8000 and Reyton IT-3700 Applications



Overall Height: 24.30 (617)
Overall OD: 8.14 (207)
End 1 ID: 10.87 (276)
End 2 ID: 8.09 (205)

AF25111M CATERPILLAR 612499 Primary Air Filter used with AF25112M Magnum RS Version of AF344M



Overall Height: 12.32 (313)
End 1 OD: 9.19 (234)
End 2 OD: 9.06 (230)
End 1 ID: 4.63 (118)

AF25112M CATERPILLAR 612500 Safety Element used with AF25111M Magnum RS Version of AF343M



Overall Height: 11.58 (294)
End 1 OD: 4.69 (119)
End 2 OD: 4.49 (114)
End 1 ID: 3.19 (81)

AF25125M CATERPILLAR 612501 Primary Air Filter used with AF25126M Magnum RS Version



Overall Height: 13.23 (336)
End 1 OD: 11.06 (281)
End 2 OD: 10.97 (279)
End 1 ID: 5.91 (150)

AF25126M CATERPILLAR 612502 Safety Element used with AF25125M Magnum RS Version



Overall Height: 12.44 (316)
End 1 OD: 5.93 (151)
End 2 OD: 5.59 (142)
End 1 ID: 4.11 (105)

AF25129M CATERPILLAR 612503 Primary Air Filter used with AF25130M



Overall Height: 16.28 (414)
End 1 OD: 11.06 (281)
End 2 OD: 10.97 (279)
End 1 ID: 5.91 (150)

AF25130M CATERPILLAR 612504 Safety Element used with AF25129M Magnum RS Version



Overall Height: 15.67 (398)
End 1 OD: 5.93 (151)
End 2 OD: 5.59 (142)
End 1 ID: 4.11 (105)

AF25131M CATERPILLAR 610273 Primary Air Filter used with AF25132M Magnum RS Version of AF875M



Overall Height: 13.33 (339)
End 1 OD: 11.48 (292)
End 2 OD: 11.34 (288)
End 1 ID: 7.19 (183)

AF25132M CATERPILLAR 610274 Safety Element used with AF25131M Magnum RS Version



Overall Height: 13.15 (334)
End 1 OD: 7.26 (185)
End 2 OD: 6.89 (175)
End 1 ID: 5.20 (132)

AF25135M CATERPILLAR 612505 Primary Air Filter used with AF25136M Magnum RS Version



Overall Height: 15.37 (391)
End 1 OD: 12.48 (317)
End 2 OD: 12.36 (314)
End 1 ID: 8.21 (209)

AF25136M CATERPILLAR 612506 Safety Element used with AF25135M Magnum RS Version



Overall Height: 15.32 (389)
End 1 OD: 8.27 (210)
End 2 OD: 7.84 (199)
End 1 ID: 6.14 (156)

AF25137M CATERPILLAR 612509 Primary Air Filter used with AF25138M Magnum RS Version



Overall Height: 18.86 (479)
End 1 OD: 12.40 (315)
End 2 OD: 12.36 (314)
End 1 ID: 8.21 (209)

AF25138M CATERPILLAR 612510 Safety Element used with AF25137M Magnum RS version



Overall Height: 18.98 (482)
End 1 OD: 8.27 (210)
End 2 OD: 7.44 (189)
End 1 ID: 6.14 (156)

AF25139M DONALDSON P527682 Primary Air Filter used with AF25345 Magnum RS version.



Overall Height: 15.40 (391)
End 1 OD: 13.13 (334)
End 1 OD: 13.13 (333)
End 2 OD: 12.90 (328)
End 2 OD: 13.06 (332)
End 1 ID: 6.80 (173)
End 1 ID: 6.81 (173)

AF25200K HITACHI 4294845 Seal included



Overall Height: 7.50 (191)
Cover Diameter: 5.04 (128)
End 2 OD: 3.31 (84)
End 1 ID: 0.41 (11)
End 2 ID: 1.69 (43)

E. PRODUCT GUIDE

AF25211  AF4138 with gasket 3320720. Overall Height: 9.61 (244) Overall OD: 6.85 (174) End 1 ID: 4.23 (108) End 2 ID: 0.67 (17)	AF25226  FORD F1U29601A V8 Engine Overall Height: 4.40 (112) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)	AF25235  IVECO 1907695 For fire resistant version, use AF26296 Overall Height: 20.27 (515) Overall OD: 12.89 (327) End 1 ID: 8.58 (218) End 2 ID: 0.41 (11)
AF25215  FORD F3HZ9602A Safety Element used with AF4878 Overall Height: 12.01 (305) End 1 OD: 5.20 (132) End 2 OD: 4.96 (126) End 1 ID: 3.70 (94)	AF25227  MOTORCRAFT FA1605 Height: 2.34 (59) Length: 10.50 (267) Width: 8.34 (212)	AF25237  DAF 754718 Magnum RS version Overall Height: 16.56 (421) End 1 OD: 9.65 (245) End 2 OD: 9.53 (242) End 1 ID: 4.98 (127)
AF25218  AIR MAZE CD1623610827 Safety Element used with AF4678 Filter used with AH1151 Overall Height: 20.75 (527) Overall OD: 7.38 (187) End 1 ID: 6.12 (155) End 2 ID: 0.64 (16)	AF25228M  JOHN DEERE AZ45868 Primary Air Filter used with AF25229M Seal included Overall Height: 22.51 (572) End 1 OD: 12.09 (307) End 2 OD: 12.03 (306) End 1 ID: 7.74 (197) End 2 ID: 0.67 (17)	AF25238  VOLVO 1665898 Primary Air Filter used with AF25317 Magnum RS version Overall Height: 16.61 (422) Cover Diameter: 15.95 (405) End 2 OD: 12.91 (328) End 2 ID: 7.84 (199)
AF25219  DONALDSON P531026 Overall Height: 23.51 (597) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.87 (149)	AF25229M  JOHN DEERE AZ45867 Safety Element used with AF25228M Seal included Overall Height: 21.58 (548) End 1 OD: 8.43 (214) End 2 OD: 7.26 (185) End 1 ID: 6.23 (158) End 2 ID: 0.67 (17)	AF25239  VOLVO 16659088 Primary Air Filter used with AF25317 Magnum RS version Overall Height: 16.52 (420) Cover Diameter: 16.89 (429) End 2 OD: 13.78 (350) End 2 ID: 7.80 (198)
AF25221  KUBOTA 1142011180 Overall Height: 1.99 (51) End 1 OD: 4.72 (120) End 2 OD: 4.41 (112) End 2 ID: 2.09 (53)	AF25230  M.A.N. 81083040066 Safety Element used with AF25062 Overall Height: 23.98 (609) End 1 OD: 8.31 (211) End 2 OD: 7.95 (202) End 1 ID: 7.48 (190) End 2 ID: 0.67 (17)	AF25240  CHRYSLER MD604952 Overall Height: 2.15 (55) End 1 OD: 12.91 (328) End 2 OD: 9.06 (230) End 1 ID: 9.92 (252) End 2 ID: 6.02 (153)
AF25222  M.A.N. 81082040072 Primary Air Filter used with AF25225 Seal included Overall Height: 13.36 (339) End 1 OD: 11.88 (302) End 2 OD: 11.84 (301) End 1 ID: 7.55 (192) End 2 ID: 0.41 (11)	AF25231  HINO 178012440 Overall Height: 11.02 (280) Overall OD: 7.48 (190) End 1 ID: 0.89 (23)	AF25241  NISSAN 1654697002 Overall Height: 15.93 (405) Overall OD: 6.02 (153) End 1 ID: 4.76 (121)
AF25224K  LEYLAND ACU8916 Seal included Overall Height: 15.54 (395) Boot Diameter: 0.67 (17) Fin Diameter: 9.96 (253) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135)	AF25232  SUZUKI 1378078100 Overall Height: 1.79 (45) Overall OD: 8.37 (213) End 1 ID: 6.30 (160)	AF25242  NISSAN 1654697001 Overall Height: 16.46 (418) Overall OD: 8.98 (228) End 1 ID: 6.26 (159)
AF25225  M.A.N. 81083040069 Safety Element used with AF25222 Overall Height: 13.19 (335) End 1 OD: 6.38 (162) End 2 OD: 6.10 (155) End 1 ID: 5.53 (141) End 2 ID: 0.67 (17)	AF25233  FARR 119303004 Height: 0.75 (19) Length: 24.50 (622) Width: 15.50 (394)	AF25243  HONDA 17220PE3601 Overall Height: 2.48 (63) Overall OD: 10.24 (260) End 1 ID: 7.64 (194)
	AF25234  FARR 119303005 Height: 0.75 (19) Length: 23.50 (597) Width: 23.50 (597)	AF25246  IVECO 1908234 Overall Height: 9.88 (251) Overall OD: 6.10 (155) End 1 ID: 3.07 (78)

E. PRODUCT GUIDE

AF25247 Is a longer version of AF25858 Magnum RS version



Gasket: 3309167 (1)
Overall Height: 23.94 (608)
End 1 OD: 11.30 (287)
End 2 OD: 11.15 (283)
End 1 ID: 6.78 (172)

AF25248 DONALDSON P534925
Magnum RS version, Peterbilt Model 379



Overall Height: 26.10 (663)
End 1 OD: 12.95 (329)
End 2 OD: 12.80 (325)
End 1 ID: 7.45 (189)

AF25249M RENAULT V.I. 5010066304
Primary Air Filter used with AF4867, AF820M



Overall Height: 18.49 (470)
End 1 OD: 12.09 (307)
End 2 OD: 12.07 (307)
End 1 ID: 7.74 (197)
End 2 ID: 0.67 (17)

AF25250 RENAULT V.I. 5000814957
Safety Element used with AF25285



Overall Height: 13.23 (336)
Overall OD: 7.40 (188)
End 1 ID: 0.56 (14)
End 2 ID: 6.30 (160)

AF25251 RENAULT V.I. 5000814950
Safety Element used with AF25285



Overall Height: 12.76 (324)
Overall OD: 7.01 (178)
End 1 ID: 6.10 (155)

AF25252 RENAULT V.I. 5000294118
Renault AE cabins



Height: 1.97 (50)
Length: 10.67 (271)
Width: 11.30 (287)

AF25254 FORD F57X9601A



Overall Height: 7.90 (201)
End 1 OD: 6.09 (155)
End 2 OD: 5.04 (128)
End 1 ID: 3.30 (84)

AF25255 FORD F5TZ9601A,
MOTORCRAFT FA1617



Height: 6.02 (153)
Length: 12.93 (328)
Width: 6.19 (157)

AF25256 AC A1163C, GMC 25098463



Height: 1.65 (42)
Length: 11.52 (293)
Width: 6.01 (153)

AF25257 STEIGER 604452T2



Length: 13.18 (335)
Width: 5.25 (133)

AF25258 GMC 15998574 Magnum RS version



Overall Height: 10.65 (271)
Overall OD: 6.49 (165)
End 1 ID: 3.58 (91)

AF25259 GMC 15986275 Magnum RS version



Overall Height: 10.65 (271)
Overall OD: 7.24 (184)
End 1 ID: 3.58 (91)

AF25260 IVECO 1908233



Overall Height: 13.50 (343)
Overall OD: 6.10 (155)
End 1 ID: 3.19 (81)

AF25261 Gardner Denver Compressors



Overall Height: 11.71 (297)
Overall OD: 9.61 (244)
End 1 ID: 5.14 (131)

AF25262 CATERPILLAR 1063969,
FRAM CA8492 Primary Air Filter used with AF25263
Magnum RS version



Overall Height: 18.35 (466)
End 1 OD: 14.27 (363)
End 2 OD: 14.13 (359)
End 1 ID: 8.98 (228)

AF25263 CATERPILLAR 1063973
Safety Element used with AF25262 Magnum RS Version



Overall Height: 17.72 (450)
End 1 OD: 9.06 (230)
End 2 OD: 8.66 (220)
End 1 ID: 7.01 (178)

AF25264 M.A.N. 81083040083 Primary Air Filter used with AF25615
Magnum RS Version



Overall Height: 19.00 (483)
End 1 OD: 11.87 (302)
End 2 OD: 11.93 (303)
End 1 ID: 6.69 (170)

AF25265 BOMAG 5821003



Overall Height: 3.01 (77)
Overall OD: 3.33 (85)
End 1 ID: 2.36 (60)

AF25278 CUMMINS 3630778 Filter used with AH19036



Overall Height: 18.49 (470)
Cover Diameter: 16.41 (417)
End 2 OD: 13.83 (351)
End 2 ID: 9.48 (241)

AF25279 CATERPILLAR 6I1450
Primary Air Filter used with AF25280



Overall Height: 6.73 (171)
End 1 OD: 8.21 (209)
End 2 OD: 8.06 (205)
End 1 ID: 4.18 (106)

AF25280 CATERPILLAR 6I1451 Safety Element used with AF25279
Magnum RS Version



Overall Height: 5.83 (148)
End 1 OD: 4.25 (108)
End 2 OD: 4.02 (102)
End 1 ID: 2.60 (66)

AF25281 CATERPILLAR 1029388
Primary Air Filter used with AF25282



Overall Height: 7.54 (192)
End 1 OD: 8.21 (209)
End 2 OD: 8.06 (205)
End 1 ID: 4.18 (106)

AF25282 CATERPILLAR 1029387
Safety Element used with AF25281 Magnum RS version



Overall Height: 6.69 (170)
End 1 OD: 4.25 (108)
End 2 OD: 4.02 (102)
End 1 ID: 2.60 (66)

AF25284M RENAULT V.I. 5010317060
Primary Air Filter used with AF4867, AF820M






Overall Height: 18.73 (476)
End 1 OD: 12.09 (307)
End 2 OD: 12.07 (307)
End 1 ID: 7.74 (197)
End 2 ID: 0.67 (17)

AF25285 RENAULT V.I. 5000814945
Primary Air Filter used with AF25250, AF25251



Overall Height: 14.68 (373)
Cover Diameter: 14.33 (364)
End 2 OD: 11.02 (280)
End 1 ID: 0.63 (16)
End 2 ID: 7.48 (190)


E. PRODUCT GUIDE

AF25286  RENAULT V.I. 5000814946 Overall Height: 16.26 (413) Cover Diameter: 9.92 (252) End 2 OD: 8.66 (220) End 2 ID: 3.70 (94)	AF25294  VOLVO 16655631 Primary Air Filter used with AF4558 Overall Height: 21.64 (550) Cover Diameter: 12.32 (313) End 2 OD: 10.12 (257) End 2 ID: 6.34 (161)	AF25304  FORD F4TZ9D695A Height: 1.25 (32) Length: 4.43 (113) Width: 2.65 (67)
AF25287K  MITSUBISHI 9186101600 Overall Height: 12.29 (312) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF25295  TOYOTA 1780154080 Overall Height: 7.80 (198) Overall OD: 6.04 (153) End 1 ID: 3.52 (89)	AF25305  VOLVO 8143691 Height: 1.93 (49) Length: 8.27 (210) Width: 8.27 (210)
AF25288M  CATERPILLAR 6I2507 Primary Air Filter used with AF25289M Magnum RS Version. Overall Height: 15.37 (390) End 1 OD: 12.53 (318) End 2 OD: 12.37 (314) End 1 ID: 8.20 (208)	AF25296  PEUGEOT 1444A0 Overall Height: 11.26 (286) Overall OD: 6.65 (169) End 1 ID: 3.19 (81)	AF25306  MERCEDES-BENZ 30947504 Height: 2.77 (70) Length: 12.60 (320) Width: 10.95 (278)
AF25289M  CATERPILLAR 6I2508 Safety Element used with AF25288M Magnum RS version Overall Height: 11.77 (299) End 1 OD: 8.27 (210) End 2 OD: 7.44 (189) End 1 ID: 6.14 (156)	AF25299  DONALDSON P531138 Overall Height: 13.95 (354) Overall OD: 19.30 (490) End 1 ID: 12.90 (328)	AF25307  THERMO-KING 117234 Height: 1.14 (29) Length: 6.02 (153) Width: 7.60 (193)
AF25290  FIATAGRI 1930591 Primary Air Filter used with AF25434 Overall Height: 11.58 (294) Overall OD: 4.11 (105) End 1 ID: 2.38 (61)	AF25300  JOHN DEERE AL78223 Primary Air Filter used with AF25301 Overall Height: 12.21 (310) Fin Diameter: 9.29 (236) End 2 OD: 7.28 (185) End 1 ID: 3.60 (92) End 2 ID: 3.66 (93)	AF25308  TOYOTA 17741U210071 Flame Retardant Media Fire Resistant version of AF25436 Overall Height: 12.31 (313) Overall OD: 5.08 (129) End 1 ID: 3.20 (81)
AF25291  FIATAGRI 1930587 Primary Air Filter used with AF25484 Magnum RS Version Overall Height: 12.78 (325) Overall OD: 5.59 (142) End 1 ID: 3.25 (83)	AF25301  JOHN DEERE AL78224 Safety Element used with AF25300 Overall Height: 5.08 (129) Cover Diameter: 7.84 (199) End 2 OD: 5.02 (128) End 1 ID: 3.64 (93)	AF25311  J.C.B. 32903201 Primary Air Filter used with AF4882 Overall Height: 11.39 (289) Cover Diameter: 8.37 (213) End 2 OD: 6.08 (155) End 2 ID: 3.48 (89) Thread Size: M10 X 1.5-6H INT
AF25292  FIATAGRI 1930589, OMNIQUIP PARTS WORLDWIDE 8035098 Primary Air Filter used with AF25485 Magnum RS version Outer body is made of perforated metal, with 2 non-perforated sections in the body Overall Height: 13.78 (350) Overall OD: 6.50 (165) End 1 ID: 3.64 (93)	AF25302  FORD E9NN9B618BA Primary Air Filter used with AF25303 Used on Ford 4700K series tractor - Kubota Engine Overall Height: 13.12 (333) End 1 OD: 8.05 (204) End 2 OD: 7.44 (189) End 1 ID: 0.56 (14) End 2 ID: 3.75 (95) Thread Size: M10 X 1.5-6H INT	AF25312  VOLVO PENTA 865152 Overall Height: 27.64 (702) End 1 OD: 10.04 (255) End 2 OD: 9.92 (252) End 1 ID: 4.53 (115)
AF25293M  PEGASO 171686 Overall Height: 20.52 (521) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)	AF25303  NEW HOLLAND 82008601, FORD FINISCODE 1869555 Safety Element used with AF25302 Used on Ford 4700K series tractor - Kubota engine Overall Height: 11.48 (292) End 1 OD: 4.34 (110) End 2 OD: 3.63 (92) End 1 ID: 3.00 (76) End 2 ID: 0.56 (14)	AF25313  SCANIA 1335678 Primary Air Filter used with AF25969 Magnum RS version Overall Height: 20.65 (525) End 1 OD: 11.87 (302) End 2 OD: 11.93 (303) End 1 ID: 6.69 (170)

E. PRODUCT GUIDE

AF25314  SCANIA 1335679 Magnum RS Version Overall Height: 17.46 (444) End 1 OD: 11.87 (302) End 2 OD: 11.93 (303) End 1 ID: 6.69 (170)	AF25323  MASSEY-FERGUSON 3595500M1 Primary Air Filter used with AF25356 Overall Height: 10.99 (279) Cover Diameter: 8.37 (213) End 2 OD: 6.08 (155) End 2 ID: 3.48 (89) Thread Size: 7/16-20 UNF-2B	AF25334  JOHN DEERE AL78870 Safety Element used with AF25341 Overall Height: 5.08 (129) Cover Diameter: 9.37 (238) End 2 OD: 6.36 (162) End 1 ID: 4.67 (119)
AF25315K  FIAT-ALLIS 1930604 Primary Air Filter used with AF4761M Overall Height: 16.46 (418) Fin Diameter: 11.73 (298) End 2 OD: 9.67 (246) End 1 ID: 6.06 (154) End 2 ID: 0.63 (16)	AF25324K  MASSEY-FERGUSON 3515586M1 Primary Air Filter used with AF25356 Overall Height: 11.11 (282) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89) Thread Size: 7/16-20 UNF-2B	AF25335  PERLINI 350087A Primary Air Filter used with AF25326 Overall Height: 24.54 (623) End 1 OD: 12.08 (307) End 2 OD: 12.06 (306) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF25316  GMC 25042562 Height: 1.67 (42) Length: 16.00 (406) Width: 7.91 (201)	AF25325  VAPORMATIC CPD7042, FORD E6NN9B618B Overall Height: 16.58 (421) End 1 OD: 9.01 (229) End 2 OD: 9.00 (229) End 1 ID: 5.71 (145)	AF25336  FORD 9846495 Safety Element used with AF25368 Overall Height: 15.01 (381) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)
AF25317  VOLVO 1665937 Safety Element used with AF25238, AF25239, AF25632 On Volvo Model FH12 use AF25238 - On Volvo Model FH16 use AF25239 Overall Height: 17.64 (448) End 1 OD: 7.97 (203) End 2 OD: 7.68 (195) End 1 ID: 6.69 (170)	AF25326  PERLINI 350088A Safety Element used with AF25335 Overall Height: 23.37 (594) End 1 OD: 8.43 (214) End 2 OD: 7.26 (185) End 1 ID: 6.24 (159) End 2 ID: 0.67 (17)	AF25337M  TOYOTA 177432360071, TOYOTA 177412360071 Primary Air Filter used with AF25483 Magnum RS Version Overall Height: 10.97 (279) Overall OD: 5.43 (138) End 1 ID: 3.29 (84)
AF25318  KOMATSU 20501K1480 Safety Element used with AF25060KM Overall Height: 16.42 (417) Overall OD: 4.61 (117) End 1 ID: 3.56 (90) End 2 ID: 0.67 (17)	AF25330  FARR T529DR Filter used with 3349348 Height: 5.25 (133) Length: 29.50 (749) Width: 19.00 (483)	AF25338  CATERPILLAR 1236855 Primary Air Filter used with AF25339 Magnum RS version Overall Height: 15.53 (394) End 1 OD: 14.27 (363) End 2 OD: 14.13 (359) End 1 ID: 8.98 (228)
AF25319  MERCEDES-BENZ 30948304 Height: 3.16 (80) Length: 12.60 (320) Width: 10.95 (278)	AF25331  MASSEY-FERGUSON 3385733M1 Primary Air Filter used with AF4994 Overall Height: 13.49 (343) Cover Diameter: 11.02 (280) End 2 OD: 9.21 (234) End 2 ID: 5.00 (127) Thread Size: 7/16-20 UNF-2B	AF25339  CATERPILLAR 1236856 Safety Element used with AF25338 Overall Height: 15.16 (385) End 1 OD: 9.06 (230) End 2 OD: 8.66 (220) End 1 ID: 7.01 (178)
AF25320  VOLKSWAGEN 44129620 Overall Height: 9.33 (237) Overall OD: 6.42 (163) End 1 ID: 3.66 (93)	AF25332  LISTER PETTER 60131350 Overall Height: 4.15 (106) Overall OD: 3.66 (93) End 1 ID: 2.21 (56)	AF25340  KOHLER 4708303 Overall Height: 2.55 (65) Overall OD: 7.00 (178) End 1 ID: 5.57 (141)
AF25321  MANITOU 177179 Safety Element used with AF4909K Overall Height: 11.24 (286) End 1 OD: 3.76 (96) End 2 OD: 3.37 (86) End 1 ID: 2.93 (75) End 2 ID: 0.35 (9)	AF25333  RENAULT V.I. 5010230841 Primary Air Filter used with 5010317187, AF25634 Magnum RS Version For fire resistant version, use AF26244 Overall Height: 18.25 (464) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF25341  JOHN DEERE AL78869 Primary Air Filter used with AF25334 Overall Height: 12.17 (309) Fin Diameter: 11.22 (285) End 2 OD: 8.80 (224) End 1 ID: 4.86 (124)
AF25322  HATZ 952900 Overall Height: 3.64 (93) Overall OD: 9.65 (245) End 1 ID: 5.63 (143)		



E. PRODUCT GUIDE

AF25342  NEW HOLLAND 1930605 Primary Air Filter used with AF25978, AF4165 Overall Height: 13.49 (343) Cover Diameter: 8.37 (213) End 2 OD: 6.08 (155) End 2 ID: 3.48 (89) Thread Size: 7/16-20 UNF-2B	AF25351  FARYMANN 5410612 Overall Height: 6.87 (175) Overall OD: 4.96 (126) End 1 ID: 2.52 (64) End 2 ID: 0.34 (9)	AF25359  JOHN DEERE RE51629 Primary Air Filter used with AF25360 Magnum RS Version Overall Height: 15.75 (400) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)
AF25343  MASSEY-FERGUSON 1644333M1 Primary Air Filter used with AF25344 Overall Height: 12.44 (316) End 1 OD: 8.98 (228) End 2 OD: 8.31 (211) End 1 ID: 0.39 (10) End 2 ID: 5.30 (135)	AF25352  JOHN DEERE RT6005011111, INGERSOLL- RAND 85400729 Primary Air Filter used with AF25485 Magnum RS VersionOuter body is made entirely of flattened expanded metal Is European Version of: AF25557 Overall Height: 13.78 (350) Overall OD: 6.50 (165) End 1 ID: 3.64 (93)	AF25360  JOHN DEERE RE51630 Safety Element used with AF25359 Magnum RS Version Overall Height: 15.04 (382) End 1 OD: 5.93 (151) End 2 OD: 5.59 (142) End 1 ID: 4.11 (105)
AF25344  MASSEY-FERGUSON 1644334M1 Safety Element used with AF25343 Overall Height: 11.46 (291) Overall OD: 5.20 (132) End 1 ID: 4.06 (103) End 2 ID: 0.34 (9)	AF25353  NISSAN 165461G000 Overall Height: 9.23 (235) Overall OD: 4.96 (126) End 1 ID: 2.52 (64) End 2 ID: 0.34 (9)	AF25361  JOHN DEERE RE34967 Safety Element used with AF25358 Magnum RS version Overall Height: 14.96 (380) End 1 OD: 5.20 (132) End 2 OD: 4.96 (126) End 1 ID: 3.70 (94)
AF25345  DONALDSON P527683 Safety Element used with AF25139M Magnum RS Version Overall Height: 14.45 (367) End 1 OD: 6.89 (175) End 2 OD: 6.75 (172) End 1 ID: 5.28 (134)	AF25354  DONALDSON P536142, DONALDSON P533930 Primary Air Filter used with AF25429 Used in EPG13-0090 Don. Hsg. Overall Height: 15.46 (393) End 1 OD: 11.11 (282) End 2 OD: 10.96 (278) End 1 ID: 5.87 (149)	AF25365  MITSUBISHI ME073821, CHAMP LAF5783, LUBERFINER LAF5783 Primary Air Filter used with AF25640 Magnum RS Version Overall Height: 16.25 (413) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.21 (132)
AF25346  FARR 117780001 Farr RF-180 Series (Baggie Style Air) Height: 6.38 (162) Length: 29.38 (746) Width: 27.38 (695)	AF25355  Overall Height: 15.46 (393) End 1 OD: 11.11 (282) End 2 OD: 10.96 (278) End 1 ID: 5.87 (149)	AF25366  NISSAN 1654606J11 Overall Height: 6.04 (154) Overall OD: 6.04 (153) End 1 ID: 3.52 (89) End 2 ID: 3.52 (89)
AF25347  FARR 117780002 Farr RF-180 Series (Baggie Style Air) Height: 5.12 (130) Length: 19.50 (495) Width: 22.12 (562)	AF25356  MASSEY-FERGUSON 3595501M1 Safety Element used with AF25323, AF25324K Overall Height: 9.04 (230) End 1 OD: 3.74 (95) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)	AF25368  NEW HOLLAND 89846494 Primary Air Filter used with AF25336 Overall Height: 16.05 (408) Overall OD: 9.92 (252) End 1 ID: 6.10 (155) End 2 ID: 0.67 (17)
AF25348K  FIAT HITACHI 71405431 Primary Air Filter used with AF25978, AF4165 Overall Height: 13.93 (354) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89)	AF25357  RENAULT D.M.A. 6005002529 Safety Element used with AF25349, AF25501 Overall Height: 13.07 (332) Overall OD: 4.23 (108) End 1 ID: 3.17 (81) End 2 ID: 0.34 (9)	AF25371  NEW HOLLAND 82008606 Primary Air Filter used with AF25457 Overall Height: 15.55 (395) End 1 OD: 9.09 (231) End 2 OD: 8.35 (212) End 1 ID: 0.45 (12) End 2 ID: 4.84 (123)
AF25349  RENAULT D.M.A. 7701028479 Primary Air Filter used with AF25357 Overall Height: 14.63 (372) End 1 OD: 7.44 (189) End 2 OD: 6.65 (169) End 1 ID: 0.34 (9) End 2 ID: 4.31 (110)	AF25358  JOHN DEERE RE34966 Primary Air Filter used with AF25361 Magnum RS version Overall Height: 15.67 (398) Overall OD: 9.29 (236) End 1 ID: 5.20 (132)	AF25372  ISUZU 8943349060 Overall Height: 5.87 (149) Overall OD: 5.98 (152) End 1 ID: 3.49 (89)

E. PRODUCT GUIDE

AF25373K  MITSUBISHI MD620109 Overall Height: 6.15 (156) Overall OD: 6.04 (153) End 1 ID: 3.52 (89) End 2 ID: 3.52 (89)	AF25386  KOMATSU 1654674200, NISSAN 1654674200 Overall Height: 5.00 (127) Overall OD: 6.38 (162) End 1 ID: 3.69 (94)	AF25410M  TORIT 8PP2537000 Flame retardant media Overall Height: 22.50 (572) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)
AF25374  KOMATSU 4210712312 Height: 2.21 (56) Length: 9.96 (253) Width: 6.00 (153)	AF25392  NISSAN 165460T006 Overall Height: 7.99 (203) End 1 OD: 7.95 (202) End 2 OD: 2.68 (68) End 1 ID: 4.94 (126)	AF25411M  TORIT 8PP4205800 Flame retardant media Overall Height: 26.50 (673) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)
AF25376  HATZ 40084500 Overall Height: 3.66 (93) Overall OD: 6.50 (165) End 1 ID: 3.50 (89) End 2 ID: 3.50 (89)	AF25398  HINO 178012900 Overall Height: 12.29 (312) Overall OD: 6.33 (161) End 1 ID: 5.22 (133)	AF25412  DONALDSON P821963 Safety Element used with AF25414 Overall Height: 13.65 (347) End 1 OD: 5.30 (135) End 2 OD: 4.98 (126) End 1 ID: 4.43 (113)
AF25380  TOYOTA 1780154100 Overall Height: 11.02 (280) Overall OD: 5.28 (134) End 1 ID: 3.05 (78)	AF25399  TOYOTA 1780135030 Overall Height: 5.67 (144) Overall OD: 6.20 (158) End 1 ID: 3.01 (77)	AF25413  HITACHI 4287060 Safety Element used with AF25384 Overall Height: 13.78 (350) Overall OD: 4.95 (126) End 1 ID: 4.10 (104)
AF25382  RENAULT V.I. 5010230916 Primary Air Filter used with AF25439 Magnum RS Version For fire resistant version, use AF26272 Overall Height: 21.77 (553) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF25402  KOMATSU 6001815440 Overall Height: 24.51 (623) End 1 OD: 15.85 (403) End 2 OD: 13.79 (350) End 1 ID: 9.53 (242) End 2 ID: 0.85 (22)	AF25414  HITACHI 4286128 Primary Air Filter used with AF25412 Overall Height: 14.45 (367) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.21 (132)
AF25383  NISSAN D654629100 Magnum RS Version Overall Height: 14.68 (373) End 1 OD: 11.30 (287) End 2 OD: 11.15 (283) End 1 ID: 6.87 (175)	AF25403  KOMATSU 6001815450 Overall Height: 22.72 (577) Overall OD: 8.59 (218) End 1 ID: 7.15 (182) End 2 ID: 0.68 (17)	AF25415  HINO 178012810 Overall Height: 18.49 (470) Overall OD: 9.21 (234) End 1 ID: 4.86 (123) End 2 ID: 0.67 (17)
AF25384  HITACHI 4283861 Primary Air Filter used with AF25413 Overall Height: 14.51 (368) End 1 OD: 8.21 (209) End 2 OD: 8.00 (203) End 1 ID: 4.87 (124)	AF25408  MITSUBISHI ME073252 Overall Height: 17.65 (448) Overall OD: 9.13 (232) End 1 ID: 5.83 (148) End 2 ID: 0.88 (22)	AF25416  HINO 178013000 Primary Air Filter used with AF25638 Overall Height: 13.61 (346) End 1 OD: 9.38 (238) End 2 OD: 9.23 (234) End 1 ID: 5.89 (150) End 2 ID: 5.21 (132)
AF25385K  DAIHATSU 1780187304 Overall Height: 8.11 (206) End 1 OD: 6.03 (153) End 2 OD: 6.02 (153) End 1 ID: 3.51 (89) End 2 ID: 3.51 (89)	AF25409M  Rogers Machinery Gen Set Overall Height: 12.67 (322) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.90 (23)	AF25417  HITACHI 4206099 Overall Height: 12.35 (314) Overall OD: 6.08 (154) End 1 ID: 4.06 (103) End 2 ID: 0.65 (17)


E. PRODUCT GUIDE

AF25418  HITACHI 4285623 Overall Height: 12.92 (328) End 1 OD: 6.06 (154) End 2 OD: 7.89 (200) End 1 ID: 4.06 (103) End 2 ID: 0.63 (16)	AF25429  DONALDSON P533890 Safety Element used with AF25354 Used in EPG13-0077 Donaldson Housing. Overall Height: 14.84 (377) End 1 OD: 5.94 (151) End 2 OD: 5.60 (142) End 1 ID: 5.05 (128)	AF25438  mitsubishi ME017242 Magnum RS Version Overall Height: 9.69 (246) Overall OD: 7.09 (180) End 1 ID: 3.70 (94)
AF25419  HITACHI 4247975 Overall Height: 11.58 (294) Overall OD: 4.03 (102) End 1 ID: 3.01 (76) End 2 ID: 0.63 (16)	AF25430  Safety Element used with AF25033M Overall Height: 17.76 (451) End 1 OD: 6.89 (175) End 2 OD: 6.52 (166) End 1 ID: 5.89 (150)	AF25439  RENAULT V.I. 5010269584 Safety Element used with AF25382 Magnum RS version Overall Height: 21.06 (535) End 1 OD: 7.05 (179) End 2 OD: 6.81 (173) End 1 ID: 5.39 (137)
AF25423  FORD F5UZ9601A Height: 1.63 (41) Length: 11.28 (286) Width: 6.57 (167)	AF25432K  TOYOTA 178072380071 Primary Air Filter used with AF4744 Overall Height: 11.54 (293) Cover Diameter: 7.76 (197) Fin Diameter: 6.34 (161) End 1 ID: 0.47 (12) End 2 ID: 3.35 (85)	AF25440K  KUBOTA 1497111180 Overall Height: 4.02 (102) End 1 OD: 4.17 (106) End 2 OD: 3.37 (86) End 1 ID: 1.24 (32) End 2 ID: 1.22 (31)
AF25424  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2243521 Safety Element used with AF4137, AF4637, AF990 Overall Height: 7.52 (191) End 1 OD: 3.31 (84) End 2 OD: 3.23 (82) End 1 ID: 2.87 (73) End 2 ID: 0.34 (9)	AF25433  FARYMANN 5410522 Overall Height: 5.35 (136) Overall OD: 3.90 (99) End 1 ID: 1.44 (37)	AF25441  HITACHI 4285619 Overall Height: 11.42 (290) End 1 OD: 9.94 (252) End 2 OD: 7.94 (202) End 1 ID: 0.85 (22) End 2 ID: 5.25 (133)
AF25425  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 2243522 Safety Element used with AF991 Overall Height: 12.24 (311) End 1 OD: 3.31 (84) End 2 OD: 3.23 (82) End 1 ID: 2.87 (73) End 2 ID: 0.34 (9)	AF25434  FIATAGRI 1930592 Safety Element used with AF25290, AF25539 Overall Height: 11.28 (287) End 1 OD: 2.36 (60) End 2 OD: 2.24 (57) End 1 ID: 1.65 (42)	AF25442  mitsubishi 9126106700 Overall Height: 9.19 (233) Fin OD: 5.16 (131) End 1 OD: 4.20 (107) End 1 ID: .64 (16) End 2 ID: 2.17 (55)
AF25426  DAF 1317409 Magnum RS Version Overall Height: 19.04 (484) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)	AF25435  VOLVO 8076195 Gasket: 256464 (1) Overall Height: 16.50 (419) Overall OD: 13.09 (332) End 1 ID: 7.69 (195)	AF25443  KOMATSU 6001816340 Overall Height: 10.20 (259) End 1 OD: 6.33 (161) End 2 OD: 5.09 (129) End 1 ID: 0.64 (16) End 2 ID: 3.05 (77)
AF25427  MERCEDES-BENZ 30949104 Overall Height: 12.53 (318) End 1 OD: 16.54 (420) End 2 OD: 16.52 (420) End 1 ID: 10.02 (255) End 2 ID: 0.41 (11)	AF25436  FIAT HITACHI 4290940 Primary Air Filter used with AF25497 Magnum RS version Is European Version of: AF25553 For fire resistant version, use AF25308 Overall Height: 12.30 (313) Overall OD: 4.96 (126) End 1 ID: 3.21 (82)	AF25444  KOMATSU 6001819470 Overall Height: 12.43 (316) End 1 OD: 7.60 (193) End 2 OD: 6.07 (154) End 1 ID: 0.63 (16) End 2 ID: 3.29 (84)
AF25428  MERCEDES-BENZ 30949204 Overall Height: 10.30 (262) End 1 OD: 16.54 (420) End 2 OD: 16.52 (420) End 1 ID: 10.02 (255) End 2 ID: 0.41 (11)	AF25437  DAF 1295090, INGERSOLL-RAND 85400737 Primary Air Filter used with AF25523 Magnum RS version Overall Height: 20.65 (525) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)	AF25446  NISSAN 1654665000 Overall Height: 2.68 (68) Overall OD: 14.33 (364) End 1 ID: 11.73 (298)
		AF25447  mitsubishi MD604940 Overall Height: 2.65 (67) Overall OD: 10.53 (267) End 1 ID: 7.80 (198) End 2 ID: 7.35 (187)

E. PRODUCT GUIDE

AF25449  MAZDA S20723603 Overall Height: 8.35 (212) Overall OD: 6.00 (153) End 1 ID: 3.39 (86)	AF25461M  CASE 132149A1 Safety Element used with AF25460M Magnum RS Version Overall Height: 20.75 (527) End 1 OD: 5.93 (151) End 2 OD: 5.59 (142) End 1 ID: 4.11 (105)	AF25474  HONDA 17210ZE3822, HONDA 17210ZE3505 Overall Height: 3.58 (91) End 1 ID: 0.87 (22)
AF25450  HINO 178012910, HINO 178012830 Overall Height: 14.45 (367) Overall OD: 10.91 (277) End 1 ID: 6.50 (165)	AF25466M  STEIGER 908300T1 Primary Air Filter used with AF25467M Magnum RS Version Overall Height: 21.45 (545) End 1 OD: 12.53 (318) End 2 OD: 12.37 (314) End 1 ID: 8.20 (208)	AF25475  HINO 178012410 Overall Height: 9.29 (236) Overall OD: 7.48 (190) End 1 ID: 4.13 (105)
AF25450M  DONALDSON P830524 Overall Height: 14.31 (364) End 1 OD: 10.57 (268) End 2 OD: 6.02 (153) End 1 ID: 6.47 (164) End 2 ID: 0.90 (23)	AF25467M  CASE 908301T1 Safety Element used with AF25466M Magnum RS Version Overall Height: 20.75 (527) End 1 OD: 8.27 (210) End 2 OD: 7.84 (199) End 1 ID: 6.14 (156)	AF25476  MERCEDES-BENZ 40940204 Primary Air-Magnum RS Version Overall Height: 16.12 (410) End 1 OD: 13.58 (345) End 2 OD: 10.98 (279) End 2 ID: 4.92 (125)
AF25451  HINO 178012820, HINO 178012730 Overall Height: 13.39 (340) Overall OD: 9.06 (230) End 1 ID: 4.76 (121)	AF25468  TEREX 15270189 Safety Element used with AF25454, AF25627 Overall Height: 20.04 (509) End 1 OD: 7.05 (179) End 2 OD: 6.81 (173) End 1 ID: 5.39 (137)	AF25477  MITSUBISHI 9136113300 Overall Height: 8.95 (227) End 1 OD: 6.16 (156) End 2 OD: 4.27 (108) End 2 ID: 2.21 (56)
AF25454  INGERSOLL-RAND 85401339 Primary Air Filter used with AF25468 Terex 15270188 - Magnum RS Version - Overall Height: 20.63 (524) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF25469  DONALDSON P533938 Primary Air Filter used with AF25470 Magnum RS Version Overall Height: 17.23 (438) Overall OD: 13.50 (343) End 1 ID: 8.20 (208)	AF25478  LEYLAND ACHD040 Magnum RS Version Overall Height: 20.91 (531) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)
AF25456K  CASE 1265510C1 Overall Height: 11.50 (292) Fin Diameter: 6.41 (163) End 2 OD: 5.25 (133) End 1 ID: 3.25 (83) End 2 ID: 0.66 (17)	AF25470  DONALDSON P533946 Safety Element used with AF25469 Magnum RS Version Overall Height: 16.84 (428) End 1 OD: 8.32 (211) End 2 OD: 7.89 (200) End 1 ID: 6.12 (155)	AF25479  VAN HOOL 10591354 Primary Air Filter used with AF25620 Overall Height: 22.95 (583) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)
AF25457  NEW HOLLAND 82008607 Safety Element used with AF25371 Overall Height: 13.92 (354) End 1 OD: 5.98 (152) End 2 OD: 4.72 (120) End 1 ID: 3.94 (100) End 2 ID: 0.43 (11)	AF25471  HONDA 17210ZE0505, HONDA 17210ZE0822 Overall Height: 2.01 (51) End 1 ID: 0.87 (22)	AF25480  VORTOX VF120W Overall Height: 19.05 (484) Overall OD: 10.98 (279) End 1 ID: 5.80 (147)
AF25460M  CASE 132151A1 Primary Air Filter used with AF25461M Magnum RS Version Overall Height: 21.50 (546) End 1 OD: 11.11 (282) End 2 OD: 10.98 (279) End 1 ID: 5.87 (149)	AF25472  HONDA 17210ZB1822, HONDA 17210ZE1505 Overall Height: 2.76 (70) End 1 ID: 0.87 (22)	AF25481  HATZ 4030100 Overall Height: 3.31 (84) Overall OD: 5.53 (141) End 1 ID: 3.13 (80)
	AF25473  HONDA 17210ZE2505, HONDA 17210ZE2822 Overall Height: 3.07 (78) End 1 ID: 0.87 (22)	

E. PRODUCT GUIDE

AF25483  TOYOTA 177442360071 Safety Element used with AF2537M Magnum RS Version Overall Height: 10.41 (265) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)	AF25497  CATERPILLAR 1402337, BOBCAT 6666334 Safety Element used with AF25436 Magnum RS version Is European Version of: AF25554 Overall Height: 11.63 (296) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)	AF25506  FARR 55445011 Height: 5.30 (135) Length: 36.44 (926) Width: 14.00 (356)
AF25484  FIATAGRI 1930588 Safety Element used with AF25291, AF25526, AF25588 Magnum RS Version Is European Version of: AF25556 Overall Height: 12.50 (318) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)	AF25498  NEW HOLLAND 82008596 Primary Air Filter used with AF25499 Overall Height: 12.36 (314) End 1 OD: 9.13 (232) End 2 OD: 8.35 (212) End 1 ID: 0.45 (12) End 2 ID: 4.84 (123)	AF25507  CLARK AK2 Overall Height: 12.15 (309) Overall OD: 8.00 (203) End 1 ID: 6.13 (156)
AF25485  INGERSOLL-RAND 59046805, FIATAGRI 1930590 Safety Element used with AF25292, AF25352 Magnum RS version Is European Version of: AF25558 Overall Height: 13.29 (338) End 1 OD: 3.66 (93) End 2 OD: 3.43 (87) End 1 ID: 2.84 (72)	AF25499  NEW HOLLAND 82008597 Safety Element used with AF25498 Overall Height: 10.81 (275) End 1 OD: 5.98 (152) End 2 OD: 4.72 (120) End 1 ID: 3.94 (100) End 2 ID: 0.43 (11)	AF25508  MIDLAND STEEL 100696E Overall Height: 1.25 (32) Overall OD: 4.00 (102) End 1 ID: 1.88 (48)
AF25490  KHD(KLOCKNER- HUMBOLDT-DEUTZ) 4308634 Safety Element used with AF4137 Overall Height: 7.85 (200) End 1 OD: 3.15 (80) End 2 OD: 2.64 (67) End 1 ID: 2.28 (58) End 2 ID: 0.35 (9)	AF25500K  MITSUBISHI MD620563 Overall Height: 7.89 (201) Fin Diameter: 7.85 (200) End 2 OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.47 (12)	AF25509K  J.C.B. 32906801 Primary Air Filter used with AF4882 Is a short version of AF4892K Overall Height: 11.39 (289) Cover Diameter: 8.37 (213) Fin Diameter: 7.85 (200) End 2 ID: 3.48 (89) Thread Size: M10 X 1.5-6H
AF25491  J.C.B. 32912902 Safety Element used with AF25492, AF25964 Magnum RS version Overall Height: 15.93 (405) End 1 OD: 4.29 (109) End 2 OD: 4.06 (103) End 1 ID: 3.47 (88)	AF25501  VALMET 836136409 Primary Air Filter used with AF25357 Overall Height: 13.70 (348) Cover Diameter: 7.76 (197) End 2 OD: 6.44 (164) End 1 ID: 0.34 (9) End 2 ID: 4.63 (118)	AF25510  TOYOTA 1780154170 Overall Height: 4.64 (118) Overall OD: 8.48 (215) End 1 ID: 4.25 (108)
AF25492  J.C.B. 32912901, INGERSOLL-RAND 85400752 Primary Air Filter used with AF25491 Magnum RS Version Overall Height: 16.58 (421) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)	AF25502K  SAME 242493401 Primary Air Filter used with AF25503 Overall Height: 12.85 (327) Cover Diameter: 6.73 (171) Fin Diameter: 6.26 (159) End 2 ID: 3.17 (81) Thread Size: 7/16-20 UNF-2B	AF25517  GENERAL ELECTRIC 1X6383 Overall Height: 7.88 (200) Overall OD: 5.56 (141) End 1 ID: 2.75 (70)
AF25493  TOYOTA 278011506083 Overall Height: 1.50 (38) Overall OD: 9.84 (250) End 1 ID: 2.56 (65)	AF25503  SAME 242493402 Safety Element used with AF25502K Overall Height: 11.14 (283) End 1 OD: 3.66 (93) End 2 OD: 2.01 (51) End 1 ID: 2.42 (62) End 2 ID: 0.65 (17)	AF25519  INGERSOLL-RAND 59144188 Overall Height: 11.74 (298) Overall OD: 3.32 (84) End 1 ID: 2.55 (65)
AF25496  M.A.N. 81083040087, M.A.N. 81084050015 Magnum RS version Overall Height: 15.04 (382) Overall OD: 9.76 (248) End 1 ID: 4.72 (120)	AF25504  RENAULT AGRICULTURE 7700039509 Primary Air Filter used with AF25755 Magnum RS Version Overall Height: 15.04 (382) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)	AF25521  CASE 128782A1 Safety Element used with AF25524 Magnum RS type Overall Height: 14.86 (378) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)

E. PRODUCT GUIDE

AF25522 KASSBOHRER 8319147187



Overall Height: 18.50 (470)
End 1 OD: 11.87 (302)
End 2 OD: 11.93 (303)
End 1 ID: 6.69 (170)

AF25523 Safety Element used with AF25437, AF25756 John Deere 644H Wheel Loader.



Overall Height: 19.72 (501)
End 1 OD: 5.93 (151)
End 2 OD: 5.59 (142)
End 1 ID: 4.11 (105)

AF25524 CASE 128781A1 Primary Air Filter used with AF25521



Overall Height: 15.43 (392)
Overall OD: 5.43 (138)
End 1 ID: 3.29 (84)

AF25525 Is a short version of AF25952M Similar to AF25219 with Hot Melt on Outside Only



Overall Height: 23.66 (601)
End 1 OD: 9.38 (238)
End 2 OD: 9.23 (234)
End 1 ID: 5.87 (149)

AF25526 ATLAS 2991546, INGERSOLL-RAND 85400679 Primary Air Filter used with AF25484 Magnum RS type



Overall Height: 12.78 (325)
Overall OD: 5.59 (142)
End 1 ID: 3.25 (83)

AF25527 J.C.B. 32905302 Safety Element used with AF25528K, WGA473K



Overall Height: 7.05 (179)
End 1 OD: 2.76 (70)
End 2 OD: 2.40 (61)
End 1 ID: 2.01 (51)
End 2 ID: 0.67 (17)

AF25528K J.C.B. 32905301 Primary Air Filter used with AF25527



Overall Height: 8.39 (213)
Cover Diameter: 5.59 (142)
Fin Diameter: 5.16 (131)
End 2 ID: 2.48 (63)

AF25529 J.C.B. 32905002 Safety Element used with AF25540K



Overall Height: 7.01 (178)
End 1 OD: 3.64 (93)
End 2 OD: 2.74 (70)
End 1 ID: 2.42 (62)
End 2 ID: 0.67 (17)

AF25530 LISTER PETTER 36607188



Overall Height: 2.91 (74)
Overall OD: 5.95 (151)
End 1 ID: 3.47 (88)
End 2 ID: 3.47 (88)

AF25538 MASSEY-FERGUSON 6191362M1 Primary Air Filter used with AF25967 Magnum RS
Is European Version of: AF25550



Overall Height: 7.28 (185)
Overall OD: 3.54 (90)
End 1 ID: 1.81 (46)

AF25539 ATLAS 2911788, INGERSOLL-RAND 85400646 Primary Air Filter used with AF25434 Magnum RS Version




Overall Height: 11.58 (294)
Overall OD: 4.11 (105)
End 1 ID: 2.38 (61)

AF25540K J.C.B. 32905001 Primary Air Filter used with AF25529



Overall Height: 8.47 (215)
Cover Diameter: 7.05 (179)
Fin Diameter: 6.34 (161)
End 2 ID: 2.82 (72)
Thread Size: M10 X 1.5-6H INT

AF25541 CHRYSLER 4864442



Height: 2.86 (73)
Length: 11.81 (300)
Width: 10.75 (273)

AF25542 FRANKLIN 1504918, FRAM CA2551SY, BALDWIN PA2607 Safety Element used with AF4767



Overall Height: 12.50 (318)
Overall OD: 5.56 (141)
End 1 ID: 4.50 (114)
End 2 ID: 0.42 (11)

AF25543K Filter used with AH19108



Overall Height: 10.38 (264)
Fin Diameter: 5.17 (131)
End 2 OD: 4.09 (104)
End 1 ID: 2.47 (63)
End 2 ID: 0.66 (17)

AF25544 Primary Air Filter used with AF25545 Filter used with AH19075, AH19076



Overall Height: 24.50 (622)
Overall OD: 15.12 (384)
End 1 ID: 10.00 (254)

AF25545 Safety Element used with AF25544 Filter used with AH19076



Overall Height: 23.50 (597)
Overall OD: 9.89 (251)
End 1 ID: 8.05 (204)

AF25546 Filter used with AH19077



Overall Height: 15.50 (394)
End 1 OD: 7.00 (178)
End 2 OD: 5.98 (152)
End 1 ID: 3.62 (92)

AF25547 Filter used with AH19078



Overall Height: 18.50 (470)
End 1 OD: 8.25 (210)
End 2 OD: 7.20 (183)
End 1 ID: 4.75 (121)

AF25548 Filter used with AH19079



Overall Height: 19.50 (495)
End 1 OD: 9.85 (250)
End 2 OD: 7.94 (202)
End 1 ID: 6.05 (154)

AF25549 Filter used with AH19080



Overall Height: 19.50 (495)
End 1 OD: 11.46 (291)
End 2 OD: 10.39 (264)
End 1 ID: 7.00 (178)

AF25550 Filter used with AH19081, AH19082
For European Version, use: AF25538



Overall Height: 7.33 (186)
Overall OD: 3.50 (89)
End 1 ID: 1.87 (48)

AF25551 Primary Air Filter used with AF25552 Filter used with AH19083, AH19084, AH19085, AH19086
For European Version, use: AF25575



Overall Height: 10.80 (274)
Overall OD: 4.13 (105)
End 2 ID: 2.50 (64)

AF25552 Safety Element used with AF25551 Filter used with AH19084, AH19086
For European Version, use: AF25576



Overall Height: 10.35 (263)
Overall OD: 2.39 (61)
End 1 ID: 1.81 (46)

AF25553 Primary Air Filter used with AF25554 Filter used with AH19087, AH19088, AH19089, AH19090
For European Version, use: AF25436



Overall Height: 12.39 (315)
End 1 OD: 5.13 (130)
End 2 OD: 5.10 (130)
End 1 ID: 3.32 (84)

E. PRODUCT GUIDE

AF25554  Safety Element used with AF25553 Filter used with AH19088, AH19090 For European Version, use: AF25497 Overall Height: 11.87 (302) End 1 OD: 3.32 (84) End 2 OD: 2.99 (76) End 1 ID: 2.59 (66)	AF25566  COMPAIR 9826251262 Safety Element used with AF25565 Overall Height: 13.47 (342) End 1 OD: 3.03 (77) End 2 OD: 2.93 (75) End 1 ID: 2.52 (64)	AF25578M  KUBOTA T00716323 Overall Height: 9.75 (248) Overall OD: 4.00 (102) End 1 ID: 2.50 (64)
AF25555  Primary Air Filter used with AF25556 Filter used with AH19091, AH19092, AH19093, AH19094 For European Version, use: AF25588 Overall Height: 13.00 (330) End 1 OD: 5.41 (137) End 2 OD: 5.39 (137) End 2 ID: 3.32 (84)	AF25567  TOYOTA 1780162010 Overall Height: 5.66 (144) Overall OD: 7.72 (196) End 1 ID: 3.35 (85)	AF25580KM  DONALDSON P533597 Primary Air Filter used with AF25676 Overall Height: 8.38 (213) Fin Diameter: 5.17 (131) End 2 OD: 4.09 (104) End 1 ID: 2.56 (65) End 2 ID: 0.66 (17)
AF25556  Safety Element used with AF25555 Filter used with AH19092, AH19094 For European Version, use: AF25484 Overall Height: 12.60 (320) End 1 OD: 3.32 (84) End 2 OD: 2.99 (76) End 1 ID: 2.59 (66)	AF25569  TOYOTA 1780123020 Outside/in flow Overall Height: 4.13 (105) Overall OD: 6.42 (163) End 1 ID: 2.99 (76)	AF25582M  MITSUBISHI AE073385 Overall Height: 16.42 (417) Overall OD: 5.61 (142) End 1 ID: 0.64 (16) End 2 ID: 4.72 (120)
AF25557  Primary Air Filter used with AF25558 Filter used with AH19095, AH19096, AH19097, AH19098 For European Version, use: AF25352 Overall Height: 13.99 (355) Overall OD: 6.42 (163) End 1 ID: 3.74 (95)	AF25570  JOHN DEERE RE46310 Primary Air Filter used with AF25571 Overall Height: 16.83 (427) End 1 OD: 9.21 (234) End 2 OD: 9.14 (232) End 1 ID: 0.67 (17) End 2 ID: 5.87 (149)	AF25584M  TOYOTA 1780167060 Overall Height: 5.66 (144) Overall OD: 4.23 (107) End 1 ID: 8.56 (217)
AF25558  OMNIQUIP PARTS WORLDWIDE 8035099, INGERSOLL-RAND 59155127 Safety Element used with AF25557 Filter used with AH19096, AH19098 For European Version, use: AF25485 Overall Height: 13.16 (334) End 1 ID: 2.75 (70)	AF25571  JOHN DEERE RE46311 Safety Element used with AF25570 Overall Height: 15.15 (385) Overall OD: 5.56 (141) End 1 ID: 4.42 (112) End 2 ID: 0.65 (17)	AF25588  CLARK 6666375 Primary Air Filter used with AF25484 Is European Version of: AF25555 Overall Height: 12.99 (330) Overall OD: 5.43 (138) End 1 ID: 3.29 (84)
AF25561  NISSAN 1654629101 Overall Height: 13.85 (352) End 1 OD: 6.75 (171) End 2 OD: 7.68 (195) End 1 ID: 4.99 (127)	AF25573  HITACHI 4234793 Length: 8.88 (225) Width: 10.75 (273)	AF25589  CATERPILLAR 1318822 Primary Air Filter used with AF25624 Magnum RS Overall Height: 13.47 (342) Overall OD: 9.29 (236) End 1 ID: 5.20 (132)
AF25565  COMPAIR 9826251261 Primary Air Filter used with AF25566 Overall Height: 14.19 (361) End 1 OD: 5.87 (149) End 2 OD: 5.83 (148) End 2 ID: 3.31 (84)	AF25574  NEW HOLLAND 81868102 Height: 1.97 (50) Length: 4.09 (104) Width: 20.45 (520)	AF25590  MOTORCRAFT FA1634 Overall Height: 7.81 (198) Overall OD: 8.13 (207) End 1 ID: 4.25 (108)
	AF25575  BOBCAT 6672467 Primary Air Filter used with AF25576 Magnum RS Is European Version of: AF25551 Overall Height: 10.63 (270) Overall OD: 4.11 (105) End 1 ID: 2.38 (61)	AF25591  INGERSOLL-RAND 59155143, INGERSOLL-RAND 5915543 Overall Height: 15.43 (392) Overall OD: 6.09 (155) End 1 ID: 3.48 (88) End 2 ID: 0.66 (17)
	AF25576  BOBCAT 6672468 Safety Element used with AF25575 Safety RS Is European Version of: AF25552 Overall Height: 10.45 (266) End 1 OD: 2.36 (60) End 2 OD: 2.24 (57) End 1 ID: 1.65 (42)	

E. PRODUCT GUIDE

AF25593

NELSON 64288P Filter used with AH19115



Overall Height: 23.73 (603)
Cover Diameter: 16.30 (414)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)

AF25595

CASE 243968A1 Primary Air Filter used with AF25596M



Overall Height: 22.20 (564)
End 1 OD: 13.05 (331)
End 2 OD: 12.90 (328)
End 1 ID: 6.78 (172)

AF25596M

Safety Element used with AF25595



Overall Height: 21.50 (546)
End 1 OD: 6.89 (175)
End 2 OD: 6.75 (172)
End 1 ID: 5.28 (134)

AF25598


DONALDSON P542101



Overall Height: 15.37 (390)
End 1 OD: 10.96 (278)
End 2 OD: 10.81 (274)
End 1 ID: 6.78 (172)

AF25599

ROVER ESR1445



Height: 2.22 (56)
Length: 10.14 (258)
Width: 7.92 (201)

AF25601

CHRYSLER MD620048



Overall Height: 3.04 (77)
Overall OD: 9.20 (234)
End 1 ID: 6.63 (168)

AF25602

MITSUBISHI ME294850



Overall Height: 14.90 (378)
Overall OD: 11.00 (279)
End 1 ID: 5.73 (146)

AF25607

YANMAR 11425012580



Overall Height: 1.79 (46)
End 1 OD: 4.13 (105)
End 2 OD: 3.94 (100)
End 1 ID: 2.05 (52)
End 2 ID: 0.24 (6)

AF25608

HONDA 17220PE0663



Overall Height: 1.69 (43)
Overall OD: 10.43 (265)
End 2 ID: 7.76 (197)

AF25610

DYNAPAC 909271 Safety Element used with AF25612



Overall Height: 19.82 (504)
End 1 OD: 4.29 (109)
End 2 OD: 4.06 (103)
End 1 ID: 3.47 (88)

AF25612

DYNAPAC 909270 Primary Air Filter used with AF25610



Overall Height: 20.59 (523)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25614

SCANIA 1387549



Overall Height: 17.46 (444)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25615

M.A.N. 81083040084 Safety Element used with AF25624



Overall Height: 18.50 (470)
End 1 OD: 6.68 (170)
End 2 OD: 6.44 (164)
End 1 ID: 5.22 (133)

AF25616

SEDDON-ATKINSON 3308730R1



Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 1 ID: 7.72 (196)
End 2 ID: 0.67 (17)

AF25617

CASE 187471A1 Primary Air Filter used with AF25618



Overall Height: 15.53 (395)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25618

CASE 187472A2 Safety Element used with AF25617, AF25957 Magnum RS Version



Overall Height: 14.94 (380)
End 1 OD: 4.29 (109)
End 2 OD: 4.06 (103)
End 1 ID: 3.47 (88)

AF25619

VOLVO CONSTRUCTION EQUIPMENT 11033998 Primary Air Filter used with AF25620



Overall Height: 22.95 (583)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25620

VOLVO CONSTRUCTION EQUIPMENT 110339991 Safety Element used with AF25619, AF25479 Magnum RS Version



Overall Height: 22.17 (563)
End 1 OD: 7.05 (179)
End 2 OD: 6.81 (173)
End 1 ID: 5.39 (137)

AF25621

MOTORCRAFT FA1675 Has foam precleaner



Height: 2.32 (59)
Length: 13.48 (342)
Width: 7.09 (180)

AF25623

DAF 1353115 Magnum RS Version Flame Retardant Media



Overall Height: 19.96 (507)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF25624

CATERPILLAR 1318821 Safety Element used with AF25589



Overall Height: 12.72 (323)
End 1 OD: 5.20 (132)
End 2 OD: 4.96 (126)
End 1 ID: 3.70 (94)

AF25625M

LETOURNEAU-WESTINGHOUSE 4219820 To be used on models L1400 & L1000



Overall Height: 22.48 (571)
Overall OD: 13.83 (351)
End 1 ID: 9.48 (241)
End 2 ID: 0.90 (23)

AF25626

KASSBOHRER 8319150192



Overall Height: 13.05 (332)
End 1 OD: 11.87 (302)
End 2 OD: 11.93 (303)
End 1 ID: 6.69 (170)

AF25627

SCANIA 1387548 Primary Air Filter used with AF25468 Primary Air Filter for AF25468 for Komatsu applications



Overall Height: 20.63 (524)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25628


Replaces 83626B



Overall Height: 2.39 (61)
Overall OD: 4.35 (110)
End 1 ID: 3.00 (76)

AF25629

MOTORCRAFT FA1680



Height: 2.30 (58)
Length: 13.35 (339)
Width: 7.23 (184)


E. PRODUCT GUIDE

AF25630  M.A.N. 81619100011 Height: 1.58 (40) Length: 15.75 (400) Width: 7.09 (180)	AF25653  MERCEDES-BENZ 30949604 Overall Height: 13.76 (350) End 1 OD: 13.58 (345) End 2 OD: 10.98 (279) End 2 ID: 4.92 (125)	AF25664  CATERPILLAR 1127448 Height: 1.92 (49) Length: 11.28 (287) Width: 8.92 (227)
AF25631  VOLVO 8149064 Primary Air Filter used with AF26162 Overall Height: 16.30 (414) End 1 OD: 12.66 (322) End 2 OD: 12.01 (305) End 2 ID: 5.91 (150)	AF25654  IVECO 1904581 Overall Height: 13.09 (333) Overall OD: 5.87 (149) End 1 ID: 2.82 (72) End 2 ID: 0.34 (9)	AF25665  CATERPILLAR 1130305 Height: 2.56 (65) Length: 16.61 (422) Width: 5.51 (140)
AF25632  VOLVO 8149961 Primary Air Filter used with AF25317 Overall Height: 16.42 (417) End 1 OD: 13.78 (350) End 2 OD: 13.11 (333) End 2 ID: 7.84 (199)	AF25656  INGERSOLL-RAND 32012957 Overall Height: 4.71 (120) Overall OD: 4.35 (110) End 1 ID: 3.00 (76) End 2 ID: 3.00 (76)	AF25666  CATERPILLAR 7T3519 Height: 3.57 (91) Length: 19.69 (500) Width: 3.94 (100)
AF25634  RENAULT V.I. 5010317187 Safety Element used with AF25333 Overall Height: 17.52 (445) End 1 OD: 7.05 (179) End 2 OD: 6.81 (173) End 1 ID: 5.39 (137)	AF25657  CATERPILLAR 7T7358 Height: 2.45 (62) Length: 13.00 (330) Width: 12.00 (305)	AF25667  DONALDSON P532966 Primary Air Filter used with AF26114 Overall Height: 19.00 (483) Overall OD: 9.30 (236) End 1 ID: 5.17 (131)
AF25635  LEYLAND ACHH325 Overall Height: 14.19 (361) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)	AF25659  CATERPILLAR 8C9657 Height: 2.50 (64) Length: 17.56 (446) Width: 5.98 (152)	AF25668  MOTOR COACH 9G337, BALDWIN PA2839 Overall Height: 15.87 (403) Boot Diameter: 16.85 (428) End 2 OD: 15.09 (383) End 2 ID: 8.26 (210)
AF25636  AC A1518C Upgrade of AF25757 Height: 2.31 (59) Length: 12.31 (313) Width: 9.75 (248)	AF25660  CATERPILLAR 9X4986 Height: 2.81 (71) Length: 14.86 (377) Width: 4.00 (102)	AF25670  BOBCAT 6647380 Overall Height: 6.83 (174) Overall OD: 3.66 (93) End 1 ID: 1.71 (44) End 2 ID: 0.34 (9)
AF25638  HINO 178013030A Safety Element used with AF25416 Overall Height: 12.91 (328) End 1 OD: 5.26 (134) End 2 OD: 4.92 (125) End 2 ID: 3.31 (84)	AF25661  CATERPILLAR 9X3352 Height: 2.44 (62) Length: 9.05 (230) Width: 9.05 (230)	AF25672  NELSON 87295A, CATERPILLAR 7X6041 Height includes 43 mm pull tab Height: 2.44 (62) Length: 12.24 (311) Width: 9.49 (241)
AF25647  NELSON 70459C Overall Height: 11.50 (292) Overall OD: 7.88 (200) End 1 ID: 4.13 (105)	AF25662  CATERPILLAR 9X8216 Height: 2.44 (62) Length: 26.97 (685) Width: 5.98 (152)	AF25674  CASE K945043 Primary Air Filter used with AF25686 Overall Height: 10.75 (273) Overall OD: 6.08 (155) End 1 ID: 3.78 (96) End 2 ID: 0.69 (18)
AF25648  TOYOTA 177022347071 Overall Height: 10.92 (277) Overall OD: 5.40 (137) End 1 ID: 3.22 (82)		

E. PRODUCT GUIDE

AF25675  DONALDSON P776490, CATERPILLAR 7R2258 Height: 17.17 (436) Length: 6.00 (152) Width: 2.20 (56)	AF25685  DONALDSON P922118 Navistar 9800 Series Overall Height: 26.36 (670) End 1 OD: 11.06 (281) End 2 OD: 7.52 (191) End 1 ID: 6.87 (175)	AF25697  ELIXAIRE 2244665000 Height: 10.60 (269) Length: 10.60 (269) Width: 0.75 (19)
AF25676  JOHN DEERE AM108185, NELSON 70751A Safety Element used with AF25580KM Overall Height: 7.00 (178) Flange Diameter: 4.50 (114) End 2 OD: 2.30 (58) End 1 ID: 2.07 (53) End 2 ID: 0.66 (17)	AF25686  MC CORMICK K952344 Safety Element used with AF25674 Overall Height: 9.57 (243) Overall OD: 3.71 (94) End 1 ID: 2.56 (65) End 2 ID: 0.42 (11)	AF25700  CASE 294292A1, IHC 294292A1 Primary Air Filter used with AF25701 Overall Height: 11.66 (296) End 1 OD: 13.35 (339) End 2 OD: 13.33 (339) End 2 ID: 8.21 (208)
AF25677  CATERPILLAR 3E0410, NELSON 87495A Height: 1.25 (32) Length: 9.00 (229) Width: 7.00 (178)	AF25687  MACK 57MD46M Overall Height: 25.50 (648) Overall OD: 9.40 (239) End 1 ID: 5.90 (150)	AF25701  CASE 294293A1 Safety Element used with AF25700 Overall Height: 10.72 (272) End 1 OD: 8.11 (206) End 2 OD: 7.69 (195) End 1 ID: 5.94 (151)
AF25678  JOHN DEERE AH92463, NELSON 83754A Height: 1.19 (30) Length: 16.50 (419) Width: 5.00 (127)	AF25688  Brazil	AF25702  KUBOTA 6C04094250 Safety Element used with AF25703K Overall Height: 6.22 (158) End 1 OD: 2.17 (55) End 2 OD: 2.01 (51) End 1 ID: 1.58 (40) End 2 ID: 0.67 (17)
AF25680  CATERPILLAR 2G1946, BALDWIN PA3482 Height: 0.81 (21) Length: 13.25 (337) Width: 11.94 (303)	AF25689K  CASE D56453 Overall Height: 15.44 (392) Fin Diameter: 7.81 (198) End 2 OD: 6.09 (155) End 1 ID: 3.47 (88) End 2 ID: 0.69 (17)	AF25703K  KUBOTA 6C04094240 Primary Air Filter used with AF25702 Overall Height: 7.28 (185) Fin Diameter: 4.25 (108) End 2 OD: 3.29 (84) End 1 ID: 2.13 (54) End 2 ID: 0.67 (17)
AF25682  FORD F7CZ9601A, WIX 46406 Overall Height: 7.90 (201) End 1 OD: 6.87 (174) End 2 OD: 4.64 (118) End 1 ID: 3.15 (80)	AF25693  NELSON 870710N, NELSON 870710A Overall Height: 22.30 (566) End 1 OD: 10.41 (264) End 2 OD: 7.79 (198) End 1 ID: 5.80 (147) End 2 ID: 3.14 (80)	AF25704  DAF 1385791 Overall Height: 17.09 (434) Overall OD: 9.61 (244) End 1 ID: 4.92 (125)
AF25683  FORD F67Z9601AA, MOTORCRAFT FA1641, FORD F67X9601AA, CHAMP AF1641 Overall Height: 5.91 (150) End 1 OD: 6.96 (177) End 2 OD: 5.30 (135) End 1 ID: 3.15 (80)	AF25694  INTERNATIONAL TRUCKS 3507421C1 Overall Height: 23.50 (597) End 1 OD: 9.65 (245) End 2 OD: 9.25 (235) End 2 ID: 5.13 (130)	AF25705  KOBELCO LQ11PU0001S002 Primary Air Filter used with AF25706 Overall Height: 14.75 (375) Overall OD: 9.18 (233) End 1 ID: 5.88 (149)
AF25684  FORD F77X9601AA, FORD F77Z9601AA, MOTORCRAFT FA1658, CHAMP AF1658 Height: 2.26 (57) Length: 8.75 (222) Width: 7.52 (191)	AF25695  MERCEDES-BENZ 8301118 Height: 1.50 (38) Length: 14.96 (380) Width: 5.32 (135)	AF25706  KOBELCO LQ11PU0001S001 Safety Element used with AF25705 Overall Height: 12.88 (327) Overall OD: 5.56 (141) End 1 ID: 4.40 (112)
	AF25696  RENAULT V.I. 7701044595 Height: 1.69 (43) Length: 12.40 (315) Width: 10.32 (262)	

E. PRODUCT GUIDE

AF25707  INTERNATIONAL TRUCKS 3532799C1 Primary Air Filter used with AF25732 Overall Height: 16.00 (406) End 1 OD: 10.22 (260) End 2 OD: 10.19 (259) End 1 ID: 7.97 (202)	AF25721  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4415905 Primary Air Filter used with AF25722 Overall Height: 14.80 (376) End 1 OD: 6.27 (159) End 2 OD: 6.22 (158) End 2 ID: 3.70 (94)	AF25729  BOMAG 5821149 Primary Air Filter used with AF25730 Overall Height: 16.08 (409) End 1 OD: 8.59 (218) End 2 OD: 8.54 (217) End 2 ID: 4.88 (124)
AF25708  NELSON 871148A Overall Height: 20.54 (522) Overall OD: 11.02 (280) End 2 ID: 7.93 (201)	AF25722  ATLAS COPCO 1615892700 Safety Element used with AF25721 Overall Height: 14.06 (357) End 1 OD: 3.43 (87) End 2 OD: 3.31 (84) End 1 ID: 2.91 (74)	AF25730  BOMAG 5821150 Safety Element used with AF25729 Overall Height: 15.12 (384) End 1 OD: 4.61 (117) End 2 OD: 4.51 (115) End 1 ID: 4.09 (104)
AF25708M  NELSON 870904A Filter used with AH19266, AH19273, AH19274 Overall Height: 20.50 (521) Overall OD: 11.00 (279) End 2 ID: 8.10 (206)	AF25723  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1180867 Primary Air Filter used with AF25724 Radial Seal Overall Height: 15.79 (401) End 1 OD: 7.69 (195) End 2 OD: 7.64 (194) End 2 ID: 4.49 (114)	AF25731  MERCEDES-BENZ A0040941104 Height: 3.11 (79) Length: 24.80 (630) Width: 22.44 (570)
AF25709  FORD 6610580 Height: 2.28 (58) Length: 12.44 (316) Width: 5.91 (150)	AF25724  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1180872 Safety Element used with AF25723 Overall Height: 15.04 (382) End 1 OD: 4.21 (107) End 2 OD: 4.11 (105) End 1 ID: 3.70 (94)	AF25732  INTERNATIONAL TRUCKS 3532800C1 Safety Element used with AF25707 Overall Height: 15.39 (391) Overall OD: 8.09 (205) End 1 ID: 5.28 (134)
AF25710  CASE 367349A1 Primary Air Filter used with AF25711 Overall Height: 13.90 (353) Overall OD: 12.09 (307) End 1 ID: 8.21 (208)	AF25725  ATLAS COPCO 2914930000 Primary Air Filter used with AF25726 Overall Height: 9.96 (253) End 1 OD: 4.54 (115) End 2 OD: 4.49 (114) End 2 ID: 2.52 (64)	AF25733  MERCEDES-BENZ 8356947 Height: 1.12 (29) Length: 13.47 (342) Width: 7.15 (182)
AF25711  CASE 367350A1 Safety Element used with AF25710 Overall Height: 12.96 (329) End 1 OD: 8.11 (206) End 2 OD: 7.69 (195) End 1 ID: 5.94 (151)	AF25726  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1180868 Safety Element used with AF25725 Overall Height: 9.25 (235) End 1 OD: 2.24 (57) End 2 OD: 2.15 (55) End 1 ID: 1.73 (44)	AF25734  CATERPILLAR 4P0710 Overall Height: 14.38 (365) Overall OD: 19.35 (492) End 1 ID: 12.93 (329)
AF25713  CATERPILLAR 6C9226, TEREX 15270794 Height: 1.00 (25) Length: 11.81 (300) Width: 9.84 (250)	AF25727  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1319142 Primary Air Filter used with AF25728 Overall Height: 12.60 (320) End 1 OD: 4.92 (125) End 2 OD: 4.89 (124) End 2 ID: 2.91 (74)	AF25735  FIAT HITACHI 1930601 Safety Element used with AF25740K Overall Height: 11.95 (304) End 1 OD: 5.97 (152) End 2 OD: 5.96 (151) End 1 ID: 0.67 (17) End 2 ID: 4.85 (123)
AF25719  MERCEDES-BENZ 6380900151 Height: 2.70 (69) Length: 13.07 (332) Width: 10.32 (262)	AF25728  DEUTZ AG 1180869 Safety Element used with AF25727 Overall Height: 11.89 (302) End 1 OD: 2.64 (67) End 2 OD: 2.54 (65) End 1 ID: 2.13 (54)	AF25740K  FIAT HITACHI 1930600 Primary Air Filter used with AF25735 Overall Height: 13.47 (342) Fin Diameter: 11.73 (298) End 2 OD: 9.67 (246) End 1 ID: 6.06 (154) End 2 ID: 0.63 (16)
AF25720K  TOYOTA 17803F980171 Primary Air Filter used with AF25741 Overall Height: 11.52 (293) Fin Diameter: 6.34 (161) End 2 OD: 5.24 (133) End 1 ID: 3.35 (85) End 2 ID: 0.67 (17)		AF25741  TOYOTA 178042300071 Safety Element used with AF25720K Overall Height: 10.37 (264) Overall OD: 3.23 (82) End 1 ID: 2.54 (65) End 2 ID: 0.48 (12)

E. PRODUCT GUIDE

AF25742  GMC 25099849 Engine Application Height: 2.08 (53) Length: 15.93 (405) Width: 7.90 (201)	AF25753  MANITOU 177178 Safety Element used with AF25006K Overall Height: 10.12 (257) End 1 OD: 3.07 (78) End 2 OD: 2.62 (67) End 1 ID: 2.21 (56) End 2 ID: 0.34 (9)	AF25763M  AIR REFINER ARM529241 Primary Air Filter used with AF25764 Is a short version of AF975M Overall Height: 18.55 (471) Overall OD: 10.86 (276) End 1 ID: 6.50 (165) End 2 ID: 0.92 (23)
AF25745  KUBOTA 6A10082632 Overall Height: 6.99 (178) Overall OD: 3.66 (93) End 1 ID: 1.71 (44)	AF25754  GMC 25099149 Height: 7.16 (182) Length: 9.41 (239) Width: 1.59 (40)	AF25764  FRAM CA7106SY Safety Element used with AF25763M Is a short version of AF976 Overall Height: 17.43 (443) End 1 OD: 6.41 (163) End 2 OD: 6.39 (162) End 1 ID: .67 (17) End 2 ID: 5.27 (134)
AF25746  Primary Air Filter used with AF25747 Filter used with AH19262, AH19263 Overall Height: 16.92 (430) Overall OD: 8.82 (224) End 1 ID: 5.12 (130)	AF25755  RENAULT AGRICULTURE 7700039510 Safety Element used with AF25504 Overall Height: 14.35 (365) End 1 OD: 4.29 (109) End 2 OD: 4.06 (103) End 1 ID: 3.47 (88)	
AF25747  Safety Element used with AF25746 Overall Height: 16.02 (407) End 1 OD: 5.30 (135) End 2 OD: 5.17 (131) End 1 ID: 3.26 (83)	AF25756  VOLVO CONSTRUCTION EQUIPMENT 11110022 Primary Air Filter used with AF25523 Overall Height: 20.65 (525) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)	AF25767  MASSEY-FERGUSON 3902806M1 Primary Air Filter used with AF25768 Overall Height: 21.36 (543) Overall OD: 9.51 (242) End 2 ID: 5.57 (142)
AF25748  RENAULT AGRICULTURE 7700050840 Primary Air Filter used with AF25749 Overall Height: 18.66 (474) Overall OD: 9.29 (236) End 1 ID: 5.20 (132)	AF25757  AC A1519C, GMC 25313348 For Upgrade, use AF25636 Light Duty Height: 9.75 (248) Length: 12.31 (313) Width: 2.31 (59)	AF25768  MASSEY-FERGUSON 3902812M1 Safety Element used with AF25767 Overall Height: 20.43 (519) End 1 OD: 5.41 (138) End 2 OD: 5.32 (135) End 1 ID: 4.92 (125)
AF25749  RENAULT AGRICULTURE 7700050841 Safety Element used with AF25748 Overall Height: 17.72 (450) End 1 OD: 5.20 (132) End 2 OD: 4.96 (126) End 1 ID: 3.70 (94)	AF25758M  GMC 2062062 Overall Height: 8.05 (204) Overall OD: 12.08 (307) End 1 ID: 6.69 (170)	AF25769  ATLAS COPCO 2914501700 Primary Air Filter used with AF25770 Overall Height: 23.39 (594) Overall OD: 11.73 (298) End 2 ID: 8.07 (205)
AF25750  NELSON 871064N Overall Height: 23.58 (599) End 1 OD: 16.25 (413) End 2 OD: 13.81 (351) End 1 ID: 9.50 (241)	AF25761  AIR REFINER ARM1510 Is a shorter version of AF953K without the fin Overall Height: 9.68 (246) Overall OD: 6.08 (154) End 1 ID: 3.48 (88) End 2 ID: 0.67 (17)	AF25770  ATLAS COPCO 2914501800 Safety Element used with AF25769 Overall Height: 22.44 (570) End 1 OD: 7.72 (196) End 2 OD: 7.60 (193) End 1 ID: 7.21 (183)
AF25751  NELSON 870178N Overall Height: 19.30 (490) Overall OD: 15.12 (384) End 1 ID: 10.00 (254)	AF25762  JOHN DEERE AT69308 Is a short version of AF1828 Overall Height: 16.59 (421) End 1 OD: 12.80 (325) End 2 OD: 12.08 (307) End 1 ID: 0.90 (23) End 2 ID: 7.73 (196)	AF25771  Overall Height: 19.38 (492) End 1 OD: 13.72 (348) End 2 OD: 12.09 (307) End 1 ID: 9.25 (235)
AF25752  NELSON 870179N Overall Height: 18.30 (465) End 1 OD: 9.89 (251) End 2 OD: 9.88 (251) End 1 ID: 8.05 (204)		

E. PRODUCT GUIDE

AF25772  TAMROCK 88021199 Overall Height: 24.21 (615) Overall OD: 4.53 (115) Thread Size: M62X4	AF25782  NELSON 870404G Height: 2.44 (62) Length: 32.76 (832) Width: 3.87 (98)	AF25795  MANITOU 563416 Primary Air Filter used with AF25794 Overall Height: 13.60 (346) Overall OD: 6.38 (162) End 1 ID: 3.62 (92)
AF25773  CUMMINS 3430460 Height: 6.26 (159) Length: 17.72 (450) Width: 18.70 (475)	AF25783  AGCO 71362389 Height: 2.19 (56) Length: 24.00 (610) Width: 9.00 (229)	AF25797  RENAULT V.I. 5001847123 Height: 2.22 (57) Length: 12.40 (315) Width: 10.32 (262)
AF25774  CASE 139768A1 Height: 2.44 (62) Length: 12.18 (309) Width: 4.00 (102)	AF25785  NEW HOLLAND 627749 Height: 2.19 (56) Length: 30.00 (762) Width: 9.50 (241)	AF25799  CUMMINS 3429703 Height: 6.26 (159) Length: 13.78 (350) Width: 17.72 (450)
AF25775  JOHN DEERE AT141209 Height: 2.44 (62) Length: 14.75 (375) Width: 4.88 (124)	AF25786  JOHN DEERE AT170037 Height: 2.31 (59) Length: 14.76 (375) Width: 6.89 (175)	AF25801  NISSAN 1654621566 Primary Air Filter used with AF4658 Overall Height: 15.34 (390) End 1 OD: 12.08 (307) End 2 OD: 12.02 (305) End 1 ID: 7.73 (196) End 2 ID: 0.67 (17)
AF25776  CATERPILLAR 7T8945, CATERPILLAR 7X6012 Height: 2.50 (64) Length: 9.05 (230) Width: 9.05 (230)	AF25787  CRENLO 128151 Height: 2.69 (68) Length: 26.97 (685) Width: 6.25 (159)	AF25825  KHD(KLOCKNER-HUMBOLDT-DEUTZ) 12134578 Height: 2.87 (73) Length: 19.57 (497) Width: 19.57 (497)
AF25777  CASE 1970006C2 Height: 2.19 (56) Length: 20.00 (508) Width: 9.00 (229)	AF25789  AC A964C Height: 2.69 (68) Length: 44.00 (1118) Width: 4.00 (102)	AF25827  CUMMINS 4013821 Applied on Cummins PowerGen Units/Landfill Equipment with QSV81/91 Liter Natural Gas
AF25778  CRENLO 120621 Height: 2.69 (68) Length: 26.97 (685) Width: 6.25 (159)	AF25790  CASE 240883A2 Height: 2.56 (65) Length: 14.14 (359) Width: 7.12 (181)	AF25829  SCANIA 1420197 Height: 2.70 (69) Length: 9.17 (233) Width: 6.85 (174)
AF25779  AGCO 559300, EXCEL 37077, MELROE 6620654 Height: 2.19 (56) Length: 28.00 (711) Width: 7.50 (191)	AF25791  NEW HOLLAND 9672473, NEW HOLLAND 107219 Height: 2.19 (56) Length: 28.00 (711) Width: 6.00 (152)	AF25830  VOLVO CONSTRUCTION EQUIPMENT 11110217 Primary Air Filter used with AF25897 Overall Height: 19.33 (491) Overall OD: 14.15 (360) End 1 ID: 8.92 (227)
AF25780  CATERPILLAR 1807487 Height: 2.56 (65) Length: 16.85 (428) Width: 11.73 (298)	AF25792  RED DOT 585820 Height: 1.25 (32) Length: 15.00 (381) Width: 8.00 (203)	AF25840  DAF 1322255 Height: 1.02 (26) Length: 12.60 (320) Width: 9.27 (236)
AF25781  CATERPILLAR 1193355 Height: 2.56 (65) Length: 15.94 (405) Width: 7.87 (200)	AF25794  MANITOU 563415 Safety Element used with AF25795 Overall Height: 13.01 (331) End 1 OD: 3.66 (93) End 2 OD: 3.43 (87) End 1 ID: 2.84 (72)	

E. PRODUCT GUIDE

AF25841  FORD 4041615 Height: 2.26 (58) Length: 10.95 (278) Width: 7.07 (180)	AF25872  DAF 1433690 Overall Height: 13.23 (336) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)	AF25888  CARRIER 300043022 Overall Height: 9.90 (252) End 1 OD: 4.41 (112) End 2 OD: 3.92 (100) End 1 ID: 2.34 (60)
AF25848  Duramax Diesel Height: 2.31 (59) Length: 12.31 (313) Width: 9.75 (248)	AF25873  DAF 1433697 Overall Height: 16.38 (416) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)	AF25889  DYNAPAC 380294 Safety Element used with AF25890 Overall Height: 9.11 (232) End 1 OD: 3.31 (84) End 2 OD: 3.07 (78) End 1 ID: 2.48 (63)
AF25849  MASSEY-FERGUSON 3388840M2 Height: 2.40 (61) Length: 34.65 (880) Width: 5.32 (135)	AF25875  IVECO 42471161 Overall Height: 13.15 (334) Overall OD: 9.72 (247) End 2 ID: 5.47 (139)	AF25890  DYNAPAC 380295 Primary Air Filter used with AF25889 Overall Height: 9.69 (246) Overall OD: 4.96 (126) End 1 ID: 3.21 (82)
AF25852  INGERSOLL-RAND 39708466	AF25876  IVECO 42471166 Overall Height: 15.43 (392) Overall OD: 9.72 (247) End 2 ID: 5.47 (139)	AF25893  KALMAR 9238720542 Overall Height: 18.39 (467) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) End 2 ID: 0.54 (14)
AF25854  GMC 15153904 Chevrolet Van 5.7L Model 3500 Overall Height: 12.87 (327) Overall OD: 5.44 (138) End 1 ID: 3.20 (81)	AF25877  ONAN 1402636 Primary Air Filter used with AF25878 Filter used with AH19323 Overall Height: 20.65 (525) Overall OD: 11.54 (293) End 1 ID: 7.01 (178) End 2 ID: 0.39 (10)	AF25894  M.A.N. 81084050016 Primary Air Filter used with AF25896 Flame Retardant Media Overall Height: 20.08 (510) Overall OD: 10.51 (267) End 2 ID: 6.26 (159)
AF25855  STIHL 42231410300 Height: 1.85 (47) Length: 5.32 (135) Width: 3.48 (89)	AF25878  ONAN 1402638 Safety Element used with AF25877 Filter used with AH19323 Overall Height: 19.11 (486) Overall OD: 6.85 (174) End 1 ID: 5.41 (138) End 2 ID: 0.62 (16)	AF25895  IVECO 500339085 Overall Height: 2.42 (62) Largest OD: 3.17 (81) Thread Size: M16X1.5
AF25856  NELSON 70988F Primary Air Filter used with AF25857 Used in Reytor housing RT1216M Overall Height: 16.75 (425) Overall OD: 9.30 (236) End 1 ID: 4.90 (124)	AF25879  CATERPILLAR 1080671 Primary Air Filter used with AF25887 Overall Height: 11.59 (295) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)	AF25896  M.A.N. 81084050017 Safety Element used with AF25894 Overall Height: 17.97 (457) End 1 OD: 6.14 (156) End 2 OD: 6.12 (156) Thread Size: 143 X 6 (DIN 6063)
AF25857  NELSON 70989F Safety Element used with AF25856 Used in Reytor housing RT1216M Overall Height: 15.50 (394) End 1 OD: 5.10 (130) End 2 OD: 4.90 (124) End 1 ID: 4.10 (104)	AF25887  CATERPILLAR 1080672 Safety Element used with AF25886 Overall Height: 10.83 (275) End 1 OD: 4.25 (108) End 2 OD: 4.02 (102) End 1 ID: 2.60 (66)	AF25897  VOLVO 11110218, VOLVO CONSTRUCTION EQUIPMENT 11110218 Safety Element used with AF25830 Overall Height: 19.04 (484) End 1 OD: 9.06 (230) End 2 OD: 8.66 (220) End 1 ID: 7.01 (178)
AF25858  Is a short version of AF25247 Overall Height: 21.57 (548) End 1 OD: 11.22 (285) End 2 OD: 11.15 (283) End 1 ID: 6.82 (173)		

E. PRODUCT GUIDE

AF25898  RENAULT V.I. 5010315990 Overall Height: 14.59 (371) End 1 OD: 9.65 (245) End 2 OD: 9.61 (244) End 1 ID: 4.98 (127)	AF25953  VOLVO-BM 11007848 Height: 2.76 (70) Length: 15.55 (395) Width: 12.99 (330)	AF25961  Safety Element used with AF25960 Filter used with AH19260, AH19331, AH19490 OptiAir 800 Series Safety Element Overall Height: 13.16 (334) End 1 OD: 5.02 (128) End 2 OD: 3.39 (86)
AF25899  M.A.N. 81083040093 Overall Height: 19.61 (498) Overall OD: 9.76 (248) End 1 ID: 4.72 (120)	AF25954  VOLVO-BM 11007847 Height: 0.59 (15) Length: 18.11 (460) Width: 15.67 (398)	AF25962  Primary Air Filter used with AF25963 Filter used with AH19333, AH19334 11" OptiAir 1100 Series Overall Height: 16.80 (427) End 1 OD: 8.80 (224) End 1 ID: 7.14 (181)
AF25904  CUMMINS 4071693 Overall Height: 9.71 (247) Overall OD: 5.12 (130) End 1 ID: 2.76 (70) End 2 ID: 0.43 (11)	AF25955  BALDWIN RS4572 Has the same design features as the AF25248 except it is 4 inches shorter. Overall Height: 22.14 (562) End 1 OD: 12.92 (328) End 2 OD: 12.80 (325) End 1 ID: 7.46 (189)	AF25963  Safety Element used with AF25962 Filter used with AH19334 11" OptiAir 1100 Series Overall Height: 15.96 (405) End 1 OD: 7.25 (184) End 2 OD: 4.77 (121)
AF25906  CUMMINS 4055592 Overall Height: 24.49 (622) Overall OD: 14.25 (362) End 1 ID: 9.88 (251) End 2 ID: 0.93 (24)	AF25956  MERCEDES-BENZ 8303318 Height: 1.06 (27) Length: 14.80 (376) Width: 6.77 (172)	AF25964  TIMBERJACK F434072 Primary Air Filter used with AF25491 Overall Height: 16.58 (421) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)
AF25907  CUMMINS 4055591 Overall Height: 22.26 (566) Overall OD: 9.80 (249) End 1 ID: 8.68 (221) End 2 ID: 0.90 (23)	AF25957  FENDT H411201090100 Primary Air Filter used with AF25618 Overall Height: 15.53 (395) Overall OD: 7.24 (184) End 1 ID: 4.13 (105)	AF25966M  TOWMOTOR 690826 Flame Retardant Media Overall Height: 9.02 (229) End 1 OD: 6.85 (174) End 2 OD: 6.83 (174) End 2 ID: 4.23 (107)
AF25910  CUMMINS 3814695 Overall Height: 12.03 (306) Overall OD: 7.78 (198) End 1 ID: 4.33 (110) End 2 ID: 0.34 (9)	AF25958K  J.C.B. 32913601 Primary Air Filter used with AF4654 Overall Height: 12.05 (306) Cover Diameter: 7.13 (181) Fin Diameter: 6.34 (161) End 2 ID: 2.82 (72) Thread Size: M10 X 1.5-6H INT	AF25967  BOBCAT 6673753 Safety Element used with AF25538 Overall Height: 6.06 (154) End 1 OD: 1.79 (46) End 2 OD: 1.52 (39) End 1 ID: 1.12 (29)
AF25911  CUMMINS 3814696 Overall Height: 10.87 (276) Overall OD: 4.09 (104) End 1 ID: 3.58 (91) End 2 ID: 0.66 (17)	AF25959  Filter used with AH19330 Overall Height: 10.80 (274) End 1 OD: 4.13 (105) End 1 ID: 3.00 (76)	AF25968  MC CORMICK 334755A2 Height: 1.02 (26) Length: 19.02 (483) Width: 6.10 (155)
AF25913  CUMMINS 3815068 Overall Height: 12.34 (314) Overall OD: 9.09 (231) End 1 ID: 4.78 (122) End 2 ID: 0.39 (10)	AF25960  Primary Air Filter used with AF25961 Filter used with AH19260, AH19261, AH19331, AH19332, AH19490, AH19491 8" OptiAir 800 Series Overall Height: 14.08 (358) End 1 OD: 6.42 (163) End 2 OD: 6.41 (163) End 1 ID: 4.90 (124)	AF25969  SCANIA 1335680 Safety Element used with AF25313 Overall Height: 19.82 (504) End 1 OD: 6.68 (170) End 2 OD: 6.44 (164) End 1 ID: 5.22 (133)
AF25914  CUMMINS 3815069 Overall Height: 9.31 (237) Overall OD: 4.72 (120) End 1 ID: 3.98 (101) End 2 ID: 0.64 (16)		AF25972  IVECO 500387947 Height: 1.38 (35) Length: 17.21 (437) Width: 3.92 (100)

E. PRODUCT GUIDE

AF25975	DAF 1657523 Flame Retardant Media
	Overall Height: 19.09 (485) End 1 OD: 10.59 (269) End 2 OD: 10.43 (265) End 1 ID: 6.38 (162)
AF25976	DAF 1657522 Flame Retardant Media
	Overall Height: 16.73 (425) End 1 OD: 10.59 (269) End 2 OD: 10.43 (265) End 1 ID: 6.38 (162)
AF25977	WAUKESHA 169180A, WAUKESHA 169180C
	Height: 5.25 (133) Length: 25.50 (648) Width: 19.50 (495)
AF25978	NEW HOLLAND 1930825 Safety Element used with AF25342, AF25348K
	Overall Height: 12.05 (306) End 1 OD: 4.13 (105) End 2 OD: 3.35 (85) End 1 ID: 2.95 (75) End 2 ID: 0.67 (17)
AF25996	
	
AF25997	VOLKSWAGEN 2S0129620 Mexico only
	Overall Height: 16.09 (409) End 1 OD: 10.35 (263) End 2 OD: 10.24 (260) End 1 ID: 5.87 (149)
AF26103	IHC 3551814C1
AF26105	REYTOR IT2015S
	Overall Height: 16.19 (411) End 1 OD: 6.07 (154) End 2 OD: 5.60 (142)
AF26106	CHRYSLER 53032700AB Inside/out flow
	Height: 2.78 (71) Length: 10.91 (277) Width: 9.92 (252)

AF26107	INTERNATIONAL TRUCKS 3532799C1 OptiAir replacement with flame retardant media
	Overall Height: 16.00 (406) End 1 OD: 10.22 (260) End 2 OD: 10.19 (259) End 1 ID: 7.97 (202)
AF26108	KHD(KLOCKNER-HUMBOLDT-DEUTZ) 4411228
	Height: 2.76 (70) Length: 21.97 (558) Width: 2.95 (75)
AF26109	Quincy Air Compressor Model 120382
	Overall Height: 19.50 (495) Overall OD: 7.38 (187) End 1 ID: 6.12 (155) End 2 ID: 0.76 (19)
AF26111M	REYTOR IT2015
	Overall Height: 17.67 (449) End 1 OD: 11.11 (282) End 2 OD: 10.96 (278) End 1 ID: 5.87 (149)
AF26112M	FORD F6HZ9601BA
	Overall Height: 17.22 (437) End 1 OD: 13.05 (331) End 2 OD: 12.90 (328) End 1 ID: 6.78 (172)
AF26113	CUMMINS 3683458 Filter used with 3941157 Cummins ISX and ISM Applications
	Overall Height: 2.56 (65) Largest OD: 2.99 (76) Largest OD: 2.76 (70) Largest OD: 3.05 (77) Thread Size: M16 X 1.5-6H INT
AF26114	CASE 249988A1 Safety Element used with AF25667 Freightliner Truck Class 7 Model FL70 & FL80 Class
	Overall Height: 18.43 (468) End 1 OD: 5.20 (132) End 2 OD: 4.96 (126) End 1 ID: 3.70 (94)
AF26116	Primary Air Filter used with AF26167 Filter used with AH19474, AH19484, AH19485, AH19496 4" OptiAir 400 Series.
	Overall Height: 180.0 (4572) End 1 OD: 90.2 (2291) End 2 OD: 89.0 (2261) End 1 ID: 60.5 (1537)

AF26117	Primary Air Filter used with AF26118 Filter used with AH19476, AH19477, AH19488, AH19489 6" OptiAir 600 Series.
	Overall Height: 297.0 (7541) End 1 OD: 158.4 (4023) End 1 OD: 87.6 (2225) End 1 ID: 44.1 (1120)
AF26118	Safety Element used with AF26117 Filter used with AH19477, AH19488 OptiAir 600 Series Safety Element
	
AF26119	MC CORMICK 248124A1
	Height: 2.24 (57) Length: 18.47 (469) Width: 4.59 (117)
AF26120	Primary Air Filter used with AF26121 Filter used with AH19478, AH19479 10" OptiAir 1000 Series
	Overall Height: 14.86 (377) End 1 OD: 7.59 (193) End 2 OD: 7.55 (192) End 1 ID: 5.77 (147)
AF26121	Safety Element used with AF26120 Filter used with AH19479 10" OptiAir 1000 Series
	Overall Height: 14.15 (360) End 1 OD: 5.89 (150) End 2 OD: 4.13 (105) End 1 ID: 2.98 (76)
AF26124	Primary Air Filter used with AF26125 Filter used with AH19480, AH19481 OptiAir 1300 Series Primary Element
	Overall Height: 20.46 (520) End 1 OD: 10.33 (262) End 2 OD: 10.31 (262) End 1 ID: 8.04 (204)
AF26125	Safety Element used with AF26124 Filter used with AH19481 OptiAir 1300 Series Safety Element
	Overall Height: 19.52 (496) End 1 OD: 8.05 (204) End 2 OD: 4.13 (105) End 1 ID: 5.24 (133)
AF26127	CATERPILLAR 9Y5011 Replaces 85160B, 85498A
	Overall Height: 2.50 (64) Largest OD: 3.12 (79) Thread Size: NONE
AF26131	FORD 4L3Z9601BA
	Height: 1.41 (36) Length: 11.30 (287) Width: 8.50 (216)

E. PRODUCT GUIDE

AF26139 FODEN 1322259  Height: 1.02 (26) Length: 16.93 (430) Width: 6.54 (166)	AF26153 Freightliner M2 Truck Applications 	AF26166 Safety Element used with AF26168 Filter used with AH19482, AH19486 OptiAir 500 Series Safety Element Overall Height: 9.92 (252) End 1 OD: 3.05 (78) End 2 OD: 1.44 (37) End 1 ID: 1.89 (48)
AF26140 MC CORMICK 3302666M92  Height: 2.36 (60) Length: 23.03 (585) Width: 7.09 (180)	AF26154 Freightliner M2 Truck Applications 	AF26167 Safety Element used with AF26116 Filter used with AH19484, AH19496 OptiAir 400 Series Safety Element  Overall Height: 6.35 (161) End 1 OD: 2.41 (61) End 2 OD: 1.72 (44) End 1 ID: 1.72 (44)
AF26142 Used on New Holland Tractor Models 9384, 9484, 9682, 9684, 9882, & 9884  Height: 7.0 (178) Length: 39.0 (991) Width: 2.1 (53)	AF26155 JOHN DEERE AL150288 	
AF26143 M.A.N. 81619100018  Height: 2.76 (70) Length: 18.41 (468) Width: 7.87 (200)	AF26156 JOHN DEERE AL150285 	AF26168 Primary Air Filter used with AF26166 Filter used with AH19482, AH19483, AH19486, AH19487 5" OptiAir 500 Series  Overall Height: 10.72 (272) Overall OD: 4.13 (105) End 1 ID: 3.19 (81)
AF26144 MERCEDES-BENZ 9738350147  Height: 1.18 (30) Length: 23.03 (585) Width: 6.85 (174)	AF26157 JOHN DEERE AL119839 	
AF26145 DAF 1362124  Height: 1.77 (45) Length: 10.20 (259) Width: 6.54 (166)	AF26158 FORD 2U2J9601BA Ford 7.3L PowerStroke Applications. 	AF26169 CATERPILLAR 8N2555 Used with AF4609 Foam Blanket  Overall Height: 9.50 (241) Overall OD: 20.20 (513) End 1 ID: 19.20 (488)
AF26146 IVECO 504024890  Height: 1.00 (26) Length: 17.72 (450) Width: 8.13 (207)	AF26159 HUMMER 88944151 	
AF26147 ATLAS COPCO 3214623900  Overall Height: 23.62 (600) Overall OD: 4.72 (120) Thread Size: M76X4	AF26161 CASE 87300190, NEW HOLLAND 87300189 CNH Class 1 Compact Tractors with ISM (Shibaura) Engine 	AF26170 INGERSOLL-RAND 39708466  Overall Height: 5.02 (128) Overall OD: 10.24 (260) End 1 ID: 6.10 (155)
AF26149K CASE 87300211, NEW HOLLAND 87300210 CNH Class 4 Compact Tractors with ISM (Shibaura) engines. New Holland and Boomer Utility Tractors (48 and 55 Gross hp) Overall Height: 11.50 (292) Fin Diameter: 6.41 (163) End 2 OD: 5.25 (133) End 1 ID: 3.25 (83) End 2 ID: 0.66 (17)	AF26162 VOLVO 3979928 Safety Element used with AF25631  Overall Height: 17.36 (441) End 1 OD: 6.63 (169) End 2 OD: 5.63 (143) End 1 ID: 5.37 (137)	AF26172 MERCEDES-BENZ A0040941804, MERCEDES-BENZ 40941804  Overall Height: 13.94 (354) Overall OD: 7.24 (184) End 1 ID: 4.13 (105)
AF26150 CASE 87300209, NEW HOLLAND 87300208 CNH Class 4 Compact Tractors with ISM (Shibaura) Engines 	AF26163M VOLVO 20411815 Primary Air Filter used with AF26212 Applied on Volvo Trucks with Cummins ISX engine.  Overall Height: 19.52 (496) End 1 OD: 13.05 (331) End 2 OD: 12.90 (328) End 1 ID: 9.21 (234)	AF26174 MERCEDES-BENZ A9408350047  Height: 1.18 (30) Length: 17.68 (449) Width: 7.78 (198)
AF26152 FORD 3C3Z9601BA 	AF26165 MERCEDES-BENZ 40942404  Overall Height: 13.56 (345) Cover Diameter: 20.47 (520) End 2 OD: 16.02 (407) End 1 ID: 8.73 (222)	AF26175 FENDT H311200090100  Overall Height: 13.56 (345) Overall OD: 7.48 (190) End 1 ID: 3.74 (95)

E. PRODUCT GUIDE

AF26176	FENDT H311200090110
	Overall Height: 13.29 (338) End 1 OD: 3.90 (99) End 2 OD: 3.43 (87) End 1 ID: 2.84 (72)

AF26178	Applied on John Deere Wheel Loader 644H
	Overall Height: 11.51 (292) Overall OD: 6.42 (163) End 1 ID: 3.74 (95)

AF26181	Applied on Caterpillar D6H Crawlers
	Height: 2.69 (68) Length: 21.25 (540) Width: 5.90 (150)

AF26182	JOHN DEERE AT73529
	Height: 2.69 (68) Length: 29.50 (749) Width: 5.00 (127)


AF26183	MC CORMICK 3233584R2
	Height: 1.48 (38) Length: 13.74 (349) Width: 5.93 (151)

AF26185	CUMMINS POWER GENERATION LTD 1403828
	Overall Height: 5.59 (142) Overall OD: 4.96 (126) End 1 ID: 2.36 (60)

AF26186	CUMMINS POWER GENERATION LTD 1403829
	Overall Height: 5.59 (142) Overall OD: 4.96 (126) End 1 ID: 2.36 (60)

AF26187	CUMMINS POWER GENERATION LTD 1403830
	Overall Height: 5.59 (142) Overall OD: 4.96 (126) End 1 ID: 2.36 (60)

AF26188	VOLVO 876069
	Overall Height: 6.40 (163) Overall OD: 3.39 (86) End 1 ID: 1.61 (41)


AF26191	LINDE 9839000 Primary Air Filter used with AF26192
	Overall height: 11.61 (295) End 1 OD: 5.20 (132) End 1 ID: 2.56 (65)

AF26192	LINDE 9839001 Safety Element used with AF26191
	Overall Height: 11.06 (281) End 1 OD: 2.52 (64) End 2 OD: 2.40 (61) End 1 ID: 1.81 (46)

AF26193	NISSAN 16546FJ170 Flame Retardant Media. Nissan Forklifts.
	Overall Height: 10.78 (274) Overall OD: 4.13 (105) End 2 ID: 2.36 (60)

AF26194	CATERPILLAR 4P0711
	Overall Height: 14.30 (363) Flange Diameter: 15.63 (397) End 1 ID: 10.14 (258)

AF26199	IVECO 2992388
	Overall Height: 16.32 (415) Overall OD: 9.13 (232) End 1 ID: 5.47 (139)

AF26201	JOHN DEERE RE172447
	Overall Height: 10.83 (275) End 1 OD: 6.89 (175) End 2 OD: 6.50 (165) End 1 ID: 5.28 (134)

AF26202	IVECO 42537392
	Overall Height: 20.98 (533) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)

AF26203	GMC 2002268, FORD 1C3Z9601AA
	Height: 3.30 (84) Width: 7.23 (184)

AF26204	IVECO 2992374 Primary Air Filter used with AF26245
	Overall Height: 19.01 (483) Overall OD: 12.89 (327) End 1 ID: 8.58 (218) End 2 ID: 0.41 (11)

AF26205	FENDT H916201091050 Primary Air Filter used with AF26206
	Overall Height: 18.19 (462) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)

AF26206	FENDT H916201091060 Safety Element used with AF26205
	Overall Height: 17.24 (438) End 1 OD: 5.93 (151) End 2 OD: 5.59 (142) End 1 ID: 4.11 (105)

AF26207	NEW HOLLAND 84432503 Primary Air Filter used with AF26208
	Overall Height: 24.92 (633) Overall OD: 14.15 (360) End 1 ID: 8.92 (227)

AF26208	NEW HOLLAND 84432504 Safety Element used with AF26207
	Overall Height: 24.61 (625) End 1 OD: 9.06 (230) End 2 OD: 8.66 (220) End 1 ID: 7.01 (178)

AF26209	TEREX 15273424 Primary Air Filter used with AF26210
	Overall Height: 20.51 (521) Overall OD: 14.15 (360) End 1 ID: 8.92 (227)

AF26210	TEREX 15273425 Safety Element used with AF26209
	Overall Height: 20.28 (515) End 1 OD: 9.06 (230) End 2 OD: 8.66 (220) End 1 ID: 7.01 (178)

AF26211	VOLKSWAGEN 2S0129620A Mexico only, Secondary Element: AF25997
	Overall Height: 16.63 (422) Overall OD: 5.63 (143) End 1 OD: 5.21 (132) End 1 ID: 4.54 (115)

AF26212	VOLVO 20411816 Safety Element used with AF26163M
	Overall Height: 18.46 (469) Overall OD: 8.38 (213)

AF26213	IVECO 500314688
	Height: 1.22 (31) Length: 11.30 (287) Width: 6.32 (161)

AF26214	NEW HOLLAND 84072431 Primary Air Filter used with AF26215
	Overall Height: 22.95 (583) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)

E. PRODUCT GUIDE

AF26215  NEW HOLLAND 84072430 Safety Element used with AF26214 Overall Height: 22.05 (560) End 1 OD: 5.93 (151) End 2 OD: 5.59 (142) End 1 ID: 4.11 (105)	AF26245 IVECO 41214149 Safety Element used with AF26204 AF26246 M.A.N. 81083040100 Overall Height: 18.90 (480) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)	AF26275 J.C.B. 32210101 Overall Height: 15.51 (394) Overall OD: 8.47 (215) End 1 ID: 4.69 (119)
AF26226 M.A.N. 81779100012 Height: 1.18 (30) Length: 18.23 (463) Width: 9.43 (240)	AF26247 CATERPILLAR 2277448 Primary Air Filter used with AF26248 Overall Height: 18.90 (480) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)	AF26279 IVECO 41272212 Fire Resistant version of AF25062 Overall Height: 24.35 (618) End 1 OD: 12.91 (328) End 2 OD: 12.89 (328) End 1 ID: 8.56 (218) End 2 ID: 0.41 (11)
AF26230 KUBOTA 6798082632 Overall Height: 7.09 (180) Overall OD: 3.27 (83) End 1 ID: 1.81 (46) End 2 ID: 1.81 (46)	AF26248 CATERPILLAR 2277449 Safety Element used with AF26247 Overall Height: 1.75 (45) Overall OD: 8.18 (208) End 1 OD: 5.54 (141)	AF26285K HYUNDAI 11EM21041 Primary Air Filter used with AF26286 Overall Height: 19.40 (493) Boot Diameter: 10.08 (256) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) End 2 ID: 0.75 (19)
AF26231 M.A.N. 85619500025 Height: 1.58 (40) Length: 14.21 (361) Width: 6.26 (159)	AF26249 VOLVO PENTA 3827643 Overall Height: 19.11 (486) Overall OD: 11.93 (303) End 1 ID: 7.24 (184)	AF26286 HYUNDAI 11EM21051 Safety Element used with AF26285K Overall Height: 19.37 (492) Overall OD: 5.16 (131) End 1 ID: 4.06 (103) End 2 ID: 0.75 (19)
AF26232 CUMMINS POWER GENERATION LTD 1403999 Overall Height: 5.59 (142) Overall OD: 4.96 (126) End 1 ID: 2.13 (54)	AF26253 Overall Height: 6.69 (170) End 1 OD: 1.77 (45) End 2 OD: 1.70 (43)	AF26296 IVECO 41272515 Fire Resistant version of AF25235 Overall Height: 20.27 (515) Overall OD: 12.89 (327) End 1 ID: 8.58 (218) End 2 ID: 0.41 (11)
AF26233 Special PLALLOY Industrial Applications Overall Height: 8.66 (220) Overall OD: 13.15 (334) End 1 ID: 8.13 (207)	AF26261 M.A.N. 81084050022 Overall Height: 16.34 (415) Overall OD: 9.13 (232) End 1 ID: 5.47 (139)	AF26297 CATERPILLAR 1131578 Overall Height: 18.41 (468) Overall OD: 19.35 (492) End 1 ID: 12.93 (329)
AF26235 FREIGHTLINER 91559 Height: 0.98 (25) Length: 10.63 (270) Width: 10.63 (270)	AF26262 M.A.N. 81084050023 Overall Height: 12.01 (305) Overall OD: 8.94 (227) End 1 ID: 4.69 (119)	AF26298 CHRYSLER 53032404AA Mexico only Length: 13.78 (350) Width: 9.33 (237)
AF26241 IVECO 41272124 Flame Retardant Media Overall Height: 18.15 (461) End 1 OD: 12.30 (313) End 2 OD: 12.34 (314) End 1 ID: 8.07 (205)	AF26267 VOLVO CONSTRUCTION EQUIPMENT 11703979 Height: 1.73 (44) Length: 17.09 (434) Width: 4.80 (122)	AF26299 GMC 97039002 Mexico only Length: 12.11 (308) Width: 0.00 (0)
AF26242 MERCEDES-BENZ 40943504, MERCEDES-BENZ A0040943504 Overall Height: 20.98 (533) End 1 OD: 10.47 (266) End 2 OD: 10.51 (267) End 1 ID: 6.26 (159)	AF26268 INTERNATIONAL TRUCKS 3551815C1 Overall Height: 21.77 (553) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF26301 CHRYSLER 4306393 Mexico only Overall Height: 2.72 (69) End 1 OD: 10.00 (254) End 1 ID: 7.48 (190)
AF26244 RENAULT TRUCKS 5001865723 Flame Retardant Media Fire Resistant version of AF25333 Overall Height: 18.25 (464) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF26272 RENAULT TRUCKS 5001865725 Fire Resistant version of AF25382 Overall Height: 21.77 (553) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF26302 GMC 93425428 Mexico Only Overall Height: 3.44 (87) End 1 OD: 11.61 (295) End 1 ID: 9.80 (249)

E. PRODUCT GUIDE

AF26303	FORD F50Y9601A Mexico only		Overall Height: 7.91 (201) End 1 OD: 8.15 (207) End 1 ID: 4.25 (108)
AF26304	FORD D3Z9601A Mexico only		Overall Height: 1.97 (50) End 1 OD: 10.63 (270) End 1 ID: 9.09 (231)
AF26305	GMC 25050385 Mexico only		Height: 2.80 (71) Overall OD: 9.65 (245) End 1 ID: 8.07 (205)
AF26306	FORD E7TZ9601B Mexico only		Length: 12.68 (322) Width: 5.81 (148)
AF26307	CHRYSLER 53004383 Mexico only		Length: 13.39 (340) Width: 6.61 (168)
AF26308	GMC 25313348 Mexico only		Length: 12.28 (312) Width: 9.72 (247)
AF26309	GMC 25098463 Mexico only		Length: 11.50 (292) Width: 5.91 (150)
AF26310	FORD F57Z9601A Mexico only		Height: 7.85 (199.39) Overall OD: 6.93 (175.9) End 1 ID: 3.11 (79)
AF26312	GMC 8991386 Mexico only		Height: 2.26 (57.5) Overall OD: 9.69 (246.0) End 1 ID: 8.07 (205.0)
AF26313	FORD E9SZ9601A Mexico only		Length: 9.57 (243) Width: 9.57 (243)
AF26314	GMC 25042562 Mexico only		Length: 16.00 (406) Width: 7.95 (202)
AF26315	GMC 15998574 Mexico only		Overall Height: 11.18 (284) Overall OD: 6.48 (164.5) End 1 ID: 3.60 (91.5)

AF26316	CHRYSLER 3614353 Mexico only		Height: 3.58 (91) Overall OD: 10.51 (267) End 1 ID: 8.86 (225)
AF26317	JEEP 948516 Mexico only		Height: 3.50 (89) Overall OD: 9.76 (248)
AF26318	FORD XC3Z9601AA Mexico only		Length: 13.40 (340) Width: 7.24 (184)
AF26319	GMC 25168082 Mexico only		Height: 11.14 (283) Overall OD: 7.19 (182.5) End 1 ID: 3.69 (93.6)
AF26320	NISSAN 1654618000 Mexico only		Height: 2.01 (51) Overall OD: 8.88 (225.5) End 1 ID: 6.93 (176)
AF26321	NISSAN 16546V0100 Mexico only		Length: 11.02 (280) Width: 6.61 (168)
AF26322	NISSAN 16546VW600 Mexico only		Height: 11.51 (292.39) Overall OD: 4.86 (123.5)
AF26323	NISSAN 1654686G00 Mexico only		Height: 2.33 (59.3) Overall OD: 12.80 (325)
AF26324	Mexico only		Length: 11.42 (290) Width: 9.69 (246)
AF26325	IVECO 41272534 Fire Resistant version of AF4503		
AF26328	Upgrade of AF1968 Used on Kenworth T800 Short Hood Chassis Trucks		Overall Height: 22.40 (569) End 1 OD: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)

AF26328M	Upgrade of AF1968M Used on Kenworth (Paccar) T800 Short Hood Chassis Trucks
	Overall Height: 22.40 (569) End 1 OD: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)

Air Housings

AH1100	CUMMINS 3315741 Disposable Housing Unit		Overall Height: 15.46 (393) Outlet OD: 5.50 (140) Length: 14.56 (370) Width: 17.38 (442)
AH1101	CUMMINS 3315742 Gen Set Disposable Housing Unit		Height: 17.91 (455) Outlet OD: 5.50 (140) End 1 OD: 17.64 (448) End 1 ID: 5.50 (140) Length: 17.83 (453) Width: 19.82 (503)
AH1103	Disposable Housing Unit		Overall Height: 25.72 (653) Largest Housing OD: 11.00 (279) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)
AH1103F	Same As AH1103 Except Element Inside Is Sitting Off Center.		
AH1107	DONALDSON HOUSINGS ECC085004 Disposable Housing Unit		Overall Height: 10.88 (276) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 3.00 (76)
AH1134	Housing used with AF1913 Nelson Winslow Hat Type		Overall Height: 8.00 (203) Largest Housing OD: 8.20 (208) End Connection Height: 2.00 (51) End Connection ID: 3.04 (77)
AH1135	FARR 71338003 For Upgrade, use AH1135M Disposable Housing Unit		Overall Height: 25.72 (653) Largest Housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)